WINTER 2026

SUPER DEALS

★ 40 YEAR ANNIVERSARY EDITION ★

BULLWORTHY

THE GARAGE EQUIPMENT SPECIALISTS

40 Years ANNIVERSARY

TECHNIQUE

GEA MEMBERS

Small, Medium, or Large



Rotary® **Find The Perfect Fit** Rotary®

Exclusive Offers - Limited Time Only

Full 5 year warranty* | Adaptor kits included†


* Full warranty includes parts and labour subject to correct maintenance by a Rotary authorised installer.

† SPOA3T includes FJ6199 pad extension kit. All other models to include FJ7880 pad extension kit and FJ6173 chassis adaptor kit.

See the back pages for complete range!

(01295) 768373 @ enquiries@bullworthy.co.uk www.bullworthy.co.uk

TECHNIQUE Four Post Lifts



CAPACITY 4.0T

CAPACITY 5.0T

The Technique range of four post lifts include integrated hydraulic play detectors and offer an extremely low pick up height.

- Integral hydaulic play detector.
- Variable platform lengths from 4460mm, 5100mm, and 5700mmm.
- Available in 4.0, 5.0 tonne capacities.
- Available as recessed or surface mounted lift.

MODEL	CLASS	PLATFORM LENGTH	OVERALL WIDTH	CAPACITY	DRIVE ON HEIGHT	PRICE	PER WEEK
4400.3IMOT4	4	4460mm	2850mm	4.0T	130mm	£POA	£POA
* 4400.3IMOT4	4	4460mm	2850mm	4.0T	130mm	£POA	£POA
4401.3IMOT4	4	4460mm	2850mm	4.0T	160mm	£POA	£POA
* 4401.3IMOT4	4	4460mm	2850mm	4.0T	160mm	£POA	£POA
4500.3IMOT7	7	5700mm	3250mm	5.0T	175mm	£POA	£POA
* 4500.3IMOT7	7	5700mm	3250mm	5.0T	175mm	£POA	£POA

Wheel Alignment & MOT Four Post Lifts

MODEL	CLASS	PLATFORM LENGTH	OVERALL WIDTH	CAPACITY	DRIVE ON HEIGHT	PRICE	PER WEEK
4406.3IMOT4	4	5100mm	3355mm	4.0T	175mm	£POA	£POA
4502.3IMOT4	7	5700mm	3355mm	5.0T	175mm	£POA	£POA

* Represents surface mounted option.

TECHNIQUE Scissor Lifts



CAPACITY 4.0T

CAPACITY 5.0T

CAPACITY 6.0T

The Technique range of wheel alignment scissor lifts include rear integrated slip plates and a basic bearing mounted turn plate kit.

- Strong, sturdy construction.
- Variable platform lengths from 4600mm to 5500mm.
- Available in 4.0, 5.0 and 6.0 tonne capacities.
- Available as recessed or surface mounted lift.

I = Recessed version / SI = Integral scissor version.

MODEL	PLATFORM LENGTH	OVERALL WIDTH	CAPACITY	PRICE	PER WEEK
640N.2 I	4600mm	2100mm	4.2T	£POA	£POA
640N.2 ISI	4600mm	2100mm	4.2T	£POA	£POA
650N.2.55 I	5500mm	2200mm	5.0T	£POA	£POA
650N.2.55 ISI	5500mm	2200mm	5.0T	£POA	£POA
660N.2.55 I	5500mm	2200mm	6.0T	£POA	£POA
660N.1.55 ISI	5500mm	2200mm	6.0T	£POA	£POA

Fork lift assistance required for certain recessed applications and site conditions.



Optional Extras - *For plain platform and wheel alignment lifts.*	
LED Lighting Kit.	£POA
Turn Table Filler Kit	£POA
Longer Run On Ramps (1800mm)	£POA

Get the latest industry news and product updates by visiting our blog!

Hydraulic Two Post Lift

- Symmetrical arm design.
- 3 stage telescopic lifting arms front and rear.
- Base plate design - great for low ceilings.
- Durable, low maintenance, high pressure cylinders and sync chain.




Split adaptors included.



MODEL	HEIGHT	WIDTH	CAPACITY	PRICE	PER WEEK
SGL35	3160mm	3320mm	3.5T	£POA	£POA

TECHNIQUE Mid Rise Scissor Lift

- Add a work bay wherever, whenever!
- No bolts or compressed air needed.
- Reliable hydraulic system with torsion synchronisation.
- Single Phase (16amp).
- 100mm – 990mm lifting range.



Locking ramps increase platform length (1400mm – 2010mm).



Set of 4 x 50mm lifting blocks.



Mobile set to move the lift easily.



MODEL	PRICE	PER WEEK
T1210-30/S	£POA	£POA

Includes hydraulic oil and installation.
Full parts and labour warranty excludes electronics, includes motor.

TECHNIQUE Full Rise Scissor Lift


- Patented HyperFlow and NT technology.
- 100% Hydraulic, 100% Safe.
- No compressed air needed, no mechanical locks.
- 4.6m hoses and hose covers as standard.
- 3 Phase (16amp).
- Low 105mm – 2000mm lifting range.



Locking ramps increase platform length (1400mm – 2010mm).



Set of 4 x 50mm lifting blocks.



Optional recessed installation for low clearance vehicles.

MODEL	PRICE	PER WEEK
T1220-35	£POA	£POA

Full parts and labour warranty excludes electronics, includes motor.

Got a question? Contact our specialist team today with your enquiries!

TRUESTEEL WORKSHOP FURNITURE

A SOLUTION FOR EVERYONE!

Bullworthy and Truesteel® deliver high-quality, British made workshop furniture with limitless design flexibility.

Combining expertise and advanced production, they create cabinets, toolboxes, storage, and service solutions to fit any space. Truesteel®'s precision software enables millimetre perfect designs and 3D walkthroughs, while robust steel construction ensures unmatched strength and durability.

Together, they offer workshop solutions built to last.




GREETING & RECEPTION AREAS





DOMESTIC GARAGES






ENGINE REPAIR AREAS





Get in touch with our sales team to discuss your equipment requirements!

MULTIPLE STORAGE OPTIONS







INDEPENDENT WORKSHOPS





DEALER GROUP WORKSHOPS









TRUESTEEL WORKSHOP FURNITURE

Visit our website today to view our full range of equipment!



BASIC TOOLBOX SOLUTION - 900/1250

- 1000kg swivel castors (2 x with brake.)
- Security - Anti-drill, radial pin design.
- Minimum 90kg capacity per drawer.
- 900mm(W) x 945(H) x 600(D).
- 1250mm(W) x 945(H) x 600(D).
- Rubber lined drawers.
- Black ABS worktop.
- Composite hinges.



WANTING MORE?

- Bigger dimensions?
- Deeper drawers?
- More drawers?

Get in touch to find out more!



- ANY COLOUR, WRAP OR GRAPHICS YOU WANT.
- TOOLBOX SOLUTIONS SUITABLE FOR ANY ENVIRONMENT.

MODEL:	DRAWERS:	PRICE	PER WEEK:
906	6	£POA	£POA
907	7	£POA	£POA
908	8	£POA	£POA
1256	6	£POA	£POA
1257	7	£POA	£POA
1258	8	£POA	£POA

Prices shown excluding carriage.







TAKE YOUR WORKSHOP TO THE NEXT LEVEL!

- Integrated air reel (optional).
- 240v power reel (optional).
- 2 x Basic 900 mobile toolboxes.
- 240v mounted plug sockets.
- Overhead storage cupboards.
- Worktop LED lighting.
- Full size storage cupboards.
- Centre baseless storage cupboard.
- Security - Anti-drill, radial pin design.
- Black ABS worktop.



Get in touch to find out more!

PRICES FROM:	PER WEEK:
£POA	£POA

Prices shown excluding carriage.

" EXPERIENCE THE PERSONAL TOUCH "

Get the latest industry news and product updates by visiting our blog!

TECHNIQUE Steel Top Heavy Duty Workbench

Heavy duty workbenches come fully welded (not flat pack) and ready to use. They are constructed from steel angle with braced 2mm galvanised steel top. The uniformly distributed load (UDL) is up to 1000kg for each workbench. These workbenches are perfect for heavier duty work. The standard height is 840mm, but this can be changed at no extra cost.



1260SC	1200mm x 600mm with cupboard	Price: £POA
1275SC	1200mm x 750mm with cupboard	Price: £POA
1290SC	1200mm x 900mm with cupboard	Price: £POA
1560SC	1500mm x 600mm with cupboard	Price: £POA
1575SC	1500mm x 750mm with cupboard	Price: £POA
1590SC	1500mm x 900mm with cupboard	Price: £POA
1860SC	1800mm x 600mm with cupboard	Price: £POA
1875SC	1800mm x 750mm with cupboard	Price: £POA
1890SC	1800mm x 900mm with cupboard	Price: £POA
2060SC	2000mm x 600mm with cupboard	Price: £POA
2075SC	2000mm x 750mm with cupboard	Price: £POA
2090SC	2000mm x 900mm with cupboard	Price: £POA

Add a drawer to any of these workbenches.

SDMD	Single Drawer	Price: £POA

Add a drawer to any of these workbenches.

MDCUP	Extra Cupboard	Price: £POA



4" Vice	Price: £POA
5" Vice	Price: £POA
6" Vice	Price: £POA
8" Vice	Price: £POA

TreadReader™ Drive Over Tyre Analysis Equipment

INCREASE TURNOVER & PROFITS

INSTANTLY!

This system pays for itself within weeks* – the rest is sheer profit!

The TreadReader™ DriveOver improves your business opportunities in an instant by accurately measuring every tyre entering your workshop. Just by passing over the scanner, the fully automated system triggers up to 300,000 measuring points, essential to ensure the most accurate tread depth and tyre wear readings.

The cloud-based reporting system will highlight every tyre borderline or needing to be changed, and will indicate a wheel alignment opportunity to help improve tyre wear.


**Based upon average 10 bay UK workshop figures.*





Rear Left NSR 80% Worn:

2.9mm 3.4mm 3.7mm 3.8mm



TreadReader™ 3D tyre scan

PC Mobile Tablet

Get in touch with Bullworthy today for more information!

Got a question? Contact our specialist team today with your enquiries!

TECHNIQUE T2410-BT Wheel Alignment System

The Technique T2410-BT wheel alignment system encapsulates the latest Bluetooth, Infra-red, and 6 Sensor CCD four-wheel alignment technology, in a neat and compact trolley.



Machine Features:

- Mobile control unit complete with a PC, 19” monitor, keyboard, printer and battery charger.
- Infra-red remote controlled measuring heads.
- Shoot and Go alignment software with Easy Update facility.
- 24 month warranty.



Keyboard with remote control function.



Infra-red measuring heads powered by long life rechargeable batteries.

T2410-BT Bluetooth Wheel Alignment System	FROM £POA	£POA PER WEEK

Bluetooth™

TECHNIQUE T2440-3D Wheel Alignment System

Machine Features:

- Equipped with tyre grabbing 3 point clamps to avoid run out compensation.
- Remote control located on each sensor.
- Run out compensation when required.
- Bluetooth transmission between measuring heads and control unit.
- Can be used on any 4 post or scissor lift.
- Automatic lift level compensation.

Bluetooth™






High resolution cameras.



Quick and easy setup.



Automatic lift level compensation.



Simple guided measurements.

T2440-3D Wheel Alignment System	FROM £POA	£POA PER WEEK

Get in touch with our sales team to discuss your equipment requirements!

CEMB TECHNIQUE T21-ER10PRO Wheel Balancer

- Automatic gauge for rim distance and diameter measurement up to 28”.
- Virtual Sonar for 3D wheel measurement and automatic rim width calculation.
- AutoAdaptive tolerance calculation system.
- Durable touch-control panel for intuitive operation.
- Electromagnetic brake for precise wheel positioning.
- Automatic wheel positioning within 15° of the weight application point.
- LASER-guided adhesive weight positioning inside the rim.
- Professional balancing programs: SPLIT, OPT and ALU.
- ALU-S 3D mode for precise internal adhesive weight positioning.
- Low-speed balancing.
- Latest-generation VDD Virtual Direct Drive for fast, highly accurate measurement.

T21-ER10PRO	PRICE: £POA	PER WEEK: £POA



CEMB TECHNIQUE T21-ER15 Wheel Balancer

- Automatic gauge for rim distance and diameter measurement up to 28”, with adhesive weight holding clip.
- Virtual Sonar for 3D wheel measurement and automatic rim width calculation.
- AutoAdaptive tolerance calculation system.
- Large 17” touchscreen interface.
- Electromagnetic brake for precise wheel positioning.
- Professional balancing programs: SPLIT, OPT and ALU.
- ALU-S 3D mode for precise internal adhesive weight positioning.
- LASER-guided weight positioning with integrated LED work light.
- Automatic wheel positioning within 15° of the weight application point.
- Low-speed balancing.
- Latest-generation VDD Virtual Direct Drive for fast, highly accurate measurement.

T21-ER15	PRICE: £POA	PER WEEK: £POA



CEMB TECHNIQUE T21-ER65EVO Wheel Balancer

- Data entry via automatic gauge to measure rim measurement up to 28”, with adhesive weight clip.
- Sonar LA automatic wheel width measurement.
- Electromagnetic brake for precise wheel positioning.
- 17” touchscreen for fast, accurate operation.
- Automatic wheel positioning within 15° of the correction point.
- LASER-guided adhesive weight placement.
- LED work light inside the rim.
- AutoAdaptive tolerance calculation.
- SPLIT, OPT and ALU balancing programs.
- ALU-S 3D balancing with precise weight position indication.

T21-ER65EVO	PRICE: £POA	PER WEEK: £POA



Visit our website today to view our full range of equipment!

TECHNIQUE T2210-PRO Tyre Changer

The Technique T2210-PRO Fully automatic 24" tyre changer will meet the highest of demands from any operator. The side assist arm is supplied with two adaptor arms with an option of an extra roller for lifting the bottom bead.

- Quality construction: The frame is reinforced to grant the utmost rigidity to the structure.
- Fast bead braking: With 2 position adjustment.
- Easily adjusted: Double adjustable clamp positions. In: 13" - 24". Out: 11" - 22".
- Clamps and spikes: High adherence clamp with replaceable spikes.
- Fine setting mounting head: New standard adherence clamp with replaceable spikes.

PRICE: £POA	PER WEEK: £POA



Pneumatic side assist arm.



Two position fast bead breaker.



1050mm (41") 381mm (15")

TECHNIQUE T2220-M1 Tyre Changer

Perfect for any alloy rim size, run flat and low profile tyres. Premium, completely lever-less tyre changer with 'Memory' feature and centre mounting head allowing for any size of rim. A must for any workshop handling modern wheels.

- Easy demount head (upper bead.)
- Pneumatic assist arm.
- Foot pedal tyre inflation.
- Variable speed.
- Space saver post.
- Rim edge memory controls.
- Lever for quick opening of arm.
- Easy bead braking.
- Self locking clamp system.
- Two position locking plate for standard or reverse rims.

PRICE: £POA	PER WEEK: £POA



Patented tool in plastic anti-scratch material.



1050mm (41") 1050mm (41") 381mm (15")

WHEEL CARE PACKAGE 1

T2210-PRO
Tyre Changer
+
T21-ER10PRO
Wheel Balancer



PRICE: £POA	PER WEEK: £POA

WHEEL CARE PACKAGE 2

T2220-M1
Tyre Changer
+
T21-ER15
Wheel Balancer



PRICE: £POA	PER WEEK: £POA

Get the latest industry news and product updates by visiting our blog!

TECHNIQUE T2225-M2 Tyre Changer

The Technique T2225-M2 tyre changer is equipped with a patented leverless tool that streamlines mounting and demounting. By eliminating traditional levers, it reduces operator strain and protects both rims and tyre beads. Specially designed for ultra-low-profile and RUN-FLAT tyres, it delivers faster, safer, and more precise performance, making it a reliable choice for modern professional workshops.

- Easy demount head (upper bead.)
- Pneumatic assist arm.
- Foot pedal tyre inflation.
- Variable speed.
- Space saver post.
- Rim edge memory controls.
- Lever for quick opening of arm.
- Easy bead braking.
- Self locking clamp system.
- Two position locking plate for standard or reverse rims.

PRICE: £POA	PER WEEK: £POA



Double roller bead breakers.



Patented tool in plastic anti-scratch material.



TECHNIQUE T2240-M3 Tyre Changer

Equipped with an innovative (patented) leverless head and advanced automatic functions, the T2240-M3 lets you work quickly, precisely and without any effort also on UHP and Run-Flat tyres. The configuration is already complete with all the major accessories, making it particularly suitable for tyre shops and car dealers.

- Supplied with rotating pneumatic bead pusher arm.
- Quick clamping lock for rims.
- Pneumatic wheel lift.
- Laser pointing that indicates proper head positioning.
- Double bead breaking system.
- Three adjustable working heights.
- Patented centre post locking plate suitable for reverse rims.

PRICE: £POA	PER WEEK: £POA









1. **Double roller bead breakers.**
2. **Memory system with automatic head repositioning.**
3. **Sensor with automatic indent function.**



T2225-M2
Tyre Changer
+
T21-ER65EVO
Wheel Balancer

PRICE: £POA	PER WEEK: £POA

WHEEL CARE PACKAGE 3



T2240-M3
Tyre Changer
+
T21-ER65EVO
Wheel Balancer

PRICE: £POA	PER WEEK: £POA

WHEEL CARE PACKAGE 4

Got a question? Contact our specialist team today with your enquiries!



TECHNIQUE Rotary Class 4 ATL MOT Packages

MOT CLASS:	VERSION:
Class 4 ATL	Four Post Lift
PACKAGE DESCRIPTION:	
Rotary 4 tonne 4.7m platform, hydraulic play detector, recessed radius plates, PC based roller brake tester, 22" display, advanced headlight aligner, 2 tonne jacking beam, mirrors and pedal depressor.	
PRICE:	PER WEEK:
FROM £POA	FROM £POA



TECHNIQUE Rotary Class 7 ATL MOT Packages

MOT CLASS:	VERSION:
Class 7 ATL	Four Post Lift
PACKAGE DESCRIPTION:	
Rotary 6.5 tonne 6.0m platform, hydraulic play detector, recessed radius plates, PC based roller brake tester, 22" display, advanced headlight aligner, 2.8 tonne jacking beam, mirrors and pedal depressor.	
PRICE:	PER WEEK:
FROM £POA	FROM £POA




Get in touch with our sales team to discuss your equipment requirements!



TECHNIQUE Class 4 & 7 Scissor Lift MOT Packages

MOT CLASS:	VERSION:
Class 4/7	Scissor Lift
PACKAGE DESCRIPTION:	
Technique 3.5T 4.6m platform (Class 4), Technique 5.0T 5.5 platform (Class 7), hydraulic play detector, recessed radius plates, PC based roller brake tester, 22" display, advanced headlamp tester, 2T (Class 4), 2.8T (Class 7) jacking beam, mirrors and pedal depressor.	
CLASS 4:	CLASS 7:
PRICE: £POA	PRICE: £POA
PER WEEK: £POA	PER WEEK: £POA



TECHNIQUE Motorcycle & Inspection Pits

MOT CLASS: Class 4/5/7	VERSION: Inspection Pit
PACKAGE DESCRIPTION:	
The Technique ATL pit packages are supplied and installed with, hydraulic play detectors and captive turn plates, Technique headlamp tester, Technique T8000 brake tester and Technique jacking beam.	
PER WEEK:	£POA



MOT CLASS: Class 1 & 2	VERSION: Motorcycle
PACKAGE DESCRIPTION:	
The Technique Motorcycle testing package includes Technique T5210 brake tester, Technique T4600 headlamp tester and wheel alignment bars.	
PRICE: £POA	PER WEEK: £POA



Visit our website today to view our full range of equipment!

TECHNIQUE T8003 Emissions Tester

The Technique T8003 is the first of a new generation of emissions analysers marking a stepped change in performance, operation and ergonomic practicality. Everything about the T8003 is in 'touch' with modern technology and designed to help propel your business into the future. Utilising the latest 'touch-screen' technology on the standard 23" screen each high definition graphic has been thought through for clarity and instant recognition whilst testing.



Touch-screen technology.



Bluetooth smoke meter.



PRICE:	PER WEEK
£POA	£POA
Includes a 2 year warranty.	

TECHNIQUE

T4600 Headlamp Tester

- Balanced optical head.
- Advanced fresnel lens.
- Focus range between 200-800mm.
- Advanced electronic version.
- Printer connectivity.



Laser alignment.



Advanced fresnel lens.



MODEL	CLASS	PRICE
T4600	4	£POA
T4600V	7	£POA

TECHNIQUE T8000 Series Brake Tester

The T8000 range of MOT brake testing equipment represents a step change in performance, operation and ergonomic practicality. Options are also available to extend you into Class I and II testing, suspension testing and steering geometry analysis. Everything about the T8000 puts you in 'touch' with essential vehicle testing technology.

Why not test Class 1 & 2?



Upgrade any of the above brake testers to test motorcycles.

JUST ADD £POA

MODEL	VERSION	CLASS	PER WEEK
T8400-EB	Standard	4	£POA
T8400A-EB	ATL	4	£POA
T8700	Standard	7	£POA
T8700A	ATL	7	£POA



TECHNIQUE

Connectable Electronic Decelerometer



PRICE:	£POA

Get the latest industry news and product updates by visiting our blog!

TECHNIQUE



- The perfect solution to lifting modern vehicle including electronic vehicles.
- Impressive NEW top beam is an industry leading 1875mm to the centre of the pads, while still retaining a closed width of only 790mm.
- Designed for both the 2.0 and 2.8 tonne jacking beams, and fitted as standard.

Supplied with new style accessories:

- **2 x Adjustable screw lift pads.**
- **2 x 70mm Extension tubes.**
- **2 x 40mm Rubber blocks.**

TECHNIQUE Accessory offer:

- **2 x 38mm Extension tubes.**
- **Lift roller glide kit for any variant of lift.**

CAPACITY 2.0T CAPACITY 2.8T

THE WIDEST AND THE BEST!

MODEL	OPERATION	CAPACITY	CLASS	PRICE
T3000/EW	Manual Hand Operated	2.0T	4	£POA
T3001/EW	Air Operated Pneumatic	2.0T	4	£POA
T3002/EW	Manual Air Operated	2.8T	7	£POA
T3003/EW	Air Operated Pneumatic	2.8T	7	£POA

TECHNIQUE

Upgrade Your Existing Jacking Beam!

Already have a TECHNIQUE or MAJORLIFT jacking beam? WE'VE GOT YOU COVERED!

- The perfect solution to upgrade your beam so it can now lift modern vehicles including electronic vehicles.
- Impressive NEW top beam is an industry leading 1875mm to the centre of the pads, while still retaining a closed width of only 790mm.
- This retro fit kit has been designed to fit existing 2 and 2.8 tonne jacking beams currently fitted with double extending top beam. (Narrow beams need further slight modification.)
- Full fitting instructions provided to make the job a quick and easy task.



Supplied with new style accessories:

- **2 x Adjustable lift pads.**
- **2 x 70mm Extensions.**
- **2 x 40mm Rubber blocks.**
- **2 x Upper finger guards.**

MODEL	CAPACITY	PRICE
T280090	2000kg	£POA
T290090	2800kg	£POA

Prices include carriage.



Commercial pit jacks also available! Contact us for further details!

Got a question? Contact our specialist team today with your enquiries!

MAHLE ArcticPRO® Air Conditioning Servicing Units

ArcticPRO® ACX310/410



- Weighs just 65kg.
- Efficient servicing, regardless of vehicle and ambient temperature.
- Printer for customer reports and database for service data.
- USB interface for software updates and remote diagnostics.
- WiFi compatible.

R124A R1234YF

MODEL:	PRICE:	PER WEEEK:
ACX310 (R134A)	£POA	£POA
ACX410 (R1234YF)	£POA	£POA

ArcticPRO® ACX320/420



- High performance vacuum pump.
- 7” high resolution touchscreen display.
- USB interface, WiFi and Bluetooth for remote diagnostics, software updates and ASA connectivity.
- Optional printer for customer reports and database for service data.

R124A R1234YF

MODEL:	PRICE:	PER WEEEK:
ACX320 (R134A)	£POA	£POA
ACX420 (R1234YF)	£POA	£POA

ArcticPRO® ACX350/450



- USB interface, WiFi, Bluetooth for remote diagnostics, software updates, and ASA connectivity.
- Active Oil Protection: Hermetically sealed oil containers.
- LED light indicates status anywhere in the workshop.
- AC Remote viewer app (optional)

R124A R1234YF

MODEL:	PRICE:	PER WEEEK:
ACX350 (R134A)	£POA	£POA
ACX450 (R1234YF)	£POA	£POA

ArcticPRO® ACX380/480



- USB interface, WiFi and Bluetooth for remote diagnostics, software updates and ASA connectivity.
- Active Oil Protection: Hermetically sealed oil containers.
- LED light indicates status anywhere in the workshop.
- AC remote viewer app: for remotely viewing the display from your Smart phone with SMS sender service.

R124A R1234YF

MODEL:	PRICE:	PER WEEEK:
ACX380 (R134A)	£POA	£POA
ACX480 (R1234YF)	£POA	£POA

Get in touch with our sales team to discuss your equipment requirements!

WORKY TECHNIQUE Exhaust Extraction Systems

Bullworthy can offer an extensive range of exhaust and fume extraction systems regardless of the size of your workshop. From fixed-point systems with drop-down reels, to completely mobile extraction systems for MOT testing purposes. We offer a free site survey from one of our experienced team, who will design and calculate the correct system to suit your extraction requirements. Bullworthy not only installs extraction systems but also offer maintenance and COSHH testing.



Exhaust Extraction Systems.



Dust Extraction Systems.



Weld Fume Extraction Systems.

Site Survey.

System Installation.

System Design.

After Sales Support

WORKY GYNMA Mobile Trolley Systems



GYNMAG-GON 2 x Oval Nozzle Trolley.



GYNMA-150125125HT5 2 x High Temp Nozzle and Hose Trolley.



GMNT-GTL Single Round Steel Nozzle ideal for M/C.



Foldable design.

GYNMAG-GON 2 x Oval Nozzle Trolley	100mm Ø Hose	Price: £POA
GYNMA-150125125HT5 2 x High Temp Nozzle & Hose Trolley	125mm Ø 500°C	Price: £POA
GMNT-GTL Single Round Steel Nozzle ideal for M/C	100mm Ø Hose	Price: £POA

Prices shown are exclusive of carriage.

WORKY General Accessories & Parts

Common Replacement Nozzles			
	GRNG-160100	Nozzle with vice grip & damper, 75mm dia hose.	Price: £POA
	GON-100MG	Twin exhaust nozzle with vice grip and damper 100mm dia hose.	Price: £POA
	GON-100EG	Twin exhaust internal clamping nozzle with and damper 100mm dia hose.	Price: £POA
	GRTN-125MG	Commercial nozzle with vice grip and damper, 125mm dia hose. Ideal for MOT.	Price: £POA

Y Assembly For Nozzles			
	GYG-100100100	Y-Piece with 2 x 100mm dia x 1.25m crushproof hose.	Price: £POA (Exc nozzles)

Hose Reels			
	GMR+10010	100mm dia. x 10m spring recoil hose reel.	Price: £POA
	GMR+12510	125mm dia. x 10m spring recoil hose reel.	Price: £POA

Tidy Workshop			
	GWB-100	Hose storage bracket for 100mm dia hose.	Price: £POA

Prices shown are exclusive of carriage.

Visit our website today to view our full range of equipment!

TECHNIQUE 1500kg Portable Lifting Gantry

NEW FOR 2027

From crate to lifting table safely and effortlessly!

Purpose-built for heavier materials lifting such as EV batteries, this specialised portable lifting gantry delivers greater capacity without compromising portability or rapid assembly. Despite the 1500kg capacity, it can still be assembled by one person and is ready for use in minutes, making it ideal where portability and fast deployment are essential.

- **Materials capacity - up to 1500kg.**
- **Height of lift - 2875mm.**
- **Clear operating span - 1900mm.**
- **Fixed lifting trolley for extra safety.**
- **Lifting chains included (excludes manufacturer specific lifting/coupling devices.)**

Contact us today for more information.




1000kg option available complete with traversing trolley.

TECHNIQUE Electronic Vehicle Battery Lifts

T3314 BATTERY LIFT

- Ergonomic controls.
- Electro-hydraulic operation.
- Undirectional high load bearing wheels with integrated brakes.
- Self-levelling load platform with specially shaped wood worktop.
- Powerful double hydraulic cylinder system.

MODEL	CAPACITY	MAX LIFTING HEIGHT	PRICE	PER WEEK
T3314	1400kg	1800mm	£POA	£POA



CAPACITY 1.4T

T3322 BATTERY LIFT

- Electrically released mechanical locking system.
- 24V control system three pin plug.
- Various fully adjustable adaptor pins for reserved holes.
- 1200kg lifting capacity.

MODEL	CAPACITY	MAX LIFTING HEIGHT	PRICE	PER WEEK
T3322	1200kg	1810mm	£POA	£POA



CAPACITY 1.2T

Get the latest industry news and product updates by visiting our blog!

TECHNIQUE Waste Oil Drainer

- 95 litre tank capacity.
- 8 litre hopper capacity.
- Fully encapsulated 1:1 air operated pump for draining unit.
- Integral air regulator.





Integral pump.

T2200-013 with integral pump.	Price: £POA
T2200-014 discharge point empty.	Price: £POA

Prices shown are exclusive of carriage.

TECHNIQUE Fuel Retrievers

- For safe and easy emptying/filling of fuel from vehicles.
- Two integral flash arrestor filters 400 microns.
- Fully antistatic earth leads and fuel grade hose.
- Will pump most fuel types at 30 to 40 litres per minute.
- 80 litre capacity.
- Locking valve to prevent unauthorised use.



T2105-010 Fuel Retriever	Price: £POA

Prices shown are exclusive of carriage.

TECHNIQUE Waste Oil Tank Alarm

- LED zone lights up to indicate potential issue.
- Flashing orange strobe.
- Weatherproof IP55 rated box.
- 90dB sounder.
- Test and mute functions.
- Mains or battery operated.





High level probe.

High or low level tank alarm	Price: £POA
Single high or low level probe.	Price: £POA

Prices shown are exclusive of carriage.


TECHNIQUE Multi-Tank Safety System

Introducing the new wireless control tank safety system. Can be retrofitted to any existing fresh oil or waste oil system to offer simple high or low level alerts through to timer, or level controlled security control for all your oils.

- Single multi-unit covers all modes of monitoring.
- Wireless day/night control using iOS or Android.
- Standard high/low level alarm options.
- Remote strobe and klaxon options.
- Waste oil over fill cut off option.
- Fresh oil/s out of hours cut off option.







Multi-Tank Safety System	Starting From: £POA

Prices shown are exclusive of carriage.

Got a question? Contact our specialist team today with your enquiries!

NEXU Fluid Management System

NEX.U provides you with the control and information you require to make your operation more profitable. You will be able to account for every drop of lubricant and other service fluids used. On top of this, you will carry an efficient inventory control, with automatic alerts and fluid re-ordering when needed, eliminating operation downtime. For almost any lubricant usage or operation size, with today's high costs for these fluids, **NEX.U** quickly pays for itself. Once it is paid for, savings go right to the operations bottom line in the form of profit, which was previously lost.





SAMOA U-TRACK web-based software means there is no need for a dedicated PC. Access the programme, mangement, control and reports from a remote PC, tablet or mobile phone from any location.



U-DAT
System keypad with full access to NEX.U and U-TRACK.



U-VALVE
All in one flow control unit. Includes Solenoid Pulse Meter and Filter.



UNET - Central processing unit.



U-VISION
Hand held display with system, keypad.



U-TRACK
Use a license on any PC, Tablet or Mobile Phone to control the system.



U-TANK
Provides real time inventory control and manages a variety of alarm systems.

CALL US FOR A FREE SITE SURVEY AND DISCUSSION ON HOW NEX.U CAN SAVE YOUR COMPANY MONEY!

Waste Oil Drainer 100ltr w/ Discharge Pump



Gravity collection units with pump discharge. 100 litre capacity. Discharge is done through a 1:1 pressure ratio pneumatic piston pump attached to the back of the unit reservoir and 1.5m hose with hydraulic type coupler.

Part Number: 372200	Price: £POA

Waste Oil Drainer 100ltr w/ Remote Pump Discharge



Gravity collection unit with remote pump discharge. 100 litre capacity. Discharge is done connecting the unit to a wall mounted discharge pump kit through a hydraulic coupler located at the bottom of the reservoir.

Part Number: 372300	Price: £POA

95ltr Low Level Mobile Drainer



Low level mobile drainer for gravity collection of waste oil and used automotive fluids such as antifreeze solutions. Recommended to use when a vehicle hoist/lift or a service pit is not available.

Part Number: 436000	Price: £POA

3:1 Air Operated Mobile Oil Dispenser



Pumpmaster 2 - 3:1 ratio drum mounted mobile oil dispenser for 205 litre drums. Package includes:

- Pumpmaster 2 - 3:1 ratio oil pump (stub type).
- Pump bracket.
- Digital hose end meter.
- 3m x 1/2" delivery hose.
- Suction hose.

Part Number: 376610	Price: £POA

All prices shown are exclusive of carriage.

Get in touch with our sales team to discuss your equipment requirements!

12m x 10mm Compact Hose Reel



12m compact hose reel for air. Includes 0.8m inlet hose and pivoting bracket.

Part Number: 500116	Price: £POA

15m x 8mm Compact Hose Reel



15m compact hose reel for air. Includes 0.8m inlet hose and pivoting bracket.

Part Number: 500115	Price: £POA

230v Power Cable Reel



RM POWER Cable reel 15m (3 x 1.5mm²) cable.

Part Number: 612100	Price: £POA

Drip Pocket w/ Gun Holder



Can be mounted to a wall or reel stand & allows oil gun/water gun, to be placed inside to avoid any fluid dripping on the floor.

Part Number: 360127	Price: £POA

10m x 3/8" Hose Reel for Air/Water/Antifreeze



RM-12S single arm hose reel for compressed air, low pressure water and antifreeze solutions.

Part Number: 506101	Price: £POA


10m x 3/8" Enclosed Slim Hose Reel for Air/Water



RM-12CLX individually enclosed slim hose reel for compressed air and low pressure water.

Part Number: 502151	Price: £POA

10m x 1/2" Single Arm Hose Reel for Oil



10mtr RM-12S single arm hose reel for synthetic and mineral oils.

Part Number: 506202	Price: £POA

10m x 1/2" Enclosed Slim Hose Reel for Oil



RM-12CLX individually enclosed slim hose reel for synthetic and mineral oils.

Part Number: 502252	Price: £POA

3:1 Ratio Air Operated Tank Mounted Oil Pump Kit



Pumpmaster 2 - 3:1 Ratio Tank Mounted Oil Pump Kit.

Part Number: 379003	Price: £POA

3:1 Ratio Air Operated Tank Mounted Oil Pump Kit



Pumpmaster 2 - 3:1 Ratio Tank Mounted Oil Pump Kit complete with pressure relief valve kit (PRV KIT4).

Part Number: 379003.003	Price: £POA

EC30 Metered Oil Control Valve



EC30 metered oil control valve with 90° tube and automatic non-drip tip.

Part Number: 365535	Price: £POA

Water Gun /w Swivel for Water & Antifreeze Solutions



Water gun with swivel for use only with water and antifreeze solutions.

Part Number: 186000/S	Price: £POA

Reel kits available to complete the hose reel with air couplings, oil triggers/meters and water triggers – Priced upon request. All prices shown are exclusive of carriage.

Bullworthy has partnered HPC for nearly 40 years. We are proud to be able to work with HPC to offer you a taster of some unique HPC packages for both body shop and automotive workshops. Both our sales managers and engineers are thoroughly HPC trained, and by using our expertise and professional knowledge, we can advise the correct size, most energy and money saving compressor system on the market.

HPC Compressed Air Systems Compressor

HPC KAESER Rotary screw compressors with V-belt drive provide outstanding efficiency and reliability. They include an energy-saving SIGMA PROFILE airend, and a SIGMA CONTROL 2 MCSIO controller to ensure outstanding efficiency and performance.

- **Fully automatic.**
- **Super sound proofed.**
- **Vibration dampened.**
- **Easy access panels.**
- **Premium quality German IE2/3 motor.**



SIGMA CONTROL 2 MCSIO



MODEL	@ 10 bar / @ 7.5 bar	PRICE PER WEEK:
SX3	9cfm / 12cfm	£POA
SX4	13 cfm / 16 cfm	£POA
SX6	17 cfm / 21 cfm	£POA
SX8	24 cfm / 8 cfm	£POA
SM10	28 cfm / 33 cfm	£POA
SM13	39 cfm / 47 cfm	£POA

HPC Compressed Air Systems AirCentre

HPC KAESER AIRCENTER compressed air stations provide their owners with complete solutions in premium quality. Featuring a rotary screw compressor with SIGMA PROFILE airend technology, an add-on refrigeration dryer and a compressed air receiver, these space-saving systems provide an uncomplicated compressed air supply that is suited to a wide of application.

- **All as per standard compressor plus...**
- **Space saving integrated solution.**
- **Protection from corrosion damage.**
- **Fast installation.**



MODEL:	@ 10 bar / @ 7.5 bar	PRICE PER WEEK:
AIRCENTRE SX3	9cfm / 12cfm	£POA
AIRCENTRE SX4	13cfm / 16cfm	£POA
AIRCENTRE SX6	17cfm / 21cfm	£POA
AIRCENTRE SX8	24cfm / 8cfm	£POA
AIRCENTRE SM10	28cfm / 33cfm	£POA
AIRCENTRE SM13	39cfm / 47cfm	£POA

Get the latest industry news and product updates by visiting our blog!

HPC Compressed Air Systems Compressor Packages

HPC KAESER compressed air packages are the ultimate in providing dry, clean air to your workshop or Bodyshop. All units include the famous SIGMA PROFILE airend technology and SIGMA CONTROL 2 MCSIO microprocessor controller. Each package has been designed to include the correct and most efficient package including:

- **Receiver (RM) mounted compressor.**
- **Refigeration dryer.**
- **Pre-filtration.**
- **Post filtration.**
- **Oil/water seperator.**
- **Zero-loss eco drain.**





Representation only.



MODEL:	@ 10 bar / @ 7.5 bar	PRICE PER WEEK:
SX3RM PACKAGE	9cfm / 12cfm	£POA
SX4RM PACKAGE	13cfm / 16cfm	£POA
SX6RM PACKAGE	17cfm / 21cfm	£POA
SX8RM PACKAGE	24cfm / 8cfm	£POA
SM10RM PACKAGE	28cfm / 33cfm	£POA
SM13RM PACKAGE	39cfm / 47cfm	£POA

ABAC Piston Compressors

- 3HP unit.
- 150 litre receiver.
- 7.9cfm @ 10 bar.
- Single phase and 3 phase versions available.



A29B EXT 150 CM3	PRICE: £POA
* A29B EXT 150 CT3	PRICE: £POA

* Indicates that this is the 3 phase version.

- 3HP unit.
- 200 litre receiver.
- 10.1cfm @ 10 bar.
- 3 phase electrics.



A39B EXT 200 CM3	PRICE: £POA

- 4HP unit.
- 200 litre receiver.
- 13.1cfm @ 10 bar.
- 3 phase electrics.



A49B EXT 200 CT4	PRICE: £POA

- 5.5HP unit.
- 270 litre receiver.
- 15cfm free air @ 10 bar.
- 3 phase electrics.



LN1 49B 270 Silenced	PRICE: £POA

Got a question? Contact our specialist team today with your enquiries!

Rotary® WHEEL CARE EQUIPMENT 2025

HP641SD.24 Pro

Mounting head and mounting lever, automatic, square standard chucking table, including pneumatic bead depressor pusher and plastic protection for ALU rims, for all tyre types with max wheel diameter of 43" (1092mm).

- Min rim clamping 10".
- Max rim clamping 26.5".
- Max rim width 15".
- Run Flat Capable.
- Bead Breaker 36kN.
- Rotation Speed 0-16rpm.
- Max Torque 1200Nm.
- WDK Approved.



PRICE: £POA	PER WEEK: £POA

Karacter.LL Premium

Professional, lever-less tyre changer – with patented plastic mounting head, including pneumatic bead depressor pusher and pneumatic wheel lifter. For all tyre types with max wheel diameter of 46" (1168mm).

- Min rim clamping 10".
- Max rim clamping 26".
- Max rim width 15".
- Run Flat Capable.
- Bead Breaker 12kN.
- Rotation Speed 0-14rpm.
- Max Torque 1200Nm.
- WDK Approved.



PRICE: £POA	PER WEEK: £POA

Kendo.Evo Premium

Professional, automatic, lever-less tyre changer with pneumatic wheel lifter, patented plastic mounting head, proxy sensor pneumatic bead depressor pusher and mounting head. User control panel and foot pedal operation. For all tyre types including light commercial, motor homes, passenger cars and trailers.

- Min rim clamping 12".
- Max rim clamping 30".
- Max rim width 15".
- Run Flat Capable.
- Bead Breaker 12kN.
- Rotation Speed 0-16rpm.
- Max Torque 1177Nm.
- WDK Approved.



PRICE: £POA	PER WEEK: £POA

Aikido.Evo Premium

Professional, automatic, lever-less tyre changer with pneumatic wheel lifter, patented plastic mounting head, Patented electro-actuated extra grip clamping plate, memory functions with synchronised positioning of working arms, Smart lock, user control panel and foot pedal operation. For all tyre types including light commercial, motor homes, passenger cars and trailers with max wheel diameter of 50" (1270mm).

- Min rim clamping 12".
- Max rim clamping 30".
- Max rim width 15".
- Run Flat Capable.
- Bead Breaker 12kN.
- Rotation Speed 0-16rpm.
- Max Torque 1177Nm.
- WDK Approved.



PRICE: £POA	PER WEEK: £POA

Get in touch with our sales team to discuss your equipment requirements!

Bullworthy are proud to announce the launch of the new ROTARY wheel care range. Now you can complement the world-renowned premium lift range with its very own premium range of tyre equipment. These exquisite models have been selected by Bullworthy to cover all levels of tyre changing and wheel balancing within independent and dealer group workshops. Each unit is a pure Italian thoroughbred built within their very own factory in Bologna, reflecting ultimate power, ease of use and an unbeatable performance when servicing wheels and tyres. Bullworthy invites you to explore the new range and chat with our experts to help you decide on which Premium package suits your workshop the best.

Librak338FMD

Backlit LCD graphic display (132 x 40 mm), automatic detection of distance and diameter, automatic cycle, wheel brake, including cones for cars, wheel hood and handwheel quick-fit nut. Ideal for all passenger car wheels.

- < 100rpm measuring speed.
- 7 second measuring time.
- LCD backlit display.
- 10” min rim diameter.
- 26” max rim diameter.
- Max wheel weight 65kg.



PRICE: £POA	PER WEEK: £POA

Librak360WS

3D Balancer with 22” full HD LCD monitor, integral industrial PC, automatic wheel data input, automatic program selection, weight positioning, ECO mode, including cones for cars, wheel hood and professional quick nut. Ideal for light commercial and passenger car wheels.

- Min rim width 1.5”
- Max rim width 22”
- Min rim dia. 10”
- Max rim dia. 33”
- Max wheel dia. 1092mm
- Balance accuracy 1g
- Balance speed 100rpm
- Balance time 7s



PRICE: £POA	PER WEEK: £POA



Visit our website today to view our full range of equipment!

MGE 1.0 LIFTING TABLE

MGE 1.0 Lifting Table

- 1000kg capacity.
- 1300mm stroke.
- Hydraulic operation.
- Foot control.
- Fixed desk top.
- High stability.

MODEL	MAX LIFTING HEIGHT	PRICE	PER WEEK
MGE 1.0	1835mm	£POA	£POA



CAPACITY 1.0T

MASTER GEAR S3 1.0

MASTER GEAR 1.0 Lifting Table

- 1000kg capacity.
- 1330mm stroke.
- Hydraulic operation.
- Foot control.
- Tilting and moving Vario desk top.
- High stability.

MODEL	MAX LIFTING HEIGHT	PRICE	PER WEEK
MASTER GEAR 1.0	1965mm	£POA	£POA



CAPACITY 1.0T

MGO LIFTING TABLE

MGO Lifting Table

- 1000kg capacity.
- 1320mm stroke.
- Hydraulic operation.
- Foot control.
- Tilting and moving Vario desk top.
- High stability.

MODEL	MAX LIFTING HEIGHT	PRICE	PER WEEK
MGO	1826mm	£POA	£POA



CAPACITY 1.0T

MGE 2.0 LIFTING TABLE

MGE 2.0 Lifting Table

- 2000kg capacity.
- 1000mm stroke.
- Air-hydraulic operation.
- Foot control.
- Fixed mounting top with variable pin options.
- High stability.

MODEL	MAX LIFTING HEIGHT	PRICE	PER WEEK
MGE 2.0	1850mm	£POA	£POA



CAPACITY 2.0T

Get the latest industry news and product updates by visiting our blog!

EASY HANLDING

MW80 Mobile Wheel Lift

The Master Wheel 80 (MW80) from BLITZ is a powerful wheel assembly trolley for lifting and transporting heavy wheels. With a double battery for up to 100 lifts, a protected low-maintenance spindle, smooth 360° castors, and simple controls, it ensures safe, efficient operation while reducing physical strain in the workshop.




1


2


3


4


5


6


1. The lifting column is offset, providing ideal access to the wheel bolts.
2. Simple operation with controls under the tray for precise wheel positioning.
3. The ball-bearing mounting fork with guide rollers enables easy, one-handed wheel fitting and turning.
4. A battery indicator shows the charge level, with an easily accessible emergency stop and charging socket.
5. Swivel soft castors, two with brakes, ensure smooth movement.
6. A fine fuse under the removable cover protects the electrical components.

MODEL	HEIGHT	LENGTH	WIDTH	CAPACITY	PRICE	PER WEEK
MW80	1865mm	688mm	726mm	80kg	£POA	£POA

ALWAYS A 'GREAT FIT'

DS35 Low Profile Scissor Lift

Specially designed for the service and repair sector within the independent market and the dealer group workshops, the newly designed flexible mounting platforms allow for a broad mounting range. The DS35 holds many vehicle manufacturer approvals and has become the first choice for space saving in any busy workshop.



CAPACITY 3.5T

3 YEAR WARRANTY




2


3


4

1. Folding ramp extension.
2. Double ram safety system.
3. Low profile platforms.
4. Broad mounting range.

MODEL	PLATFORM WIDTH	PLATFORM LENGTH	OVERALL WIDTH	CAPACITY	PRICE	PER WEEK
DS35HG	630mm	1500mm - 2160mm	2060mm - 2160mm1980mm	3.5T	£POA	£POA

PLAIN AND SIMPLE

Plain Platform Four Post Lifts

- Heavy duty construction.
- Low drive on height.
- 4 post air latching.
- 4 and 6.5 tonne capacity.
- Low maintenance.
- Precise locking system.

CAPACITY 4.0T

OR

CAPACITY 6.5T



MODEL	PLATFORM LENGTH	OVERALL WIDTH	CAPACITY	PRICE	PER WEEK
SM40-47	4700mm	3320mm	4.0T	£POA	£POA
SM40-51	5100mm	3320mm	4.0T	£POA	£POA
SM65-60	6000mm	3405mm	6.5T	£POA	£POA

STRENGTH MATTERS

Wheel Alignment Four Post Lifts

- Heavy duty construction.
- Low drive on height.
- 4 post air latching.
- 4 and 6.5 tonne capacity.
- Low maintenance.
- Precise locking system.

CAPACITY 4.0T

OR

CAPACITY 6.5T




MODEL	PLATFORM LENGTH	OVERALL WIDTH	CAPACITY	PRICE	PER WEEK
SM40-47N-AK	4700mm	3320mm	4.0T	£POA	£POA
SM40-51N-AK	5100mm	3320mm	4.0T	£POA	£POA
SM65-60N-AK	6000mm	3405mm	6.5T	£POA	£POA

OPTIONAL EXTRAS



Optional Hydraulic Play Detector Kit:
Additional Cost £POA



Optional drive on extensions for any lift:
Additional Cost £POA

Get in touch with our sales team to discuss your equipment requirements!

THE 'ONLY CHOICE'

MOT Four Post Lifts

- Heavy duty construction.
- Low drive on height.
- 4 post air latching.
- 4 and 6.5 tonne capacity.
- Low maintenance.
- Precise locking system.

CAPACITY 4.0T

OR

CAPACITY 6.5T



MODEL	PLATFORM LENGTH	OVERALL WIDTH	CAPACITY	PRICE	PER WEEK
MOT40-47N	4700mm	3128mm	4.0T	£POA	£POA
MOT65-60N	6000mm	3405mm	6.5T	£POA	£POA

THE 'FINEST CROSS BREED'

MOT & Alignment Four Post Lifts

- Heavy duty construction.
- Low drive on height.
- 4 post air latching.
- 4 and 6.5 tonne capacity.
- Low maintenance.
- Precise locking system.

CAPACITY 4.0T

OR

CAPACITY 6.5T



MODEL	PLATFORM LENGTH	OVERALL WIDTH	CAPACITY	PRICE	PER WEEK
SM40-47AK-MOT	4700mm	3373mm	4.0T	£POA	£POA
SM40-51AK-MOT	5100mm	3373mm	4.0T	£POA	£POA
SM65-60AK-MOT	6000mm	3405mm	6.5T	£POA	£POA

OPTIONAL EXTRAS



Optional LED lighting kit for any lift:
Additional Cost From £POA




Do you require a Jacking Beam?
Turn to page 15 for more details!

Visit our website today to view our full range of equipment!

THE 'NEWCOMER'

SPOA40AV Two Post Lift

- Innovative AV "All Vehicle" arms 20% greater reach.
- Ideal for small city cars through to medium vans.
- Asymmetric arm design.
- 4.0 tonne capacity.
- Dual column control.
- Audible descent.
- Electronic safety latches.
- Load free synchronisation pulleys.





City cars. Medium vans.



MODEL	WIDTH	HEIGHT	CAPACITY	PRICE	PER WEEK
SPOA40AV	3440 – 3496mm	3865mm	4.0T	£POA	£POA

THE 'FUTURE'

SPOA3TS-EV Two Post Lift

- 3.5 tonne capacity.
- Electronic latching.
- Audible alarm descent.
- Special pivoting arm assembly.
- Ideal for battery access.
- Minimum underbody footprint.




MODEL	WIDTH	HEIGHT	CAPACITY	PRICE	PER WEEK
SPOA3TS-EH2-EV	3121mm	4170mm	3.5T	£POA	£POA

A 'CUT ABOVE...'

TL07 Two Post Turf Lift

- Ideal for golf clubs - Lifts 3 or 4 wheeled turf equipment and golf carts.
- Fully hydraulic.
- Special mower frame and cradle.



MODEL	WIDTH	HEIGHT	CAPACITY	PRICE	PER WEEK
TL07E-EH2	3496mm	4170mm	2.3T	£POA	£POA
Optional Car Arms				£POA	£POA

E represents that the lift has electronic safety latching, dual control and convenience features (integrated air and 240v sockets). Air connection not included within prices showing.
* Single phase option available for all lift types.

Can easily be converted to lift passenger cars and light trucks with an optional arm kit capable of lifting 4 tonne capacities.

Get the latest industry news and product updates by visiting our blog!

With the launch of this edition of Super Deals, Bullworthy and its fellow members of Trade Garage Equipment are heading for 27 years of supplying Rotary lifts into the UK marketplace. Yes, together as a group we are the original supplier of the Rotary lift range with well over 15,000 units sold into workshops both large and small. That makes Bullworthy an authority when it comes to Rotary lifts and we are pleased to welcome the newer lift models to help cope with, and safely lift, the ever-changing vehicle types we see on the roads today. Offering the right lift for the right job is what our technical sales teams will offer our customers all as part of the service.

THE 'GREAT ALLROUNDER'

SPO40 Two Post Lift

CAPACITY 4.5T

5 YEAR WARRANTY

- Fully hydraulic.
- No lifting ropes or chains.
- 4.5 tonne capacity.
- Famous symmetric design.
- Twin ram operation.
- ** 5 years manufacturer warranty.

MODEL	WIDTH	HEIGHT	CAPACITY	PRICE	PER WEEK
SPO40M-EH1	3496mm	3865mm	4.5T	£POA	£POA
SPO40M-EH2	3496mm	4170mm	4.5T	£POA	£POA
SPO40M-EH4	3496mm	4780mm	4.5T	£POA	£POA
SPO40E-EH1	3496mm	3865mm	4.5T	£POA	£POA
SPO40E-EH2	3496mm	4170mm	4.5T	£POA	£POA
SPO40E-EH4	3496mm	4780mm	4.5T	£POA	£POA

E represents that the lift has electronic safety latching, dual control and convenience features (integrated air and 240v sockets). Air connection not included within prices showing.
* Single phase option available for all lift types.
** Subject to manufacturers terms and conditions.



Price includes Split & 'U' shape adaptors.

OUR 'FAVOURITE'

SPO55 Two Post Lift

CAPACITY 5.5T

5 YEAR WARRANTY

- Fully hydraulic.
- No lifting ropes or chains.
- 5.5 tonne capacity.
- 3 stage arms with screw pad assembly.
- Low pick up height.
- ** 5 years manufacturer warranty.

MODEL	WIDTH	HEIGHT	CAPACITY	PRICE	PER WEEK
SPO55M-EH2	3497mm	4780mm	5.5T	£POA	£POA
SPO55M-EH4	3497mm	5430mm	5.5T	£POA	£POA
* SPO55E-EH2	3497mm	4780mm	5.5T	£POA	£POA
* SPO55E-EH4	3497mm	5430mm	5.5T	£POA	£POA

E represents that the lift has electronic safety latching, dual control and convenience features (integrated air and 240v sockets). Air connection not included within prices showing.
* Single phase option available for all lift types.
** Subject to manufacturers terms and conditions.



Price includes Split & 'U' shape adaptors.

THE 'BOSS!'

SPO65 Two Post Lift

CAPACITY 6.5T

5 YEAR WARRANTY

- Heavy duty columns.
- 145mm pick up height.
- 6.5 tonne capacity.
- Air assisted safety latching.
- Single phase available.
- ** 5 years manufacturer warranty.

MODEL	WIDTH	HEIGHT	CAPACITY	PRICE	PER WEEK
SPO65E-LWB	3937mm	4570 - 5028mm	6.5T	£POA	£POA
SPO65E-EH2-LWB	3937mm	4976 - 5432mm	6.5T	£POA	£POA

E represents that the lift has electronic safety latching, dual control and convenience features (integrated air and 240v sockets). Air connection not included within prices showing.
* Single phase option available for all lift types.
** Subject to manufacturers terms and conditions.



Price includes Split & 'U' shape adaptors.

@ **Got a question? Contact our specialist team today with your enquiries!**

Rotary

THE 'TRADITIONAL' ONE

SPOA3T Two Post Lift

- Fully hydraulic.
- Asymmetric design.
- 3.5 tonne capacity.
- Dual control option.
- Baseless design.
- Standard or sports car setting.
- Optional electronic latching with integrated air port.

MODEL	WIDTH	HEIGHT	CAPACITY	PRICE	PER WEEK
SPOA3TM-EH1	3121mm	3865mm	3.5T	£POA	£POA
SPOA3TM-AP-EH1	3301mm	3865mm	3.5T	£POA	£POA
SPOA3TM-SC-EH1	3301mm	3865mm	3.5T	£POA	£POA
SPOA3TS-EH1	3121mm	3865mm	3.5T	£POA	£POA
SPOA3TS-AP-EH1	3301mm	3865mm	3.5T	£POA	£POA
SPOA3TS-SC-EH1	3301mm	3865mm	3.5T	£POA	£POA

CAPACITY 3.5T

5 YEARS



Price includes Split adaptors.

THE 'FAMOUS' ONE

SPOA40 Two Post Lift

- Fully hydraulic.
- No lifting ropes or chains
- 4.5 tonne capacity.
- Famous asymmetric design.
- Twin ram operation.
- ** 5 years manufacturer warranty.


MODEL	WIDTH	HEIGHT	CAPACITY	PRICE	PER WEEK
SPOA40NB-EH1	3287mm	3865mm	4.5T	£POA	£POA
SPOA40NB-EH2	3287mm	4170mm	4.5T	£POA	£POA
SPOA40NBE-EH1	3287mm	3865mm	4.5T	£POA	£POA
SPOA40NBE-EH2	3287mm	4170mm	4.5T	£POA	£POA
SPOA40M-EH1/2	3440mm	-	4.5T	£POA	£POA
SPOA40E-EH1/2	3440mm	-	4.5T	£POA	£POA
SPOA40M-AP-EH1/2	3496mm	-	4.5T	£POA	£POA
SPOA40E-AP-EH1/2	3496mm	-	4.5T	£POA	£POA
SPOA40M-SC-EH1/2	3496mm	-	3.5T	£POA	£POA
SPOA40E-SC-EH1/2	3496mm	-	3.5T	£POA	£POA

** Subject to manufacturers terms and conditions.

CAPACITY 4.5T

5 YEARS





Price includes Split & 'U' shape adaptors.

THE LEGAL BIT:

All prices are subject to VAT which is chargeable at the current rate.
Weekly payments quoted are based on a five year lease purchase terms.
Finance / Lease purchase is subject to credit approval and only available to Limited companies.
All prices include delivery and installation to a prepared site unless specified.
Some models featured may require fork lift assistance when installing these lifts.
Prices exclude any building or electrical works including final electrical connections.
Where manufacturers warranty is stated this is subject to regular servicing.
Some images may have been supplied for illustration purposes only.
Our terms and conditions of trading are available on request or can be found on our website.
Prices are current as of date of print 01/11/2026. E&OE.

FOLLOW BULLWORTHY TODAY!

Search Bullworthy Garage Equipment!