

SPRING 2024 EDITION SUPER DEALS

BULLWORTHY

THE GARAGE EQUIPMENT SPECIALISTS

TECHNIQUE

GEA
MEMBERS



TECHNIQUE T1042LP Two Post Lift

- Specialist low-profile sports car arms as standard.
- 3 stage telescopic lifting arms front and rear.
- Base plate types for low ceiling workshops.
- Durable cylinders in each column carry with anti-surge valves.
- Door protection pads to prevent possible damage when opening doors without caution.



T1042LP	PRICE: £POA	PER WEEK: £POA
T1042LP-SP	PRICE: £POA	PER WEEK: £POA

GROOVEGLOVE
MOBILE TIRE DIAGNOSTICS


The Groove Glove is a hand held scanner that allows tyre retailers and their customers to easily and quickly understand the wear condition of tyres.



**ONLY £POA
OR £POA PER WEEK!**

TRUESTEEL® Heavy Duty Toolboxes

- Heavy duty construction.
- Colours can be changed as per individual taste.
- Shock absorbing castors.
- Aluminium roller top hatch.
- LED lighting, 240v sockets in top storage.
- Back panel and both sides in the top storage are perforated panels for tool hanging etc.



PRICE: £POA

PER WEEK: £POA



LOOK OUT FOR THIS BADGE FOR SPECIAL SPRING DEALS!



(01295) 768373



enquiries@bullworthy.co.uk



www.bullworthy.co.uk



A Word From Our Sales Director



"We are fast heading towards the spring of 2024, and the daylight hours will be getting longer, and the days will be getting warmer. Bullworthy are able to continue with all of our special deals during the opening months of the new year, but let's be cautious, world events still play havoc on our supply chains and our offers may only be short lived... So, order now before it's too late!

Our fastest moving product of 2023 was with no doubt our unique Trueteel cabinet range. It's entirely British made, and there is no limit to the design and size of the cabinets that are made for us, giving you a unique, tailored design to fit your workshop space exactly to the millimetre. Choose the size and colour of your toolbox, your cupboard and all the fantastic additions such as bins, services distribution cabinets and back panels containing electrical and data sockets. You can really make your workshop reflect your company image and branding. Turn to our showcase pages on 22 and 23.

Did you know that one of Bullworthy's strongest attributes is workshop design? We have been doing this for decades and are renowned for leading the way in workshop project management. Using the highest level of CAD design, we have the specialised skills to design and present your new workshop equipment, before you make any decisions on buying.

Finally, there are some extra special Spring Deals in this edition. Simply look out for the 'Spring Blossom' emblem and get your order in quick before stock runs out."



SPOA3T Two Post Lift

- Fully hydraulic.
- Asymmetric design.
- 3.5 tonne capacity.
- Optional electronic latching with integrated air port.
- Baseless design.
- Standard or sports car setting.

MODEL	WIDTH	HEIGHT	CAPACITY	PRICE	PER WEEK
SPOA3TM-EH1	3121mm	3865mm	3.5T	£POA	£POA
SPOA3TM-AP-EH1	3301mm	3865mm	3.5T	£POA	£POA
SPOA3TM-SC-EH1	3301mm	3865mm	3.5T	£POA	£POA
SPOA3TS-EH1	3121mm	3865mm	3.5T	£POA	£POA
SPOA3TS-AP-EH1	3301mm	3865mm	3.5T	£POA	£POA
SPOA3TS-SC-EH1	3301mm	3865mm	3.5T	£POA	£POA



TL07 Two Post Lift

- Ideal for golf clubs - Lifts 3 or 4 wheel turf equipment and golf carts.
- Fully hydraulic.
- Special mower frame and cradle.

MODEL	WIDTH	HEIGHT	CAPACITY	PRICE	PER WEEK
TL07E-EH2	3496mm	4170mm	2.3T	£POA	£POA
Optional Car Arms				£POA	£POA

E represents that the lift has electronic safety latching, dual control and convenience features (integrated air and 240v sockets).
Air connection not included within prices showing.
Single phase option available for all lift types.

Can easily be converted to lift passenger cars and light trucks with an optional arm kit capable of lifting 4 tonne capacities.





SPOA40 Two Post Lift

- Fully hydraulic.
- No lifting ropes or chains.
- 4.5 tonne capacity.
- Famous asymmetric design.
- Twin ram operation.
- 3 years manufacturer warranty.

MODEL	WIDTH	HEIGHT	CAPACITY	PRICE	PER WEEK
SPOA40NB-EH1	3287mm	3865mm	4.5T	£POA	£POA
SPOA40NB-EH2	3287mm	4170mm	4.5T	£POA	£POA
SPOA40NBE-EH1	3287mm	3865mm	4.5T	£POA	£POA
SPOA40NBE-EH2	3287mm	4170mm	4.5T	£POA	£POA
SPOA40M-EH1/2	3440mm	-	4.5T	£POA	£POA
SPOA40E-EH1/2	3440mm	-	4.5T	£POA	£POA
SPOA40M-AP-EH1/2	3496mm	-	4.5T	£POA	£POA
SPOA40E-AP-EH1/2	3496mm	-	4.5T	£POA	£POA
SPOA40M-SC-EH1/2	3496mm	-	3.5T	£POA	£POA
SPOA40E-SC-EH1/2	3496mm	-	3.5T	£POA	£POA



CAPACITY
4.5T

E Version Shown.



SPO40 Two Post Lift

- Fully hydraulic.
- No lifting ropes or chains.
- 4.5 tonne capacity.
- Famous symmetric design.
- Twin ram operation.
- 3 years manufacturer warranty.

MODEL	WIDTH	HEIGHT	CAPACITY	PACKAGE	PER WEEK
SPO40M-EH1	3496mm	3865mm	4.5T	£POA	£POA
SPO40M-EH2	3496mm	4170mm	4.5T	£POA	£POA
SPO40M-EH4	3496mm	4780mm	4.5T	£POA	£POA
SPO40E-EH1	3496mm	3865mm	4.5T	£POA	£POA
SPO40E-EH2	3496mm	4170mm	4.5T	£POA	£POA
SPO40E-EH4	3496mm	4780mm	4.5T	£POA	£POA

CAPACITY
4.5T



Package price includes
Split & 'U' shape
adaptors.



SPO55 Two Post Lift

- Fully hydraulic.
- No lifting ropes or chains.
- 5.5 tonne capacity.
- 3 stage arms with screw pad assembly.
- Low pick up height.
- 3 years manufacturer warranty.

MODEL	WIDTH	HEIGHT	CAPACITY	PRICE	PER WEEK
SPO55M-EH2	3497mm	4780mm	5.5T	£POA	£POA
SPO55M-EH4	3497mm	5430mm	5.5T	£POA	£POA
* SPO55E-EH2	3497mm	4780mm	5.5T	£POA	£POA
* SPO55E-EH4	3497mm	5430mm	5.5T	£POA	£POA

CAPACITY
5.5T



Split & 'U' shape
adaptors included.

E represents that the lift has electronic safety latching, dual control and convenience features (integrated air and 240v sockets).
Air connection not included within prices showing.

* Single phase option available for all lift types



Get online and visit our website today to view our full range of equipment!

Rotary SPO65 Two Post Lift

- Heavy duty columns.
- 145mm pick up height.
- 6.5 tonne capacity.
- Air assisted safety latching.
- Single phase available.
- 3 years manufacturer warranty.


MODEL	WIDTH	HEIGHT	CAPACITY	PRICE	PER WEEK
SPO65E-LWB	3937mm	4570 - 5028mm	6.5T	£POA	£POA
SPO65E-EH2-LWB	3937mm	4976 - 5432mm	6.5T	£POA	£POA

E represents that the lift has electronic safety latching, dual control and convenience features (integrated air and 240v sockets).

Air connection not included within prices showing.

Single phase option available for all lift types

Split & 'U' shape adaptors included.



CAPACITY
6.5T



Rotary Plain Platform Service Lifts

- Heavy duty construction.
- Low drive on height.
- 4 post air latching.
- 4 and 6.5 tonne capacity.
- Low maintenance.
- Precise locking system.

MODEL	PLATFORM LENGTH	OVERALL WIDTH	CAPACITY	PRICE	PER WEEK
SM40-47	4700mm	3320mm	4.0T	£POA	£POA
SM40-51	5100mm	3320mm	4.0T	£POA	£POA
SM65-51	5100mm	3405mm	6.5T	£POA	£POA
SM65-55	5500mm	3405mm	6.5T	£POA	£POA
SM65-60	6000mm	3405mm	6.5T	£POA	£POA

CAPACITY
4.0T

OR

CAPACITY
6.5T



Rotary Wheel Alignment Lifts

- Heavy duty construction.
- Low drive on height.
- 4 post air latching.
- 4 and 6.5 tonne capacity.
- Low maintenance.
- Precise locking system.

CAPACITY
4.0T

OR

CAPACITY
6.5T




SM65 Four Post Alignment Lift.

MODEL	PLATFORM LENGTH	OVERALL WIDTH	CAPACITY	PRICE	PER WEEK
SM40-47N-AK	4700mm	3320mm	4.0T	£POA	£POA
SM40-51N-AK	5100mm	3320mm	4.0T	£POA	£POA
SM65-51N-AK	5100mm	3405mm	6.5T	£POA	£POA
SM65-55N-AK	5500mm	3405mm	6.5T	£POA	£POA
SM65-60N-AK	6000mm	3405mm	6.5T	£POA	£POA

Rotary MOT Four Post Lifts

- Heavy duty construction.
- Low drive on height.
- 4 post air latching.
- 4 and 6.5 tonne capacity.
- 3 years manufacturer warranty.
- Low maintenance.
- Precise locking system.

CAPACITY
4.0T
OR
CAPACITY
6.5T



MOT65 Four Post MOT Lift.

MODEL	PLATFORM LENGTH	OVERALL WIDTH	CAPACITY	PRICE	PER WEEK
MOT40-47N	4700mm	3128mm	4.0T	£POA	£POA
MOT65-60N	6000mm	3405mm	6.5T	£POA	£POA

Rotary MOT & Alignment Lifts

- Heavy duty construction.
- Low drive on height.
- 4 post air latching.
- 4 and 6.5 tonne capacity.
- 3 years manufacturer warranty.
- Low maintenance.
- Precise locking system.

CAPACITY
4.0T
OR
CAPACITY
6.5T



SM65 Four Post MOT + Alignment Lift.

MODEL	PLATFORM LENGTH	OVERALL WIDTH	CAPACITY	PRICE	PER WEEK
SM40-47AK-MOT	4700mm	3373mm	4.0T	£POA	£POA
SM40-51AK-MOT	5100mm	3373mm	4.0T	£POA	£POA
SM65-51AK-MOT	5100mm	3405mm	6.5T	£POA	£POA
SM65-55AK-MOT	5500mm	3405mm	6.5T	£POA	£POA
SM65-60AK-MOT	6000mm	3405mm	6.5T	£POA	£POA

Optional Extras:



Optional Hydraulic Play Detector Kit.
Additional Cost £POA



Optional drive on extensions for any lift.
Additional Cost £POA



Optional LED lighting kit for any lift.
Additional Cost £POA




Do you require a Jacking Beam?
Turn to page 19 for more details!

Rotary XS30N Mid Rise Scissor Lift


The Rotary Low Profile scissor lift specifically covers the requirements in the field of tyre and body work services. However, it is also an ideal workplace for maintenance work and work on the vehicle interior in the workshop. A reasonable investment allows the quick set up of an additional universal workspace without foundation work.



Folding ramp extensions.



Double acting hydraulic system.



New extended platform width and length.



Ergonomic control panel.



Mobile kit included as standard!


MODEL	PLATFORM WIDTH	PLATFORM LENGTH	OVERALL WIDTH	CAPACITY	PRICE	PER WEEK
XS30N	530mm	1500mm - 2160mm	1980mm	3.0T	£POA	£POA

Rotary DS35 Low Profile Scissor Lift

Specially designed for the service and repair sector within the independent market and the dealer group workshops, the newly designed flexible mounting platforms allow for a broad mounting range. The DS35 holds many vehicle manufacturer approvals and has become the first choice for space saving in any busy workshop.



Folding ramp extensions.



Double ram safety system.



Low profile platforms.



Broad mounting range.



**HOT GALVANIZED
POWDER COATED**

MODEL	PLATFORM WIDTH	PLATFORM LENGTH	OVERALL WIDTH	CAPACITY	PRICE	PER WEEK
DS35HG	630mm	1500mm - 2160mm	2060mm - 2160mm	3.5T	£POA	£POA



Technique Scissor Lifts



T1210 Mid Rise Scissor Lift

The T1210 can be recessed in the same tradition as a full height scissor lift. Locking run on ramps allow the platform to be extended front and rear of the platform area. The hydraulic synchronisation system with automatic levelling function prevents an uneven lifting or lowering of the load.

- Platform range is 1460mm up to 2050mm.
- Scissor platforms and bases incorporate generously sized self-lubricating sliders for reduced wear.
- Hydraulic levelling system with dual master (two cylinders per platform) for total safety without the need for mechanical latches.
- 40mm rubber lifting blocks as standard.



CAPACITY
3.5T

MODEL	PLATFORM WIDTH	PLATFORM LENGTH	OVERALL WIDTH	CAPACITY	PRICE	PER WEEK
T1210-35	630mm	1500mm - 2160mm	2060mm - 2160mm	3.5T	£POA	£POA



T1220 Low Profile Scissor Lift

The T1220 low profile dual scissor lifts have been developed to cater for all applications and needs. Special attention has been made to parts of the lift where others fail, such as fully galvanising the base frame, galvanising the run on ramps, and including fully adjustable levelling screws which make this lift ideal for replacing old recessed scissor lift units.

- Runway and base with generously sized, self-lubricating sliding shoes.
- 4 travel limit adjuster screws for minimum runway height from floor, for perfectly level runways when lowered.
- Runways with suspended flaps which also act as vehicle access ramps.



CAPACITY
3.5T

MODEL	TYPE	CLOSED DEPTH OF PLATFORM	CAPACITY	PRICE	PER WEEK
T1220-35	SURFACE MOUNTED / RECESSED	105mm	3.5T	£POA	£POA

Accessories

These additional accessories can be used in conjunction with the lifts featured on these pages.



Sports car set of long ramps for surface mounted versions.

Additional Cost: £POA



Prefabricated formers to aid recess civil works.

Additional Cost: £POA



Kit of 4 x rubber blocks 80mm high.

Additional Cost: £POA



Pair of beams for all terrain vehicles and light vans.

Additional Cost: £POA



Get online and visit our website today to view our full range of equipment!




Technique Vehicle Lifts



TECHNIQUE Four Post Lifts

The Technique range of four post lifts include integrated hydraulic play detectors and offer an extremely low pick up height.

- Integral hydraulic play detector.
- Variable platform lengths from 4460mm, 5100mm, and 5700mm.
- Available in 4.0, 5.0 tonne capacities.
- Available as recessed or surface mounted lift.



CAPACITY

4.0T

CAPACITY

5.0T

MODEL	CLASS	PLATFORM LENGTH	OVERALL WIDTH	CAPACITY	DRIVE ON HEIGHT	PRICE	PER WEEK
4400.3IMOT4	4	4460mm	2850mm	4.0T	130mm	£POA	£POA
* 4400.3IMOT4	4	4460mm	2850mm	4.0T	130mm	£POA	£POA
4401.3IMOT4	4	4460mm	2850mm	4.0T	160mm	£POA	£POA
* 4401.3IMOT4	4	4460mm	2850mm	4.0T	160mm	£POA	£POA
4500.3IMOT7	7	5700mm	3250mm	5.0T	175mm	£POA	£POA
* 4500.3IMOT7	7	5700mm	3250mm	5.0T	175mm	£POA	£POA

Wheel Alignment & MOT Four Post Lifts

MODEL	CLASS	PLATFORM LENGTH	OVERALL WIDTH	CAPACITY	DRIVE ON HEIGHT	PRICE	PER WEEK
4406.3IMOT4	4	5100mm	3355mm	4.0T	175mm	£POA	£POA
4502.3IMOT4	7	5700mm	3355mm	5.0T	175mm	£POA	£POA

* Represents surface mounted option.

TECHNIQUE Scissor Lifts

The Technique range of wheel alignment scissor lifts include rear integrated slip plates and a basic bearing mounted turn plate kit.

- Strong, sturdy construction.
- Variable platform lengths from 4600mm to 5500mm.
- Available in 4.0, 5.0 and 6.0 tonne capacities.
- Available as recessed or surface mounted lift.



CAPACITY

4.0T

CAPACITY

5.0T

CAPACITY

6.0T

I = Recessed version / SI = Integral scissor version.

MODEL	PLATFORM LENGTH	OVERALL WIDTH	CAPACITY	PER WEEK
640N.2 I	4600mm	2100mm	4.0T	£POA
640N.2 ISI	4600mm	2100mm	4.0T	£POA
650N.2.55 I	5500mm	2200mm	5.0T	£POA
650N.2.55 ISI	5500mm	2200mm	5.0T	£POA
660N.2.55 I	5500mm	2200mm	6.0T	£POA
660N.1.55 ISI	5500mm	2200mm	6.0T	£POA

Fork lift assistance required for certain recessed applications and site conditions.



Optional Extras - For plain platform and wheel alignment lifts.

LED Lighting Kit.	£POA
Turn Table Filler Kit	£POA
Longer Run On Ramps (1800mm)	£POA
Power Unit Cover.	£POA




Eliminate Errors with Treadreader™

The TreadReader™ DriveOver improves the quality of the tyres you measure eliminating errors and uncertainty. Just by passing over the patch, the fully automated system triggers up to 300,000 measuring points, essential to ensure the most accurate tread depth and tyre wear readings.

Available in three different configurations, the TreadReader™ DriveOver can be surface-mounted, flush-mounted or can also be integrated with other workshop equipment like lifts, wheel alignment machines, brake testing machines and vehicle inspection lanes.

The TreadReader™ meets the highest vehicle inspection volumes suiting more than workshops, but also the highest traffic-volume retail locations such as public car parks, company or rental fleet.



Connect, view, share and integrate.


Fully integrated with TreadReader™ HandHeld or DriveOver, the TreadManager™ is a cloud-based tyre management platform designed to improve your service productivity and boost sales. It analyses the tyre scans, calculates tread depths and generates the 3D renderings. Plus, stores the scan, car and tyre data in a professional way also allowing the service managers to visualise reports on the number of vehicles scanned, technician activity as well as sales opportunities for tyres and wheel alignment.

On a desktop monitor or tablet, easily share the reports with customers enhancing tyre replacement or related services authorisations. Predict tyre lifetime and build trust with customers by helping them take informed decisions about tire replacement.

Measure 300,000 points within 6 seconds!

The scan of each tyre relies on up to 300,000 measurement points and is used to calculate tread depths with an accuracy of < 0.2mm or 0.008". The 3D models of the tyre tread and the calculated depths can be viewed on TreadManager™, instantly, a PDF report is generated containing vehicle identification, 3D tyre scans with color-coded tread warning and error alarms for every axle/tire position, print or e-mail out the report raising your customer's trust.

Rear Left NSR 80% Worn:
2.9mm 3.4mm 3.7mm 3.8mm



TreadReader™ 3D tyre scan

 **Contact us today for more information on the Treadreader DriveOver Ramp.**



Got a question? Drop a line to our specialist team today with your enquiry!



Technique Wheel Care Equipment



T2210-PRO Tyre Changer

The Technique T2210-PRO Fully automatic 24" tyre changer will meet the highest of demands from any operator. The side assist arm is supplied with two adaptor arms with an option of an extra roller for lifting the bottom bead.

- **Quality construction**

The frame is reinforced to grant the utmost rigidity to the structure.

- **Fast bead braking**

With 2 position adjustment.

- **Easily adjusted**

Double adjustable clamp positions. In: 13"-24". Out: 11"-22".

- **Clamps & Spikes**

High adherence clamp with replaceable spikes.

- **Fine setting**

Mounting Head
New standard adherence clamp with replaceable spikes.




1050mm
(41")



381mm
(15")



Pneumatic side assist arm.



Two position fast bead breaker.

PRICE: £POA

PER WEEK: £POA



T2220-M1 Tyre Changer

Perfect for any alloy rim size, run flat and low profile tyres. Premium, completely lever-less tyre changer with 'Memory' feature and centre mounting head allowing for any size of rim. A must for any workshop handling modern wheels.

- Easy demount head (upper bead.)
- Pneumatic assist arm.
- Foot pedal tyre inflation.
- Variable speed.
- Space saver post.
- Rim edge memory controls.
- Lever for quick opening of arm.
- Easy bead breaking.
- Self locking clamp system.
- Two position locking plate for standard or reverse rims.

1050mm
(41")



1050mm
(41")



1050mm
(41")



Patented tool in plastic anti-scratch material.

PRICE: £POA

PER WEEK: £POA




WHEEL CARE PACKAGE 1

T2210-PRO Tyre Changer



T2020-2D Wheel Balancer



PRICE: £POA

PER WEEK: £POA



WHEEL CARE PACKAGE 2

T2220-M1 Tyre Changer



T2030-3D Wheel Balancer



PRICE: £POA

PER WEEK: £POA





Technique Wheel Care Equipment



TECHNIQUE

T2225-M2 Tyre Changer

The Technique T2225-M2 tyre changer is equipped with an innovative leverless tool (patented) that allows to work quickly and effortlessly even on new-concept and ultra-low profile tyres, RUN-FLAT.

- Easy demount head (upper bead.)
- Pneumatic synchronised assist arms.
- Foot pedal tyre inflation.
- Variable speed.
- Space saver post.
- Rim edge memory controls.
- Lever for quick opening of arm.
- Easy bead breaking.
- Self locking clamp system.
- Two position locking plate for standard or reverse rims.
- Optional wheel lift.



Double roller bead breakers.



Patented tool in plastic anti-scratch material.

PRICE: £POA


PER WEEK: £POA

TECHNIQUE

T2240-M3 Tyre Changer

Equipped with an innovative (patented) leverless head and advanced automatic functions, the T2240-M3 lets you work quickly, precisely and without any effort also on UHP and Run-Flat tyres. The configuration is already complete with all the major accessories, making it particularly suitable for tyre shops and car dealers.

- Supplied with rotating pneumatic bead pusher arm.
- Quick clamping lock for rims.
- Pneumatic wheel lift.
- Laser pointer that indicates proper head positioning.
- Double bead breaking system.
- Three adjustable working heights.
- Patented center post locking plate suitable for reverse rims.



Double roller bead breakers.



Memory system with automatic head repositioning.



Sensor with automatic indent function.

PRICE: £POA

PER WEEK: £POA



WHEEL CARE PACKAGE 3

T2225-M2
Tyre Changer



T2030-3D
Wheel Balancer



PRICE: £POA

PER WEEK: £POA



WHEEL CARE PACKAGE 4

T2240-M3
Tyre Changer



T2030-3D
Wheel Balancer



PRICE: £POA

PER WEEK: £POA



Get online and visit our website today to view our full range of equipment!



Technique Wheel Care Equipment



TECHNIQUE

T2020-2D Wheel Balancer

A low rotation speed balancer. Superior low budget motorised unit, the machine offers great value for money and occupies a very limited space, it also gives professional performances.



Auto distance
and diameter
measurement.



Rim and tyre
optimisation.



Hidden weight
mode.



Backlit
graphical LCD
display.



Standard Accessories Kit Included:

Standard Cones (x4), hand-wheel quick fit clamps, pliers, wheel width calliper and 4WD cone adaptor.

PRICE: £POA

PER WEEK: £POA

TECHNIQUE

T2030-3D Wheel Balancer


Premium electronic wheel balancer with microprocessor control, giving an ultimate performance and a host of standard features for piece of mind.



Auto distance
and diameter
measurement.



LASER-BLADE
weight
positioning.



Automatic
programme
selection.



Hidden weight
mode.



Double LED
placement
lighting.



ECO weight
balancing
system.



Double
wheel stop.

Standard Accessories Kit Included:

Standard Cones(x4), hand-wheel quick fit clamps, pliers, wheel width calliper and 4WD cone adaptor.

PRICE: £POA

PER WEEK: £POA



TIME SAVING
UP TO 80%

MADE BY

MAHLE

THE SOLUTION THAT COMPLETELY CHANGES THE MAINTENANCE OF ADAS SYSTEMS

- **Easy to handle** - All the operations can be carried out by just one operator.
- **Digital** - Saves space in the workshop.
- **WiFi Connection** - Ensures systems and calibration procedures are always up to date.
- **Keystone System** - For maximum accuracy.
- **Super Quick** - Can be aligned and positioned in five minutes max.
- **Full HD 4K Monitor** - Ensures extreme accuracy under any light condition.



BOOK YOUR DEMONSTRATION TODAY!





Technique Wheel Care Equipment



TECHNIQUE T2410-BT Wheel Alignment System

The Technique T2410-BT wheel alignment system encapsulates the latest Bluetooth, Infra-red, and 6 Sensor CCD four-wheel alignment technology, in a neat and compact trolley.

Machine Features:

- Mobile control unit complete with a PC, 19" monitor, keyboard, printer and battery charger.
- Infra-red remote controlled measuring heads.
- Shoot and Go alignment software with Easy Update facility.
- 24-month warranty.



Keyboard with remote control function.



Infra-red measuring heads powered by long life rechargeable batteries.



T2410-BT Bluetooth Wheel Alignment System

FROM £POA

£POA PER WEEK




TECHNIQUE T2440-3D Wheel Alignment System

Machine Features:


- Equipped with tyre grabbing 3 point clamps to avoid run out compensation.
- Remote control located on each sensor.
- Run out compensation when required.
- Bluetooth transmission between measuring heads and control unit.
- Can be used on any 4 post or scissor lift.
- Automatic lift level compensation.



High resolution cameras.



Automatic Lift level compensation.



Quick and easy setup.



Simple guided measurements.



T2440-3D Wheel Alignment System

FROM £POA

£POA PER WEEK



Got a question? Drop a line to our specialist team today with your enquiry!

ArcticPRO® ACX310

- Weighs just 65kg.
- Efficient servicing, regardless of vehicle and ambient temperature.
- Printer for customer reports and database for service data.
- USB interface for software updates and remote diagnostics.
- WiFi compatible.



R134A



PRICE: £POA

PER WEEK: £POA

ArcticPRO® ACX320

- High performance vacuum pump.
- 7" high resolution touchscreen display.
- USB interface, WiFi and Bluetooth for remote diagnostics, software updates and ASA connectivity.
- Optional printer for customer reports and database for service data.



R134A



PRICE: £POA

PER WEEK: £POA

ArcticPRO® ACX350

- USB interface, WiFi, Bluetooth for remote diagnostics, software updates, and ASA connectivity.
- Active Oil Protection: Hermetically sealed oil containers.
- LED light indicates status anywhere in the workshop.
- AC Remote viewer app (optional)



R134A



PRICE: £POA

PER WEEK: £POA

ArcticPRO® ACX380

- USB interface, WiFi and Bluetooth for remote diagnostics, software updates and ASA connectivity.
- Active Oil Protection: Hermetically sealed oil containers.
- LED light indicates status anywhere in the workshop.
- AC remote viewer app: for remotely viewing the display from your Smart phone with SMS sender service



R134A



PRICE: £POA

PER WEEK: £POA

ArcticPRO® ACX410

- Weighs just 65kg.
- Efficient servicing, regardless of vehicle and ambient temperature.
- Printer for customer reports and database for service data.
- USB interface for software updates and remote diagnostics.
- WiFi compatible.



RI234YF



PRICE: £POA

PER WEEK: £POA

ArcticPRO® ACX420

- High performance vacuum pump.
- 7" high resolution touchscreen display.
- USB interface, WiFi and Bluetooth for remote diagnostics, software updates and ASA connectivity.
- Optional printer for customer reports and database for service data.



RI234YF



PRICE: £POA

PER WEEK: £POA

ArcticPRO® ACX450

- USB interface, WiFi, Bluetooth for remote diagnostics, software updates, and ASA connectivity.
- Active Oil Protection: Hermetically sealed oil containers.
- LED light indicates status anywhere in the workshop.
- AC Remote viewer app (optional)



RI234YF



PRICE: £POA

PER WEEK: £POA

ArcticPRO® ACX480

- USB interface, WiFi and Bluetooth for remote diagnostics, software updates and ASA connectivity.
- Active Oil Protection: Hermetically sealed oil containers.
- LED light indicates status anywhere in the workshop.
- AC remote viewer app: for remotely viewing the display from your Smart phone with SMS sender service



RI234YF



PRICE: £POA

PER WEEK: £POA



Get online and visit our website today to view our full range of equipment!



MOT Packages



TECHNIQUE



Class 4 MOT Packages



CLASS	VERSION	DESCRIPTION	PRICE	PER WEEK
4	FOUR POST LIFT ATL	Rotary 4T 4.7m platform, hydraulic play detector, recessed radius plates, PC based roller brake tester, 22" display, advanced headlight aligner, 2T jacking beam, mirrors and pedal depressor.	FROM £POA	FROM £POA

TECHNIQUE



Class 7 MOT Packages



CLASS	VERSION	DESCRIPTION	PRICE	PER WEEK
7	FOUR POST LIFT ATL	Rotary 6.5T 6.0m platform, hydraulic play detector, recessed radius plates, PC based roller brake tester, 22" display, advanced headlight aligner, 2.8T jacking beam, mirrors and pedal depressor.	FROM £POA	FROM £POA

TECHNIQUE

Class 1&2 Motorcycle MOT Package



The Technique Motorcycle testing package includes the following:-

- Technique T5210 brake tester.
- Technique T4600 headlamp tester.
- Wheel alignment bars.

PACKAGE	PRICE	PER WEEK
CLASS 1 & 2 MOT	£POA	£POA



**ONE TEST
PER WEEK
PAYS FOR YOUR
EQUIPMENT!**






MOT Packages



TECHNIQUE Four Post Lift MOT Packages




CLASS	VERSION	DESCRIPTION	PER WEEK
4	FOUR POST LIFT ATL	Technique 4T 4.8m wheel alignment platforms, hydraulic play detector, recessed radius plates, PC based roller brake tester, 22" display, advanced headlight aligner, 2T jacking beam, mirrors and pedal depressor.	FROM £POA
7	FOUR POST LIFT ATL	Technique 5.0T 5.7m wheel alignment platforms, hydraulic play detector, recessed radius plates, PC based roller brake tester, 22" display, advanced headlight aligner, 2.8T jacking beam, mirrors and pedal depressor.	FROM £POA

TECHNIQUE Scissor Lift MOT Packages



CLASS	VERSION	DESCRIPTION	PER WEEK
4	SCISSOR LIFT ATL	Technique 3.5T 4.6m platform, hydraulic play detector, recessed radius plates, PC based roller brake tester, 22" display, advanced headlight aligner, 2T jacking beam, mirrors and pedal depressor.	FROM £POA
7	SCISSOR LIFT ATL	Technique 5.0T 5.5m platform, hydraulic play detector, recessed radius plates, PC based roller brake tester, 22" display, advanced headlight aligner, 2.8T jacking beam, mirrors and pedal depressor.	FROM £POA

TECHNIQUE Inspection Pit MOT Packages



CLASS	VERSION	DESCRIPTION	PER WEEK
4/5/7	INSPECTION PIT	The Technique ATL pit packages are supplied and installed with, hydraulic play detectors and captive turn plates, Technique headlamp tester, Technique T8000 brake tester and Technique jacking beam.	£POA



Got a question? Drop a line to our specialist team today with your enquiry!



Technique MOT Equipment



TECHNIQUE T8003 Emissions Analyser

The Technique T8003 is the first of a new generation of emissions analysers marking a stepped change in performance, operation and ergonomic practicality. Everything about the T8003 is in 'touch' with modern technology and designed to help propel your business into the future. Utilising the latest 'touch-screen' technology on the standard 23" screen each high definition graphic has been thought through for clarity and instant recognition whilst testing.

£POA

Lease term £POA + VAT P/W

Includes a 2 year warranty.



PACKAGE	PER WEEK
5 year full aftercare package.	Additional per week + £POA + VAT



Touch-screen technology.



Optional wireless tablet.




Bluetooth smoke meter.



TECHNIQUE T8000 Series Brake Tester

The T8000 range of MOT brake testing equipment represents a step change in performance, operation and ergonomic practicality. Options are also available to extend you into Class I and II testing, suspension testing and steering geometry analysis. Everything about the T8000 puts you in 'touch' with essential vehicle testing technology.




Built in easy exit system.



Suspension tester option available.

MODEL	VERSION	CLASS	PER WEEK
T8400	STANDARD	4	£POA
T8400A	ATL	4	£POA
T8700	STANDARD	7	£POA
T8700A	ATL	7	£POA

Why not test Class 1 & 2?



Upgrade any of the above brake testers to test motorcycles.

JUST ADD £POA





TECHNIQUE T8000 Series Split Bed Brake Tester

3 PHASE ELECTRICS VERSION			
MODEL	VERSION	CLASS	PER WEEK
T8300A	ATL	4	£POA
SINGLE PHASE ELECTRICS VERSION			
MODEL	VERSION	CLASS	PER WEEK
T8300A/S	ATL	4	£POA




TECHNIQUE T3000 Hydraulic Jacking Beam

- Double extending top beam for wide vehicles.
- Screw adjustable rubber pads.
- 25mm & 95mm raiser blocks as standard.
- Finger guard and safety lock installed.
- Bearing type roller guides for easy movement for any lift.



5 year manufacturer warranty subject to yearly servicing intervals to comply with H&S regulations.



CAPACITY

2.0T

CAPACITY

2.8T

MODEL	OPERATION	CAPACITY	CLASS	PRICE
T3000	MANUAL HAND OPERATED	2.0T	4	£POA
T3001	AIR OPERATED PNEUMATIC	2.0T	4	£POA
T3002	MANUAL HAND OPERATED	2.8T	7	£POA
T3003	AIR OPERATED PNEUMATIC	2.8T	7	£POA



Commercial pit jacks also available! Contact us for further details!

TECHNIQUE T4600 Headlamp Tester

- Balanced optical head.
- Advanced fresnel lens.
- Focus range between 200 - 800mm.
- Advanced electronic version.
- Printer connectivity.




Laser alignment.



Advanced fresnel lens.

MODEL	DESCRIPTION	CLASS	PRICE
T4600	RAIL MOUNTED	4	£POA
T4600V	RAIL MOUNTED	7	£POA




TECHNIQUE



Connectable Electronic Decelerometer

PRICE: £POA





BULLWORTHY


THE GARAGE EQUIPMENT SPECIALISTS

MORE THAN JUST AN EQUIPMENT SUPPLIER

Bullworthy, specialists in garage equipment and workshop design, is now heading towards its 5th decade of trading within the industry. With a wealth of experience, extensive product knowledge and a fresh professional approach, you are assured of being offered the correct equipment for the task required. Whether your business is a frontline independent workshop or part of a larger dealer group, Bullworthy can offer the highest standard in workshop equipment to suit all budgets.


ALL THE SERVICES YOU NEED JUST FROM ONE COMPANY

- Workshop Design.
- Project Management.
- Civil & Construction Works.
- Specialist Pit Fabrications.
- Floor Finishing Solutions.
- Electrical Services.
- Installations.
- Aftersales Care.



FROM START TO FINISH

Bullworthy are project specialists. We know that each project will involve a variety of specialist skills to complete a workshop equipment installation. Bullworthy can offer a 'Start to Finish' concept. Using our own in-house capabilities and expertise, alongside our trusted contractors, Bullworthy can, literally, build you a workshop.



Workshop before...



Workshop after...



Workshop before...



Workshop after...



Integrated Intelligence - The Next Dimension

The SIGMA CONTROL 2 features a highly flexible modular design, yet its standard construction means that this versatile control system can be matched to suit the needs of any rotary screw compressor or rotary blower from KAESER KOMPRESSOREN's extensive range. Comprising a main control unit and separate input/output modules, this modular concept therefore enhances communication and maintenance-friendliness.

Bullworthy and KAESER KOMPRESSOREN have earned a reputation for excellence in all fields of compressed air generation whilst providing expert, professional advice. Put simply and straightforward, Bullworthy and HPC can help you save energy, save money and to benefit the environment by reducing your businesses CO2 emissions.



SX6 4kW PACKAGE

21.2 cfm @ 7.5 bar.
16.9 cfm @ 10 bar.
From 62dB(A.)

SX6 SC2IO	PER WEEK: £POA
SX6RM SC2IO	PER WEEK: £POA

RM denotes 'Receiver Mounted.'



SX8 5.5kW PACKAGE

28.3 cfm @ 7.5 bar.
23.7 cfm @ 10 bar.
From 64dB(A.)

SX8 SC2IO	PER WEEK: £POA
SX8RM SC2IO	PER WEEK: £POA

RM denotes 'Receiver Mounted.'



SM13 7.5kW PACKAGE

46.6 cfm @ 7.5 bar.
38.1 cfm @ 10 bar.
From 65dB(A.)

SM13 SC2IO	PER WEEK: £POA
SM13RM SC2IO	PER WEEK: £POA
SM13T SC2IO	PER WEEK: £POA
AIRCENTER 13 SC2IO	PER WEEK: £POA

RM denotes 'Receiver Mounted' - T units feature integral dryer.
AIRCENTER is a modular unit inclusive of 270l receiver and integral dryer.



SM16 9.0kW PACKAGE

57.2 cfm @ 7.5 bar.
48.0 cfm @ 10 bar.
From 66dB(A.)

SM16 SC2IO	PER WEEK: £POA
SM16RM SC2IO	PER WEEK: £POA
SM16T SC2IO	PER WEEK: £POA
AIRCENTER 16 SC2IO	PER WEEK: £POA

RM denotes 'Receiver Mounted' - T units feature integral dryer.
AIRCENTER is a modular unit inclusive of 270l receiver and integral dryer.



Got a question? Drop a line to our specialist team today with your enquiry!




Technique and Truesteel® have forged a new exciting partnership for high quality, British made, custom built workshop furniture solutions enabling an almost limitless design.

Combining the years of project and cabinet experience within Bullworthy, with the unique design and production facilities at Truesteel, Bullworthy are literally able to offer cabinets, toolboxes and services distribution that can fit any space, be it a large corporate dealership workshop, independent workshop, or the domestic workshop / garage. Furthermore, we can offer specialist cabinetry for the sports car industries, marine industry, agricultural industry, factory facilities, colleges, production areas... The list goes on.

Using state of the art software, Truesteel can tweak their designs down to the last millimetre at the touch of a button and can provide a 3D rendered walk through for complex designs. Unique scaling of toolboxes, cupboards, service distribution is no longer a problem. Truesteel quality design incorporates strength too, using a thicker gauge steel than their modular competitors, and toolbox drawer runners holding unrivalled capacities.






TRUESTEEL®





Talk to Bullworthy today for your unique workshop cabinet design!



Get online and visit our website today to view our full range of equipment!

TRUESTEEL® Electronic Key Cabinets

- Stainless steel hooks.
- Custom made to any size and specification.
- Battery backup encase of power outage.
- LED lighting upon entry to cabinet.
- Choice of sliding or hinged doors complete with tough glass panels.



 **Contact us for more details and pricing!**

TRUESTEEL® Storage Trolley

This Panel Trolley features 2 sturdy panels capable of holding Linbin style hanging storage bins, easily transported with 4 swivel castors that makes it easy to manoeuvre even in tight spaces. Ideal for use in warehouses, factories, and other industrial settings.

- 1000mm(w) x 600mm(d) x 1500mm(h)
- 2 x hanging panels that can be fitted vertically or at an incline.
- Heavy duty 105mm(h) castors.
- Push/pull along handle for easy transportation.
- Base tray for additional storage.
- Optional top tray.
- Panels available in a choice of colours.



Trolley Unit: £POA

Storage Containers (3pk) £POA



Workshop Furniture



TECHNIQUE

Steel Top Heavy Duty Workbench

Heavy duty workbenches come fully welded (not flat pack) and ready to use. They are constructed from steel angle with braced 2mm galvanised steel top. The uniformly distributed load (UDL) is up to 1000kg for each workbench. These workbenches are perfect for heavier duty work. The standard height is 840mm, but this can be changed at no extra cost.

- 3 standard lengths and widths within range.
- Single cupboard (600mm x 600mm x depth of workbench.)
- Galvanised bottom shelf, rear lip and vice plate (welded under front right hand corner.)

1260SC	1200mm x 600mm with cupboard	Price: £POA
1275SC	1200mm x 750mm with cupboard	Price: £POA
1290SC	1200mm x 900mm with cupboard	Price: £POA
1560SC	1500mm x 600mm with cupboard	Price: £POA
1575SC	1500mm x 750mm with cupboard	Price: £POA
1590SC	1500mm x 900mm with cupboard	Price: £POA
1860SC	1800mm x 600mm with cupboard	Price: £POA
1875SC	1800mm x 750mm with cupboard	Price: £POA
1890SC	1800mm x 900mm with cupboard	Price: £POA
2060SC	2000mm x 600mm with cupboard	Price: £POA
2075SC	2000mm x 750mm with cupboard	Price: £POA
2090SC	2000mm x 900mm with cupboard	Price: £POA



Add a drawer to any of these workbenches.

SDMD	Single Drawer	Price: £POA
------	---------------	-------------

Add an extra cupboard to any of these workbenches.

MDCUP	Extra Cupboard	Price: £POA
-------	----------------	-------------



4" Vice	Price: £POA
5" Vice	Price: £POA
6" Vice	Price: £POA
8" Vice	Price: £POA





Site
Survey.



System
Design.



System
Installation.



After Sales
Support.

Bullworthy can offer an extensive range of exhaust and fume extraction systems regardless of the size of your workshop. From fixed-point systems with drop-down reels, to completely mobile extraction systems for MOT testing purposes. We offer a free site survey from one of our experienced team, who will design and calculate the correct system to suit your extraction requirements. Bullworthy not only installs extraction systems but also offer maintenance and COSHH testing.



Exhaust Extraction Systems.



Dust Extraction Systems.



Weld Fume Extraction Systems.

GYNMA Mobile Trolley Systems



GYNMAG 2 x Round
Nozzle Trolley.



GYMNAG-GON 2 x Oval
Nozzle Trolley.



GYNMA-150125125HT5 2
x High Temp Nozzle and
Hose Trolley.



GMNT-GTL Single Round
Steel Nozzle ideal for
M/C.



Foldable
design.

GYNMAG 2 x Round Nozzle Trolley	100mm Ø Hose	Price: £POA
GYNMAG-GON 2 x Oval Nozzle Trolley	100mm Ø Hose	Price: £POA
GYNMA-150125125HT5 2 x High Temp Nozzle & Hose Trolley	125mm Ø 500°C	Price: £POA
GMNT-GTL Single Round Steel Nozzle ideal for M/C	100mm Ø Hose	Price: £POA

Prices shown are exclusive of carriage.

General Accessories & Parts

Common Replacement Nozzles

	GRNG-160100	Nozzle with vice grip & damper, 75mm dia hose.	Price: £POA
	GON-100MG	Twin exhaust nozzle with vice grip and damper 100mm dia hose.	Price: £POA
	GON-100EG	Twin exhaust internal clamping nozzle with and damper 100mm dia hose.	Price: £POA
	GRTN-125MG	Commercial nozzle with vice grip and damper, 125mm dia hose. Ideal for MOT.	Price: £POA

Y Assembly For Nozzles

	GYG-100100100	Y-Piece with 2 x 100mm dia x 1.25m crushproof hose.	Price: £POA
--	---------------	---	-------------

Nozzle Stands Ideal For MOT

	GNMT-12HT	Nozzle stand for 125mm dia hose.	Price: £POA
--	-----------	----------------------------------	-------------

Hose Reels

	GMR+10010	100mm dia. x 10m spring recoil hose reel.	Price: £POA
	GMR+12510	125mm dia. x 10m spring recoil hose reel.	Price: £POA

Tidy Workshop



	GWB-100	Hose storage bracket for 100mm dia hose.	Price: £POA
--	---------	--	-------------

Prices shown are exclusive of carriage and installation.



Got a question? Drop a line to our specialist team today with your enquiry!

NEX.U provides you with the control and information you require to make your operation more profitable. You will be able to account for every drop of lubricant and other service fluids used. On top of this, you will carry an efficient inventory control, with automatic alerts and fluid re-ordering when needed, eliminating operation downtime. For almost any lubricant usage or operation size, with today's high costs for these fluids, NEX.U quickly pays for itself. Once it is paid for, savings go right to the operations bottom line in the form of profit, which was previously lost.



SAMOA U-TRACK web-based software means there is no need for a dedicated PC. Access the programme, management, control and reports from a remote PC, tablet or mobile phone from any location.



U-DAT

System keypad with full access to NEX.U and U-TRACK.



U-VALVE

All in one flow control unit. Includes Solenoid Pulse Meter and Filter.



UNET - Central processing unit.



U-TRACK

Use a license on any PC, Tablet or Mobile Phone to control the system.

U-VISION

Hand held display with system, keypad.



U-TANK

Provides real time inventory control and manages a variety of alarm systems.



CALL US FOR A FREE SITE SURVEY AND DISCUSSION ON HOW NEX.U CAN SAVE YOUR COMPANY MONEY!



Waste Oil Drainer 100ltr w/ Discharge Pump

Gravity collection units with pump discharge. 100 litre capacity. Discharge is done through a 1:1 pressure ratio pneumatic piston pump attached to the back of the unit reservoir and 1.5m hose with hydraulic type coupler.



Part Number: 372200

Price: £POA



Waste Oil Drainer 100ltr w/ Remote Pump Discharge

Gravity collection unit with remote pump discharge. 100 litre capacity. Discharge is done connecting the unit to a wall mounted discharge pump kit through a hydraulic coupler located at the bottom of the reservoir.



Part Number: 372300

Price: £POA



95ltr Low Level Mobile Drainer

Low level mobile drainer for gravity collection of waste oil and used automotive fluids such as antifreeze solutions. Recommended to use when a vehicle hoist/lift or a service pit is not available.



Part Number: 436000

Price: £POA



3:1 Air Operated Mobile Oil Dispenser

Pumpmaster 2 - 3:1 ratio drum mounted mobile oil dispenser for 205 litre drums. Package includes:

- Pumpmaster 2 - 3:1 ratio oil pump (stub type).
- Pump bracket.
- Digital hose end meter.
- 3m x 1/2" delivery hose.
- Suction hose.
- Trolley.



Part Number: 376610

Price: £POA

All prices shown are exclusive of carriage.





SAMOA Fast Movers



12m x 10mm Compact Hose Reel

12m compact hose reel for air. Includes 0.8m inlet hose and pivoting bracket.



Part Number: 500116

Price: £POA



15m x 8mm Compact Hose Reel

15m compact hose reel for air. Includes 0.8m inlet hose and pivoting bracket.



Part Number: 500115

Price: £POA



EV Charging Cable Reel

Cable reel for recharging electric vehicles with incorporated Wallbox.



Part Number: 612150 (Type 1) 3.7 kW

Price: £POA

Part Number: 612151 (Type 2) 3.7 kW

Price: £POA



EV Charging Cable Reel

Cable reel for recharging electric vehicles with incorporated Wallbox.



Part Number: 612160 (Type 1) 7.4 kW

Price: £POA

Part Number: 612161 (Type 2) 7.4 kW

Price: £POA



10m x 3/8" Hose Reel for Air/ Water/Antifreeze

RM-12S single arm hose reel for compressed air, low pressure water and antifreeze solutions.



Part Number: 506101

Price: £POA



10m x 3/8" Enclosed Slim Hose Reel for Air/Water

RM-12CLX individually enclosed slim hose reel for compressed air and low pressure water.



Part Number: 502151

Price: £POA



10m x 1/2" Single Arm Hose Reel for Oil

10mtr RM-12S single arm hose reel for synthetic and mineral oils.



Part Number: 506202

Price: £POA



10m x 1/2" Enclosed Slim Hose Reel for Oil

RM-12CLX individually enclosed slim hose reel for synthetic and mineral oils.



Part Number: 502252

Price: £POA



3:1 Ratio Air Operated Tank Mounted Oil Pump Kit

Pumpmaster 2 - 3:1 Ratio Tank Mounted Oil Pump Kit.



Part Number: 379003

Price: £POA



3:1 Ratio Air Operated Tank Mounted Oil Pump Kit /w PRV Kit

Pumpmaster 2 - 3:1 Ratio Tank Mounted Oil Pump Kit complete with pressure relief valve kit (PRV KIT4).



Part Number: 379003.003

Price: £POA



EC30 metered Oil Control Valve

EC30 metered oil control valve with 90° tube and automatic non-drip tip.



Part Number: 365535

Price: £POA



Water Gun /w Swivel for Water & Antifreeze Solutions

Water gun with swivel for use only with water and antifreeze solutions.



Part Number: 186000/S

Price: £POA

Reel kits available to complete the hose reel with air couplings, oil triggers/meters and water triggers – Priced upon request. All prices shown are exclusive of carriage.



Get online and visit our website today to view our full range of equipment!



Miscellaneous Equipment



TECHNIQUE Waste Oil Tank Alarm

- LED zone lights up to indicate the issue.
- Flashing orange strobe.
- Weatherproof IP55 rated box.
- 90db sounder.
- Test and mute functions.
- Mains or battery operated.



High or low level tank alarm	Price: £POA
Single high level probe.	Price: £POA

Prices shown are exclusive of carriage.

TECHNIQUE T2200 Waste Oil Drainer

- 95 litres tank capacity.
- 8 litres hopper capacity.
- Fully encapsulated 1:1 air operated pump for draining unit.
- Integral air regulator.



Integral pump.




T2200-013 with integral pump.	Price: £POA
T2200-014 discharge point empty.	Price: £POA

Prices shown are exclusive of carriage.

TECHNIQUE T3300 Series Battery Lift

- Ergonomic controls.
- Electro-hydraulic operation.
- Unidirectional high load bearing wheels with integrated brakes.
- Self-levelling load platform with specially shaped wood worktop.
- Powerful double hydraulic cylinder system.



CAPACITY
1.4T

MODEL	MAX CAPACITY	LIFTING HEIGHT	PRICE	PER WEEK
T3314	1400kg	From 1000mm - 1800mm	£POA	£POA

TECHNIQUE T3322 Series Battery Lift

- Electrically released mechanical locking system.
- Various fully adjustable adaptor pins for reserved holes.
- 24V Control system three pin plug.



CAPACITY
1.2T

MODEL	MAX CAPACITY	LIFTING HEIGHT	PRICE	PER WEEK
T3322	1200kg	From 800mm - 1810mm	£POA	£POA

SUPER DEALS TERMS & CONDITIONS

All prices are subject to VAT which is chargeable at the current rate.
Weekly payments quoted are based on a five year lease purchase terms.
Finance / Lease purchase is subject to credit approval and only available to Limited companies.
All prices include delivery and installation to a prepared site unless specified.
Some models featured may require fork lift assistance when installing these lifts.
Prices exclude any building or electrical works including final electrical connections.
Where manufacturers warranty is stated this is subject to regular servicing.
Some images may have been supplied for illustration purposes only.
Our terms and conditions of trading are available on request or can be found on our website.
Prices are current as of date of print 01/02/2024. E&OE.

FOLLOW BULLWORTHY TODAY!

- Search TRBullworthy
- Search @TRBullworthy
- www.bullworthy.co.uk/blog