



# SPRING/SUMMER 2025 SUPER DEALS

## BULLWORTHY

THE GARAGE EQUIPMENT SPECIALISTS

TECHNIQUE




GEA MEMBERS

### TECHNIQUE New Beam Launch!

THE WIDEST CLASS 4 & 7 BEAM AVAILABLE!

FROM £POA INCLUDING CARRIAGE



ALREADY HAVE A MAJORLIFT OR TECHNIQUE JACKING BEAM? IT'S UPGRADABLE!

TURN TO PAGE 15 FOR MORE DETAILS!

### TECHNIQUE T2210-PRO Tyre Changer

OUR MOST POPULAR & **FASTEST SELLING** TYRE CHANGER



T2210-PRO PER WEEK: £POA

TURN TO PAGES 9, 10 & 11 TO SEE OUR FULL RANGE!


### New Wheel Care Equipment Range!

THE **BIGGEST** NAME IN THE INDUSTRY JUST GOT BIGGER



TURN TO PAGES 24-25 NOW!

### TRUESTEEL® Toolbox Solutions



FULLY CUSTOMISABLE TOOLBOX SOLUTIONS SUITABLE FOR ANY ENVIRONMENT!


CREATE YOUR ULTIMATE WORKSHOP ON PAGES 4, 5 & 6!

PROUD TO SUPPORT BRITISH MANUFACTURING

# TECHNIQUE Four Post Lifts

The Technique range of four post lifts include integrated hydraulic play detectors and offer an extremely low pick up height.

- Integral hydraulic play detector.
- Variable platform lengths from 4460mm, 5100mm, and 5700mm.
- Available in 4.0, 5.0 tonne capacities.
- Available as recessed or surface mounted lift.



CAPACITY

4.0T

CAPACITY

5.0T

MODEL	CLASS	PLATFORM LENGTH	OVERALL WIDTH	CAPACITY	DRIVE ON HEIGHT	PRICE	PER WEEK
4400.3IMOT4	4	4460mm	2850mm	4.0T	130mm	£POA	£POA
* 4400.3IMOT4	4	4460mm	2850mm	4.0T	130mm	£POA	£POA
4401.3IMOT4	4	4460mm	2850mm	4.0T	160mm	£POA	£POA
* 4401.3IMOT4	4	4460mm	2850mm	4.0T	160mm	£POA	£POA
4500.3IMOT7	7	5700mm	3250mm	5.0T	175mm	£POA	£POA
* 4500.3IMOT7	7	5700mm	3250mm	5.0T	175mm	£POA	£POA

## Wheel Alignment & MOT Four Post Lifts

MODEL	CLASS	PLATFORM LENGTH	OVERALL WIDTH	CAPACITY	DRIVE ON HEIGHT	PRICE	PER WEEK
4406.3IMOT4	4	5100mm	3355mm	4.0T	175mm	£POA	£POA
4502.3IMOT4	7	5700mm	3355mm	5.0T	175mm	£POA	£POA

\* Represents surface mounted option.

# TECHNIQUE Scissor Lifts

The Technique range of wheel alignment scissor lifts include rear integrated slip plates and a basic bearing mounted turn plate kit.

- Strong, sturdy construction.
- Variable platform lengths from 4600mm to 5500mm.
- Available in 4.0, 5.0 and 6.0 tonne capacities.
- Available as recessed or surface mounted lift.



CAPACITY

4.0T

CAPACITY

5.0T

CAPACITY

6.0T

I = Recessed version / SI = Integral scissor version.

MODEL	PLATFORM LENGTH	OVERALL WIDTH	CAPACITY	PER WEEK
640N.2 I	4600mm	2100mm	4.2T	£POA
640N.2 ISI	4600mm	2100mm	4.2T	£POA
650N.2.55 I	5500mm	2200mm	5.0T	£POA
650N.2.55 ISI	5500mm	2200mm	5.0T	£POA
660N.2.55 I	5500mm	2200mm	6.0T	£POA
660N.1.55 ISI	5500mm	2200mm	6.0T	£POA

Fork lift assistance required for certain recessed applications and site conditions.



Optional Extras - For plain platform and wheel alignment lifts.

LED Lighting Kit.	£POA
Turn Table Filler Kit	£POA
Longer Run On Ramps (1800mm)	£POA



## TECHNIQUE Two Post Lift

- Specialist low-profile sports arms as standard.
- 3 stage telescopic lifting arms front and rear.
- Base plate types for low ceiling workshops.
- Durable cylinders in each column carry with anti-surge valves.
- Door protection pads to prevent possible damage when opening doors without caution.



Split adaptors included.



CAPACITY  
4.2T

MODEL	HEIGHT	WIDTH	CAPACITY	PRICE	PER WEEK
T1042LP	2825mm	3420mm	4.2T	£POA	£POA
T1042LP-SP	2825mm	3420mm	4.2T	£POA	£POA

## TECHNIQUE Mid Rise Scissor Lift

- Platform range is 1625mm up to 2165mm.
- Scissor platforms and bases incorporate generously sized self-lubricating sliders for reduced wear.
- Hydraulic levelling system with dual master (two cylinders per platform) for total safety without the need for mechanical latches.
- 40mm rubber lifting blocks as standard.




CAPACITY  
3.6T

MODEL	PLATFORM WIDTH	OVERALL WIDTH	CAPACITY	PRICE	PER WEEK
T1210-36	530mm	1860mm	3.6T	£POA	£POA

## TECHNIQUE Low Profile Scissor Lift

It's back! Branded for **TECHNIQUE**, this Italian original is reputedly the finest scissor lift on the European market. Incorporating a **Dual Master/Slave Hydraulic System** for extreme safety, and **Lift Linkage System** for lifting heavy loads at low level. Unique attention has been made to the lift where others fail, such as the galvanised base frame, galvanised run on ramps, and a base levelling system. This lift is great for replacing older shallow scissor lifts. Super strength is key in this design!

- 110mm closed height.
- 2120mm platforms when ramps locked.
- 1590mm x 630mm platforms.
- 40mm rubber blocks.



CAPACITY  
3.5T

MODEL	TYPE	CLOSED DEPTH OF PLATFORM	CAPACITY	PRICE	PER WEEK
T1220-35*	SURFACE MOUNTED / RECESSED	110mm	3.5T	£POA	£POA

\* Recessed version will need special fabrication formers.



Technique and Truesteel® have forged an exciting partnership for high quality, British made, custom built workshop furniture solutions enabling an almost limitless design.


Combining the years of project and cabinet experience within Bullworthy, with the unique design and production facilities at Truesteel, Bullworthy are literally able to offer cabinets, toolboxes and services distribution that can fit any space, be it a large corporate dealership workshop, independent workshop, or the domestic workshop / garage. Furthermore, we can offer specialist cabinetry for the sports car industries, marine industry, agricultural industry, factory facilities, colleges, production areas... The list goes on.

Using state of the art software, Truesteel can tweak their designs down to the last millimetre at the touch of a button and can provide a 3D rendered walk through for complex designs. Unique scaling of toolboxes, cupboards, service distribution is no longer a problem. Truesteel quality design incorporates strength too, using a thicker gauge steel than their modular competitors, and toolbox drawer runners holding unrivalled capacities.



## TRUESTEEL®





**TRULIESTEEL** WORKSHOP FURNITURE





 Visit our website today to view our full range of equipment!



TRUESTEEL®

# Heavy Duty Toolboxes

- Heavy duty construction.
- Colours can be changed as per individual taste.
- Shock absorbing castors.
- Aluminium roller top hatch.
- LED lighting, 240v sockets in top storage.
- Back panel and both sides in the top storage are perforated panels for tool hanging etc.



TS-2000

PRICE: £POA

PER WEEK: £POA

Prices shown excluding carriage.



TRUESTEEL®

# Fully Customisable Toolbox Solutions

Truesteel specialises in creating fully customisable toolbox solutions tailored to meet each customer's specific needs. With a deep understanding of the diverse demands across industries, Truesteel offers flexible design options, durable materials, and bespoke configurations that ensure every toolbox is perfectly suited to the job at hand.



DESIGN YOUR  
TOOLBOX TO  
YOUR EXACT  
REQUIREMENTS!

990.00mm



945.00mm



Prices shown excluding carriage.

## Basic Toolbox Solution

- 5 x drawer unit, rubber lined.
- Bash guards.
- Black ABS worktop.
- All swivel castors (2 x with brake.)
- 90kg capacity per drawer.

Prices starting from £POA  
or £POA per week

Get in touch with us today to create your own design!

6



Get the latest industry news and product updates by visiting our blog!


## INCREASE TURNOVER & PROFITS INSTANTLY!

This system pays for itself within weeks\* – the rest is sheer profit.

The TreadReader™ DriveOver improves your business opportunities in an instant by accurately measuring every tyre entering your workshop. Just by passing over the scanner, the fully automated system triggers up to 300,000 measuring points, essential to ensure the most accurate tread depth and tyre wear readings.

The cloud-based reporting system will highlight every tyre borderline or needing to be changed, and will indicate a wheel alignment opportunity to help improve tyre wear.

\*Based upon average 10 bay UK workshop figures.



**PROVEN TO BE THE MOST PROFIT GENERATING SYSTEM CURRENTLY AVAILABLE!**



PC

Mobile

Tablet

## Connect, view, share and integrate.


Fully integrated with TreadReader™ HandHeld or DriveOver, the TreadManager™ is a cloud-based tyre management platform designed to improve your service productivity and boost sales. It analyses the tyre scans, calculates tread depths and generates the 3D renderings. Plus, stores the scan, car and tyre data in a professional way also allowing the service managers to visualise reports on the number of vehicles scanned, technician activity as well as sales opportunities for tyres and wheel alignment.

## Measure 300,000 Points Within 6 Seconds!

The scan of each tyre depends on up to 300,000 measurement points and is used to calculate tread depths with an accuracy of < 0.2mm. The 3D models of the tyre tread and the calculated depths can be viewed on TreadManager™, instantly, a PDF report is generated containing vehicle identification, 3D tyre scans with colour-coded tread warning and error alarms for every axle/tyre position, print or e-mail out the report raising your customer's trust.

## Rear Left NSR 80% Worn:

2.9mm 3.4mm 3.7mm 3.8mm



TreadReader™ 3D tyre scan

**Get in touch with Bullworthy today for more information!**

**Got a question? Contact our specialist team today with your enquiries!**

# TTECHNIQUE T2410-BT Wheel Alignment System

The Technique T2410-BT wheel alignment system encapsulates the latest Bluetooth, Infra-red, and 6 Sensor CCD four-wheel alignment technology, in a neat and compact trolley.

## Machine Features:

- Mobile control unit complete with a PC, 19" monitor, keyboard, printer and battery charger.
- Infra-red remote controlled measuring heads.
- Shoot and Go alignment software with Easy Update facility.
- 24 month warranty.



Keyboard with remote control function.



Infra-red measuring heads powered by long life rechargeable batteries.



T2410-BT Bluetooth Wheel Alignment System

FROM  
£POA

£POA  
PER WEEK




# TTECHNIQUE T2440-3D Wheel Alignment System

## Machine Features:


- Equipped with tyre grabbing 3 point clamps to avoid run out compensation.
- Remote control located on each sensor.
- Run out compensation when required.
- Bluetooth transmission between measuring heads and control unit.
- Can be used on any 4 post or scissor lift.
- Automatic lift level compensation.



High resolution cameras.



Quick and easy setup.



Automatic lift level compensation.



Simple guided measurements.



T2440-3D Wheel Alignment System

FROM £POA

£POA PER WEEK

8



Get in touch with our sales team to discuss your equipment requirements!



# TECHNIQUE Groove Glove Handheld Scanner

## GENERATE GREATER PROFITS!

Groove Glove is a hand held scanner that allows tyre retailers and their customers to easily and quickly understand the wear condition of tyres. Operated wherever a WiFi signal exists it avoids errors and provides sales opportunities for replacement tyres and wheel alignments.

- ✓ **Fast - Less than 1 minute per examination.**
- ✓ **Integrated camera - For license plate recognition.**
- ✓ **Accurate - Scans 600 points across each tyre.**
- ✓ **Flexible - Scan tyres wherever you need to.**
- ✓ **Transparent - Full TreadSpec report available within seconds.**

LIMITED TIME OFFER!

**£POA**  
WHILE STOCKS LAST!

£POA per week



## TECHNIQUE T2020-2D Wheel Balancer


The TECHNIQUE T2020-2D is a low-speed balancer with compact design. This affordable motorized machine delivers high-value performance, professional results, and requires minimal space, making it an excellent choice.



Auto distance and diameter measurement.



Hidden weight mode.



Rim and tyre optimisation.



Backlit graphical LCD display.

### Standard Accessories Kit Included:


Standard Cones (x4), hand-wheel quick fit clamps, pliers, wheel width calliper and 4WD cone adaptor.

PRICE: £POA


PER WEEK: £POA

## TECHNIQUE T2030-3D Wheel Balancer

The TECHNIQUE T2030-3D wheel balancer, a premium electronic balancer with microprocessor control, delivers enhanced performance and includes numerous standard features, providing reliable functionality and peace of mind.




1 Auto distance and diameter measurement.



2 LASER-BLADE weight positioning.

3 Automatic programme selection.

4 Hidden weight mode.



5 Double LED placement lighting.

6 ECO weight balancing system.

### Standard Accessories Kit Included:

Standard Cones (x4), hand-wheel quick fit clamps, pliers, wheel width calliper and 4WD cone adaptor.

PRICE: £POA

PER WEEK: £POA

# TECHNIQUE T2210-PRO Tyre Changer

The Technique T2210-PRO Fully automatic 24" tyre changer will meet the highest of demands from any operator. The side assist arm is supplied with two adaptor arms with an option of an extra roller for lifting the bottom bead.

- Quality construction: The frame is reinforced to grant the utmost rigidity to the structure.
- Fast bead braking: With 2 position adjustment.
- Easily adjusted: Double adjustable clamp positions. In: 13" - 24". Out: 11" - 22".
- Clamps and spikes: High adherence clamp with replaceable spikes.
- Fine setting mounting head: New standard adherence clamp with replaceable spikes.



Pneumatic side assist arm.



Two position fast bead breaker.



1050mm  
(41")



381mm  
(15")

PRICE: £POA

PER WEEK: £POA

# TECHNIQUE T2220-M1 Tyre Changer

Perfect for any alloy rim size, run flat and low profile tyres. Premium, completely lever-less tyre changer with 'Memory' feature and centre mounting head allowing for any size of rim. A must for any workshop handling modern wheels.

- Easy demount head (upper bead.)
- Rim edge memory controls.
- Pneumatic assist arm.
- Lever for quick opening of arm.
- Foot pedal tyre inflation.
- Easy bead braking.
- Variable speed.
- Self locking clamp system.
- Space saver post.
- Two position locking plate for standard or reverse rims.



Patented tool in plastic anti-scratch material.



1050mm  
(41")



1050mm  
(41")



381mm  
(15")

PRICE: £POA

PER WEEK: £POA

WHEEL CARE PACKAGE 1

T2210-PRO  
Tyre Changer



T2020-2D  
Wheel Balancer



PRICE: £POA

PER WEEK: £POA

WHEEL CARE PACKAGE 2

T2220-M1  
Tyre Changer



T2030-3D  
Wheel Balancer



PRICE: £POA

PER WEEK: £POA

10



Get the latest industry news and product updates by visiting our blog!


# TECHNIQUE T2225-M2 Tyre Changer

The Technique T2225-M2 tyre changer is equipped with an innovative leverless tool (patented) that allows to work quickly and effortlessly even on new-concept and ultra-low profile tyres, RUN-FLAT.

- Easy demount head (upper bead.)
- Pneumatic assist arm.
- Foot pedal tyre inflation.
- Variable speed.
- Space saver post.
- Rim edge memory controls.
- Lever for quick opening of arm.
- Easy bead braking.
- Self locking clamp system.
- Two position locking plate for standard or reverse rims.



Double roller bead breakers.



Patented tool in plastic anti-scratch material.




PRICE: £POA

PER WEEK: £POA

# TECHNIQUE T2240-M3 Tyre Changer

Equipped with an innovative (patented) leverless head and advanced automatic functions, the T2240-M3 lets you work quickly, precisely and without any effort also on UHP and Run-Flat tyres. The configuration is already complete with all the major accessories, making it particularly suitable for tyre shops and car dealers.

- Supplied with rotating pneumatic bead pusher arm.
- Quick clamping lock for rims.
- Pneumatic wheel lift.
- Laser pointing that indicates proper head positioning.
- Double bead breaking system.
- Three adjustable working heights.
- Patented centre post locking plate suitable for reverse rims.



- 1 Double roller bead breakers.
- 2 Memory system with automatic head repositioning.
- 3 Sensor with automatic indent function.

PRICE: £POA

PER WEEK: £POA

T2225-M2 Tyre Changer



T2030-3D Wheel Balancer



WHEEL CARE PACKAGE 3

PRICE: £POA

PER WEEK: £POA

T2240-M3 Tyre Changer



T2030-3D Wheel Balancer



WHEEL CARE PACKAGE 4

PRICE: £POA

PER WEEK: £POA



## TECHNIQUE Rotary Class 4 ATL MOT Packages

<b>MOT CLASS:</b>	<b>VERSION:</b>
Class 4 ATL	Four Post Lift
<b>PACKAGE DESCRIPTION:</b>	
Rotary 4 tonne 4700mm platform, hydraulic play detector, recessed radius plates, PC based roller brake tester, 22" display, advanced headlight aligner, 2 tonne jacking beam, mirrors and pedal depressor.	
<b>PRICE:</b>	<b>PER WEEK:</b>
FROM £POA	FROM £POA



## TECHNIQUE Rotary Class 7 ATL MOT Packages


<b>MOT CLASS:</b>	<b>VERSION:</b>
Class 7 ATL	Four Post Lift
<b>PACKAGE DESCRIPTION:</b>	
Rotary 6.5 tonne 6000mm platform, hydraulic play detector, recessed radius plates, PC based roller brake tester, 22" display, advanced headlight aligner, 2.8 tonne jacking beam, mirrors and pedal depressor.	
<b>PRICE:</b>	<b>PER WEEK:</b>
FROM £POA	FROM £POA






## **T**TECHNIQUE Class 4 & 7 Scissor Lift MOT Packages

<b>MOT CLASS:</b>	<b>VERSION:</b>
Class 4/7	Scissor Lift
<b>PACKAGE DESCRIPTION:</b>	
Technique 3.5T 4.6m platform (Class 4), Technique 5.0T 5.5 platform (Class 7), hydraulic play detector, recessed radius plates, PC based roller brake tester, 22" display, advanced headlamp tester, 2T (Class 4), 2.8T (Class 7) jacking beam, mirrors and pedal depressor.	
<b>CLASS 4:</b>	<b>CLASS 7:</b>
<b>PRICE: £POA</b>	<b>PRICE: £POA</b>
<b>PER WEEK: £POA</b>	<b>PER WEEK: £POA</b>



## **T**TECHNIQUE Motorcycle & Inspection Pits

<b>MOT CLASS: Class 4/5/7</b>	<b>VERSION: Inspection Pit</b>
<b>PACKAGE DESCRIPTION:</b>	
The Technique ATL pit packages are supplied and installed with, hydraulic play detectors and captive turn plates, Technique headlamp tester, Technique T8000 brake tester and Technique jacking beam.	
<b>PER WEEK:</b>	<b>£POA</b>



<b>MOT CLASS: Class 1 &amp; 2</b>	<b>VERSION: Motorcycle</b>
<b>PACKAGE DESCRIPTION:</b>	
The Technique Motorcycle testing package includes Technique T5210 brake tester, Technique T4600 headlamp tester and wheel alignment bars.	
<b>PRICE: £POA</b>	<b>PER WEEK: £POA</b>



 Visit our website today to view our full range of equipment!

# TECHNIQUE T8003 Emissions Tester

The Technique T8003 is the first of a new generation of emissions analysers marking a stepped change in performance, operation and ergonomic practicality. Everything about the T8003 is in 'touch' with modern technology and designed to help propel your business into the future. Utilising the latest 'touch-screen' technology on the standard 23" screen each high definition graphic has been thought through for clarity and instant recognition whilst testing.



Touch-screen technology.



Bluetooth smoke meter.

PRICE:	PER WEEK
£POA	£POA
Includes a 2 year warranty.	

# TECHNIQUE

## T4600 Headlamp Tester

- Balanced optical head.
- Advanced fresnel lens.
- Focus range between 200-800mm.
- Advanced electronic version.
- Printer connectivity.



Laser alignment.



Advanced fresnel lens.




MODEL	CLASS	PRICE
T4600	4	£POA
T4600V	7	£POA

# TECHNIQUE T8000 Series Brake Tester

The T8000 range of MOT brake testing equipment represents a step change in performance, operation and ergonomic practicality. Options are also available to extend you into Class I and II testing, suspension testing and steering geometry analysis. Everything about the T8000 puts you in 'touch' with essential vehicle testing technology.



### Why not test Class 1 & 2?



Upgrade any of the above brake testers to test motorcycles.

JUST ADD £POA

MODEL	VERSION	CLASS	PER WEEK
T8400	Standard	4	£POA
T8400A	ATL	4	£POA
T8700	Standard	7	£POA
T8700A	ATL	7	£POA



# TECHNIQUE

## Connectable Electronic Decelerometer



PRICE: £POA



- The perfect solution to lifting modern vehicle including electronic vehicles.
- Impressive NEW top beam is an industry leading 1875mm to the centre of the pads, while still retaining a closed width of only 790mm.
- Designed for both the 2.0 and 2.8 tonne jacking beams, and fitted as standard.



CAPACITY 2.0T CAPACITY 2.8T

**Supplied with new style accessories:**

- 2 x Adjustable screw lift pads.
- 2 x 70mm Extension tubes.
- 2 x 40mm Rubber blocks.

**TECHNIQUE Accessory offer:**

- 2 x 38mm Extension tubes.
- Lift roller glide kit for any variant of lift.

## THE WIDEST AND THE BEST!

MODEL	OPERATION	CAPACITY	CLASS	PRICE
T3000/EW	Manual Hand Operated	2.0T	4	£POA
T3001/EW	Air Operated Pneumatic	2.0T	4	£POA
T3002/EW	Manual Air Operated	2.8T	7	£POA
T3003/EW	Air Operated Pneumatic	2.8T	7	£POA

## TECHNIQUE Upgrade Your Existing Jacking Beam!

Already have a **TECHNIQUE** or **MAJORLIFT** jacking beam?

**WE'VE GOT YOU COVERED!**

- The perfect solution to upgrade your beam so it can now lift modern vehicles including electronic vehicles.
- Impressive NEW top beam is an industry leading 1875mm to the centre of the pads, while still retaining a closed width of only 790mm.
- This retro fit kit has been designed to fit existing 2 and 2.8 tonne jacking beams currently fitted with double extending top beam. (Narrow beams need further slight modification.)
- Full fitting instructions provided to make the job a quick and easy task.



**Supplied with new style accessories:**

- 2 x Adjustable lift pads.
- 2 x 40mm Rubber blocks.
- 2 x 70mm Extensions.
- 2 x Upper finger guards.

MODEL	OPERATION	PRICE
T280090	Manual Hand Operated	£POA
T290090	Air Operated Pneumatic	£POA

Prices include carriage.



**Commercial pit jacks also available! Contact us for further details!**

 Got a question? Contact our specialist team today with your enquiries!



# ArcticPRO® Air Conditioning Servicing Units

## ArcticPRO® ACX310/410

- Weighs just 65kg.
- Efficient servicing, regardless of vehicle and ambient temperature.
- Printer for customer reports and database for service data.
- USB interface for software updates and remote diagnostics.
- WiFi compatible.



R124A

R1234YF

MODEL:	PRICE:	PER WEEK:
ACX310 (R134A)	£POA	£POA
ACX410 (R1234YF)	£POA	£POA

## ArcticPRO® ACX320/420

- High performance vacuum pump.
- 7" high resolution touchscreen display.
- USB interface, WiFi and Bluetooth for remote diagnostics, software updates and ASA connectivity.
- Optional printer for customer reports and database for service data.



R124A

R1234YF

MODEL:	PRICE:	PER WEEK:
ACX320 (R134A)	£POA	£POA
ACX420 (R1234YF)	£POA	£POA

## ArcticPRO® ACX350/450

- USB interface, WiFi, Bluetooth for remote diagnostics, software updates, and ASA connectivity.
- Active Oil Protection: Hermetically sealed oil containers.
- LED light indicates status anywhere in the workshop.
- AC Remote viewer app (optional)



R124A

R1234YF

MODEL:	PRICE:	PER WEEK:
ACX350 (R134A)	£POA	£POA
ACX450 (R1234YF)	£POA	£POA

## ArcticPRO® ACX380/480

- USB interface, WiFi and Bluetooth for remote diagnostics, software updates and ASA connectivity.
- Active Oil Protection: Hermetically sealed oil containers.
- LED light indicates status anywhere in the workshop.
- AC remote viewer app: for remotely viewing the display from your Smart phone with SMS sender service.



R124A

R1234YF

MODEL:	PRICE:	PER WEEK:
ACX380 (R134A)	£POA	£POA
ACX480 (R1234YF)	£POA	£POA






Bullworthy can offer an extensive range of exhaust and fume extraction systems regardless of the size of your workshop. From fixed-point systems with drop-down reels, to completely mobile extraction systems for MOT testing purposes. We offer a free site survey from one of our experienced team, who will design and calculate the correct system to suit your extraction requirements. Bullworthy not only installs extraction systems but also offer maintenance and COSHH testing.



Exhaust Extraction Systems.



Dust Extraction Systems.



Weld Fume Extraction Systems.



Site Survey.



System Installation.



System Design.



After Sales Support

## GYNMA Mobile Trolley Systems



GYNMAG-GON 2 x Oval Nozzle Trolley.



GYNMA-150125125HT5 2 x High Temp Nozzle and Hose Trolley.



GMNT-GTL Single Round Steel Nozzle ideal for M/C.



Foldable design.

GYNMAG-GON 2 x Oval Nozzle Trolley	100mm Ø Hose	Price: £POA
GYNMA-150125125HT5 2 x High Temp Nozzle & Hose Trolley	125mm Ø 500°C	Price: £POA
GMNT-GTL Single Round Steel Nozzle ideal for M/C	100mm Ø Hose	Price: £POA

Prices shown are exclusive of carriage.

## General Accessories & Parts

Common Replacement Nozzles			
	GRNG-160100	Nozzle with vice grip & damper, 75mm dia hose.	Price: £POA
	GON-100MG	Twin exhaust nozzle with vice grip and damper 100mm dia hose.	Price: £POA
	GON-100EG	Twin exhaust internal clamping nozzle with and damper 100mm dia hose.	Price: £POA
	GRTN-125MG	Commercial nozzle with vice grip and damper, 125mm dia hose. Ideal for MOT.	Price: £POA

Y Assembly For Nozzles			
	GYG-100100100	Y-Piece with 2 x 100mm dia x 1.25m crushproof hose.	Price: £POA (Exc nozzles)

Hose Reels			
	GMR+10010	100mm dia. x 10m spring recoil hose reel.	Price: £POA
	GMR+12510	125mm dia. x 10m spring recoil hose reel.	Price: £POA

Tidy Workshop			
	GWB-100	Hose storage bracket for 100mm dia hose.	Price: £POA

Prices shown are exclusive of carriage.



Visit our website today to view our full range of equipment!



# TECHNIQUE Steel Top Heavy Duty Workbench

Heavy duty workbenches come fully welded (not flat pack) and ready to use. They are constructed from steel angle with braced 2mm galvanised steel top. The uniformly distributed load (UDL) is up to 1000kg for each workbench. These workbenches are perfect for heavier duty work. The standard height is 840mm, but this can be changed at no extra cost.

Model	Dimensions	Price
1260SC	1200mm x 600mm with cupboard	Price: £POA
1275SC	1200mm x 750mm with cupboard	Price: £POA
1290SC	1200mm x 900mm with cupboard	Price: £POA
1560SC	1500mm x 600mm with cupboard	Price: £POA
1575SC	1500mm x 750mm with cupboard	Price: £POA
1590SC	1500mm x 900mm with cupboard	Price: £POA
1860SC	1800mm x 600mm with cupboard	Price: £POA
1875SC	1800mm x 750mm with cupboard	Price: £POA
1890SC	1800mm x 900mm with cupboard	Price: £POA
2060SC	2000mm x 600mm with cupboard	Price: £POA
2075SC	2000mm x 750mm with cupboard	Price: £POA
2090SC	2000mm x 900mm with cupboard	Price: £POA



Add a drawer to any of these workbenches.

SDMD	Single Drawer	Price: £POA
------	---------------	-------------

Add a drawer to any of these workbenches.

MDCUP	Extra Cupboard	Price: £POA
-------	----------------	-------------




4" Vice	Price: £POA
5" Vice	Price: £POA
6" Vice	Price: £POA
8" Vice	Price: £POA

# TECHNIQUE Battery Lifts

T3314 BATTERY LIFT

- Ergonomic controls.
- Electro-hydraulic operation.
- Undirectional high load bearing wheels with integrated brakes.
- Self-levelling load platform with specially shaped wood worktop.
- Powerful double hydraulic cylinder system.

MODEL	CAPACITY	MAX LIFTING HEIGHT	PRICE	PER WEEK
T3314	1400kg	1800mm	£POA	£POA



CAPACITY  
**1.4T**

T3322 BATTERY LIFT

- Electrically released mechanical locking system.
- 24V control system three pin plug.
- Various fully adjustable adaptor pins for reserved holes.
- 1200kg lifting capacity.

MODEL	CAPACITY	MAX LIFTING HEIGHT	PRICE	PER WEEK
T3322	1200kg	1810mm	£POA	£POA



CAPACITY  
**1.2T**



# TTECHNIQUE Waste Oil Drainer

- 95 litre tank capacity.
- 8 litre hopper capacity.
- Fully encapsulated 1:1 air operated pump for draining unit.
- Integral air regulator.



Integral pump.

T2200-013 with integral pump.	Price: £POA
T2200-014 discharge point empty.	Price: £POA

Prices shown are exclusive of carriage.

# TTECHNIQUE Fuel Retrievers

- For safe and easy emptying/filling of fuel from vehicles.
- Two integral flash arrestor filters 400 microns.
- Fully antistatic earth leads and fuel grade hose.
- Will pump most fuel types at 30 to 40 litres per minute.
- 80 litre capacity.
- Locking valve to prevent unauthorised use.



T2105-010 Fuel Retriever	Price: £POA
--------------------------	-------------

Prices shown are exclusive of carriage.

# TTECHNIQUE Waste Oil Tank Alarm

- LED zone lights up to indicate potential issue.
- Flashing orange strobe.
- Weatherproof IP55 rated box.
- 90dB sounder.
- Test and mute functions.
- Mains or battery operated.



High level probe.

High or low level tank alarm	Price: £POA
Single high or low level probe.	Price: £POA

Prices shown are exclusive of carriage.

# TTECHNIQUE AirCut Safety System

Easily retrofitted, the AirCut system allows you to automatically shut off the air to all pumps from one convenient point (without relying on human memory) and to see at a glance that the system is shut down.





The AirCut system comprises:

- 1 Timer Control Box – mounted in a convenient location adjacent to a mains power outlet. This controls the times when oil dispensing is allowed and has a visual indicator to show when the system is running.
- 2 Air-Block Valve – mounted directly on each pump.

Single Pump System w/ Timer Control Box & Air-Block Valve	£POA
2 Pump System w/ Timer Control Box & 2 Air-Block Valves	£POA
3 Pump System w/ Timer Control Box & 3 Air-Block Valves	£POA
4 Pump System w/ Timer Control Box & 4 Air-Block Valves	£POA

Prices shown are exclusive of carriage.

NEX.U provides you with the control and information you require to make your operation more profitable. You will be able to account for every drop of lubricant and other service fluids used. On top of this, you will carry an efficient inventory control, with automatic alerts and fluid re-ordering when needed, eliminating operation downtime. For almost any lubricant usage or operation size, with today's high costs for these fluids, NEX.U quickly pays for itself. Once it is paid for, savings go right to the operations bottom line in the form of profit, which was previously lost.



**SAMOA U-TRACK web-based software means there is no need for a dedicated PC. Access the programme, management, control and reports from a remote PC, tablet or mobile phone from any location.**



**U-DAT**  
System keypad with full access to NEX.U and U-TRACK.



**U-VALVE**  
All in one flow control unit. Includes Solenoid Pulse Meter and Filter.



**UNET - Central processing unit.**



**U-TRACK**  
Use a license on any PC, Tablet or Mobile Phone to control the system.

**U-VISION**  
Hand held display with system, keypad.



**U-TANK**  
Provides real time inventory control and manages a variety of alarm systems.

**CALL US FOR A FREE SITE SURVEY AND DISCUSSION ON HOW NEX.U CAN SAVE YOUR COMPANY MONEY!**



## Waste Oil Drainer 100ltr w/ Discharge Pump

Gravity collection units with pump discharge. 100 litre capacity. Discharge is done through a 1:1 pressure ratio pneumatic piston pump attached to the back of the unit reservoir and 1.5m hose with hydraulic type coupler.



Part Number: 372200

Price: £POA



## Waste Oil Drainer 100ltr w/ Remote Pump Discharge

Gravity collection unit with remote pump discharge. 100 litre capacity. Discharge is done connecting the unit to a wall mounted discharge pump kit through a hydraulic coupler located at the bottom of the reservoir.



Part Number: 372300

Price: £POA



## 95ltr Low Level Mobile Drainer

Low level mobile drainer for gravity collection of waste oil and used automotive fluids such as antifreeze solutions. Recommended to use when a vehicle hoist/lift or a service pit is not available.



Part Number: 436000

Price: £POA



## 3:1 Air Operated Mobile Oil Dispenser

Pumpmaster 2 - 3:1 ratio drum mounted mobile oil dispenser for 205 litre drums. Package includes:

- Pumpmaster 2 - 3:1 ratio oil pump (stub type).
- Pump bracket.
- Digital hose end meter.
- 3m x 1/2" delivery hose.
- Suction hose.



Part Number: 376610

Price: £POA

All prices shown are exclusive of carriage.





### 12m x 10mm Compact Hose Reel

12m compact hose reel for air. Includes 0.8m inlet hose and pivoting bracket.



Part Number: 500116

Price: £POA



### 15m x 8mm Compact Hose Reel

15m compact hose reel for air. Includes 0.8m inlet hose and pivoting bracket.



Part Number: 500115

Price: £POA



### 230v Power Cable Reel

RM POWER Cable reel 15m (3 x 1.5mm<sup>2</sup>) cable.



Part Number: 612100

Price: £POA



### Drip Pocket w/ Gun Holder

Can be mounted to a wall or reel stand & allows oil gun/water gun, to be placed inside to avoid any fluid dripping on the floor.



Part Number: 360127

Price: £POA



### 10m x 3/8" Hose Reel for Air/Water/Antifreeze

RM-12S single arm hose reel for compressed air, low pressure water and antifreeze solutions.



Part Number: 506101

Price: £POA



### 10m x 3/8" Enclosed Slim Hose Reel for Air/Water

RM-12CLX individually enclosed slim hose reel for compressed air and low pressure water.



Part Number: 502151

Price: £POA



### 10m x 1/2" Single Arm Hose Reel for Oil

10mtr RM-12S single arm hose reel for synthetic and mineral oils.



Part Number: 506202

Price: £POA



### 10m x 1/2" Enclosed Slim Hose Reel for Oil

RM-12CLX individually enclosed slim hose reel for synthetic and mineral oils.



Part Number: 502252

Price: £POA



### 3:1 Ratio Air Operated Tank Mounted Oil Pump Kit

Pumpmaster 2 - 3:1 Ratio Tank Mounted Oil Pump Kit.



Part Number: 379003

Price: £POA



### 3:1 Ratio Air Operated Tank Mounted Oil Pump Kit

Pumpmaster 2 - 3:1 Ratio Tank Mounted Oil Pump Kit complete with pressure relief valve kit (PRV KIT4).



Part Number: 379003.003

Price: £POA



### EC30 Metered Oil Control Valve

EC30 metered oil control valve with 90° tube and automatic non-drip tip.



Part Number: 365535

Price: £POA



### Water Gun /w Swivel for Water & Antifreeze Solutions

Water gun with swivel for use only with water and antifreeze solutions.



Part Number: 186000/S


Price: £POA

Reel kits available to complete the hose reel with air couplings, oil triggers/meters and water triggers – Priced upon request. All prices shown are exclusive of carriage.



Get online and visit our website today to view our full range of equipment!

21



Bullworthy has partnered HPC for nearly 40 years. We are proud to be able to work with HPC to offer you a taster of some unique HPC packages for both body shop and automotive workshops. Both our sales managers and engineers are thoroughly HPC trained, and by using our expertise and professional knowledge, we can advise the correct size, most energy and money saving compressor system on the market.

**HPC** Compressed Air Systems **SX3 2.2kW PACKAGE**



12 cfm @ 7.5 bar.  
9 cfm @ 10 bar.  
From 64dB(A.)

<b>SX3</b>	<b>PER WEEK: £POA</b>
<b>SX3T</b>	<b>PER WEEK: £POA</b>
<b>SX3RM</b>	<b>PER WEEK: £POA</b>
<b>AIRCENTER SX3</b>	<b>PER WEEK: £POA</b>

RM denotes 'Receiver Mounted' - T units feature integral dryer.  
AIRCENTER is a modular unit inclusive of 270l receiver and integral dryer.

**HPC** Compressed Air Systems **SX4 3.0kW PACKAGE**



16 cfm @ 7.5 bar.  
13 cfm @ 10 bar.  
From 64dB(A.)

<b>SX4</b>	<b>PER WEEK: £POA</b>
<b>SX4T</b>	<b>PER WEEK: £POA</b>
<b>SX4RM</b>	<b>PER WEEK: £POA</b>
<b>AIRCENTER SX4</b>	<b>PER WEEK: £POA</b>

RM denotes 'Receiver Mounted' - T units feature integral dryer.  
AIRCENTER is a modular unit inclusive of 270l receiver and integral dryer.

**HPC** Compressed Air Systems **SX6 4.0kW PACKAGE**



21 cfm @ 7.5 bar.  
17 cfm @ 10 bar.  
From 64dB(A.)

<b>SX6</b>	<b>PER WEEK: £POA</b>
<b>SX6T</b>	<b>PER WEEK: £POA</b>
<b>SX6RM</b>	<b>PER WEEK: £POA</b>
<b>AIRCENTER SX6</b>	<b>PER WEEK: £POA</b>

RM denotes 'Receiver Mounted' - T units feature integral dryer.  
AIRCENTER is a modular unit inclusive of 270l receiver and integral dryer.

**HPC** Compressed Air Systems **SX8 5.5kW PACKAGE**



28 cfm @ 7.5 bar.  
24 cfm @ 10 bar.  
From 64dB(A.)

<b>SX8</b>	<b>PER WEEK: £POA</b>
<b>SX8T</b>	<b>PER WEEK: £POA</b>
<b>SX8RM</b>	<b>PER WEEK: £POA</b>
<b>AIRCENTER SX8</b>	<b>PER WEEK: £POA</b>

RM denotes 'Receiver Mounted' - T units feature integral dryer.  
AIRCENTER is a modular unit inclusive of 270l receiver and integral dryer.





33 cfm @ 7.5 bar.  
28 cfm @ 10 bar.  
From 64dB(A.)

<b>SX10</b>	<b>PER WEEK: £POA</b>
<b>SX10T</b>	<b>PER WEEK: £POA</b>
<b>SX10RM</b>	<b>PER WEEK: £POA</b>
<b>AIRCENTER SX10</b>	<b>PER WEEK: £POA</b>

RM denotes 'Receiver Mounted' - T units feature integral dryer.  
AIRCENTER is a modular unit inclusive of 270l receiver and integral dryer.



47 cfm @ 7.5 bar.  
39 cfm @ 10 bar.  
From 64dB(A.)

<b>SX13</b>	<b>PER WEEK: £POA</b>
<b>SX13T</b>	<b>PER WEEK: £POA</b>
<b>SX13RM</b>	<b>PER WEEK: £POA</b>
<b>AIRCENTER SX13</b>	<b>PER WEEK: £POA</b>

RM denotes 'Receiver Mounted' - T units feature integral dryer.  
AIRCENTER is a modular unit inclusive of 270l receiver and integral dryer.

## ABAC Piston Compressors

- 3HP unit.
- 150 litre receiver.
- 7.9cfm @ 10 bar.
- Single phase and 3 phase versions available.



<b>A29B EXT 150 CM3</b>	<b>PRICE: £POA</b>
<b>* A29B EXT 150 CT3</b>	<b>PRICE: £POA</b>

\* Indicates that this is the 3 phase version.

- 3HP unit.
- 200 litre receiver.
- 10.1cfm @ 10 bar.
- 3 phase electrics.



<b>A39B EXT 200 CM3</b>	<b>PRICE: £POA</b>
-------------------------	--------------------

- 4HP unit.
- 200 litre receiver.
- 13.1cfm @ 10 bar.
- 3 phase electrics.



<b>A49B EXT 200 CT4</b>	<b>PRICE: £POA</b>
-------------------------	--------------------

- 5.5HP unit.
- 200 litre receiver.
- 17.7cfm @ 10 bar.
- 3 phase electrics.



<b>B5900 200 FT5.5</b>	<b>PRICE: £POA</b>
------------------------	--------------------



# 2025 WHEEL CARE EQUIPMENT

## HP641SD.24 Pro

Mounting head and mounting lever, automatic, square standard chucking table, including pneumatic bead depressor pusher and plastic protection for ALU rims, for all tyre types with max wheel diameter of 43" (1092mm).

- Min rim clamping 10".
- Max rim clamping 26.5".
- Max rim width 15".
- Run Flat Capable.
- Bead Breaker 36kN.
- Rotation Speed 0-16rpm.
- Max Torque 1200Nm.
- WDK Approved.




PRICE: £POA

PER WEEK: £POA

## Karakter.LL Premium

Professional, lever-less tyre changer – with patented plastic mounting head, including pneumatic bead depressor pusher and pneumatic wheel lifter. For all tyre types with max wheel diameter of 46" (1168mm).

- Min rim clamping 10".
- Max rim clamping 26".
- Max rim width 15".
- Run Flat Capable.
- Bead Breaker 12kN.
- Rotation Speed 0-14rpm.
- Max Torque 1200Nm.
- WDK Approved.



PRICE: £POA

PER WEEK: £POA

## Kendo.Evo Premium

Professional, automatic, lever-less tyre changer with pneumatic wheel lifter, patented plastic mounting head, proxy sensor pneumatic bead depressor pusher and mounting head. User control panel and foot pedal operation. For all tyre types including light commercial, motor homes, passenger cars and trailers.

- Min rim clamping 12".
- Max rim clamping 30".
- Max rim width 15".
- Run Flat Capable.
- Bead Breaker 12kN.
- Rotation Speed 0-16rpm.
- Max Torque 1177Nm.
- WDK Approved.



PRICE: £POA

PER WEEK: £POA

## Aikido.Evo Premium

Professional, automatic, lever-less tyre changer with pneumatic wheel lifter, patented plastic mounting head, Patented electro-actuated extra grip clamping plate, memory functions with synchronised positioning of working arms, Smart lock, user control panel and foot pedal operation. For all tyre types including light commercial, motor homes, passenger cars and trailers with max wheel diameter of 50" (1270mm).

- Min rim clamping 12".
- Max rim clamping 30".
- Max rim width 15".
- Run Flat Capable.
- Bead Breaker 12kN.
- Rotation Speed 0-16rpm.
- Max Torque 1177Nm.
- WDK Approved.



PRICE: £POA

PER WEEK: £POA





Bullworthy are proud to announce the launch of the new ROTARY wheel care range. Now you can complement the world-renowned premium lift range with its very own premium range of tyre equipment. These exquisite models have been selected by Bullworthy to cover all levels of tyre changing and wheel balancing within independent and dealer group workshops. Each unit is a pure Italian thoroughbred built within their very own factory in Bologna, reflecting ultimate power, ease of use and an unbeatable performance when servicing wheels and tyres. Bullworthy invites you to explore the new range and chat with our experts to help you decide on which Premium package suits your workshop the best.

## Librak338FMD

Backlit LCD graphic display (132 x 40 mm), automatic detection of distance and diameter, automatic cycle, wheel brake, including cones for cars, wheel hood and handwheel quick-fit nut. Ideal for all passenger car wheels.

- < 100rpm measuring speed.
- 7 second measuring time.
- LCD backlit display.
- 10" min rim diameter.
- 26" max rim diameter.
- Max wheel weight 65kg.



PRICE: £POA

PER WEEK: £POA

## Librak360WS

3D Balancer with 22" full HD LCD monitor, integral industrial PC, automatic wheel data input, automatic program selection, weight positioning, ECO mode, including cones for cars, wheel hood and professional quick nut. Ideal for light commercial and passenger car wheels.

- Min rim width 1.5"
- Max rim width 22"
- Min rim dia. 10"
- Max rim dia. 33"
- Max wheel dia. 1092mm
- Balance accuracy 1g
- Balance speed 100rpm
- Balance time 7s



PRICE: £POA

PER WEEK: £POA

## Wheel Alignment System



ULTIMATE  
WHEEL  
ALIGNMENT  
TECHNOLOGY

COMING IN 2025!



Visit our website today to view our full range of equipment!

25

# SPOA3TS-EV Two Post Lift

- 3.5 tonne capacity.
- Electronic latching.
- Audible alarm descent.
- Special pivoting arm assembly.
- Ideal for battery access.
- Minimum underbody footprint.



MODEL	WIDTH	HEIGHT	CAPACITY	PRICE	PER WEEK
SPOA3TS-EH2-EV	3121mm	4170mm	3.5T	£POA	£POA

# MGE 1.0 Lifting Table

- 1000kg capacity.
- 1300mm stroke.
- Hydraulic operation.
- Foot control.
- Fixed desk top.
- High stability.



MODEL	MAX LIFTING HEIGHT	PRICE	PER WEEK
MGE 1-0	1835mm	£POA	£POA

# MASTER GEAR 1.0 Lifting Table

- 1000kg capacity.
- 1330mm stroke.
- Hydraulic operation.
- Foot control.
- Tilting and moving Vario desk top.
- High stability.



MODEL	MAX LIFTING HEIGHT	PRICE	PER WEEK
MASTER GEAR 1.0	1965mm	£POA	£POA

# MGO Lifting Table

- 1000kg capacity.
- 1320mm stroke.
- Hydraulic operation.
- Foot control.
- Tilting and moving Vario desk top.
- High stability.



MODEL	MAX LIFTING HEIGHT	PRICE	PER WEEK
MGO	1826mm	£POA	£POA



THE 'SMALLEST'

## XS30N Mid Rise Scissor Lift

The Rotary mid rise scissor lift range specifically covers the requirements in the field of tyre and body services. However, it is also ideal for vehicle interior maintenance. A reasonable investment allows the quick set up of an additional universal workspace without foundation work.



CAPACITY  
**3.0T**




1



2



**Mobile kit included as standard!**



3



4

- 1 Folding ramp extension.
- 2 Double acting hydraulic system.
- 3 New extended platform width and length.
- 4 Ergonomic control panel.

MODEL	PLATFORM WIDTH	PLATFORM LENGTH	OVERALL WIDTH	CAPACITY	PRICE	PER WEEK
XS30N	530mm	1500mm - 2160mm	1980mm	3.0T	£POA	£POA

ALWAYS A 'GREAT FIT'

## DS35 Low Profile Scissor Lift

Specially designed for the service and repair sector within the independent market and the dealer group workshops, the newly designed flexible mounting platforms allow for a broad mounting range. The DS35 holds many vehicle manufacturer approvals and has become the first choice for space saving in any busy workshop.



CAPACITY  
**3.5T**



1



2



3



4

- 1 Folding ramp extension.
- 2 Double ram safety system.
- 3 Low profile platforms.
- 4 Broad mounting range.

MODEL	PLATFORM WIDTH	PLATFORM LENGTH	OVERALL WIDTH	CAPACITY	PRICE	PER WEEK
DS35HG	630mm	1500mm - 2160mm	2060mm - 2160mm1980mm	3.5T	£POA	£POA



Got a question? Contact our specialist team today with your enquiries!

## Plain Platform Four Post Lifts

- Heavy duty construction.
- Low drive on height.
- 4 post air latching.
- 4 and 6.5 tonne capacity.
- Low maintenance.
- Precise locking system.

CAPACITY

4.0T

OR

CAPACITY

6.5T



MODEL	PLATFORM LENGTH	OVERALL WIDTH	CAPACITY	PRICE	PER WEEK
SM40-47	4700mm	3320mm	4.0T	£POA	£POA
SM40-51	5100mm	3320mm	4.0T	£POA	£POA
SM65-60	6000mm	3405mm	6.5T	£POA	£POA

## Wheel Alignment Four Post Lifts

- Heavy duty construction.
- Low drive on height.
- 4 post air latching.
- 4 and 6.5 tonne capacity.
- Low maintenance.
- Precise locking system.

CAPACITY

4.0T

OR

CAPACITY


6.5T



MODEL	PLATFORM LENGTH	OVERALL WIDTH	CAPACITY	PRICE	PER WEEK
SM40-47N-AK	4700mm	3320mm	4.0T	£POA	£POA
SM40-51N-AK	5100mm	3320mm	4.0T	£POA	£POA
SM65-60N-AK	6000mm	3405mm	6.5T	£POA	£POA



Optional Hydraulic Play Detector Kit:  
Additional Cost £POA



Optional drive on extensions for any lift:  
Additional Cost £POA



THE 'ONLY CHOICE'

# MOT Four Post Lifts

- Heavy duty construction.
- Low drive on height.
- 4 post air latching.
- 4 and 6.5 tonne capacity.
- Low maintenance.
- Precise locking system.

CAPACITY

4.0T

OR

CAPACITY

6.5T



MODEL	PLATFORM LENGTH	OVERALL WIDTH	CAPACITY	PRICE	PER WEEK
MOT40-47N	4700mm	3128mm	4.0T	£POA	£POA
MOT65-60N	6000mm	3405mm	6.5T	£POA	£POA

THE 'FINEST CROSS BREED'

# MOT & Alignment Four Post Lifts

- Heavy duty construction.
- Low drive on height.
- 4 post air latching.
- 4 and 6.5 tonne capacity.
- Low maintenance.
- Precise locking system.

CAPACITY

4.0T

OR

CAPACITY


6.5T



MODEL	PLATFORM LENGTH	OVERALL WIDTH	CAPACITY	PRICE	PER WEEK
SM40-47AK-MOT	4700mm	3373mm	4.0T	£POA	£POA
SM40-51AK-MOT	5100mm	3373mm	4.0T	£POA	£POA
SM65-60AK-MOT	6000mm	3405mm	6.5T	£POA	£POA



Optional LED lighting kit for any lift:  
Additional Cost From £POA



Do you require a Jacking Beam?  
Turn to page 15 for more details!

OPTIONAL EXTRAS

## SPMA32/35-X Two Post Lift

The two post lifts of the Tomorrow Series of Rotary raise your workshop immediately into the future. Tested for 20000 cycles and designed for TEQ-Link online internet connection, your workshop is prepared for all innovations that are yet to come

- Electronic synchronisation.
- Famous asymmetric design.
- Anti toe trap system.
- 3 stage arms.
- Quick nut replacement.
- 3 years manufacturer warranty.

MODEL	WIDTH	HEIGHT	CAPACITY	PRICE	PER WEEK
SPMA32-X	3123mm - 3223mm	4150mm	3.2T	£POA	£POA
SPMA35-X	3123mm - 3223mm	4150mm	3.5T	£POA	£POA



## SPMA42-X Two Post Lift

The two post lifts of the Tomorrow Series of Rotary raise your workshop immediately into the future. Tested for 20000 cycles and designed for TEQ-Link online internet connection, your workshop is prepared for all innovations that are yet to come

- Electronic synchronisation.
- Famous asymmetric design.
- Anti toe trap system.
- 3 stage arms.
- Quick nut replacement.
- 3 years manufacturer warranty.

MODEL	WIDTH	HEIGHT	CAPACITY	PRICE	PER WEEK
SPMA42-X	3322mm	4150mm	4.2T	£POA	£POA



## TL07 Two Post Turf Lift

- Ideal for golf clubs - Lifts 3 or 4 wheeled turf equipment and golf carts.
- Fully hydraulic.
- Special mower frame and cradle.

MODEL	WIDTH	HEIGHT	CAPACITY	PRICE	PER WEEK
TL07E-EH2	3496mm	4170mm	2.3T	£POA	£POA
Optional Car Arms				£POA	£POA

E represents that the lift has electronic safety latching, dual control and convenience features (integrated air and 240v sockets).  
Air connection not included within prices showing.  
\* Single phase option available for all lift types

Can easily be converted to lift passenger cars and light trucks with an optional arm kit capable of lifting 4 tonne capacities.



Did you know that Bullworthy, and our fellow members of Trade Garage Equipment are the original Rotary lift suppliers into the UK? We have been supplying and installing the Rotary brand for over 25 years, starting with just a handful of lifts in the first year, growing to having supplied over 12,000 Rotary lifts into the UK mainland market to date. That makes Bullworthy an authority when it comes to Rotary lifts, and we are not looking back, Bullworthy and TGE are continuing our growth by introducing fantastic new product lines and new Rotary lift variants to cope with all types of modern vehicle.

THE 'GREAT ALLROUNDER'

## SPO40 Two Post Lift

- Fully hydraulic.
- No lifting ropes or chains.
- 4.5 tonne capacity.
- Famous symmetric design.
- Twin ram operation.
- 3 years manufacturer warranty.

MODEL	WIDTH	HEIGHT	CAPACITY	PACKAGE	PER WEEK
SPO40M-EH1	3496mm	3865mm	4.5T	£POA	£POA
SPO40M-EH2	3496mm	4170mm	4.5T	£POA	£POA
SPO40M-EH4	3496mm	4780mm	4.5T	£POA	£POA
SPO40E-EH1	3496mm	3865mm	4.5T	£POA	£POA
SPO40E-EH2	3496mm	4170mm	4.5T	£POA	£POA
SPO40E-EH4	3496mm	4780mm	4.5T	£POA	£POA

CAPACITY  
4.5T



Package price includes Split & 'U' shape adaptors.

OUR 'FAVOURITE'

## SPO55 Two Post Lift

- Fully hydraulic.
- No lifting ropes or chains.
- 5.5 tonne capacity.
- 3 stage arms with screw pad assembly.
- Low pick up height.
- 3 years manufacturer warranty.

MODEL	WIDTH	HEIGHT	CAPACITY	PRICE	PER WEEK
SPO55M-EH2	3497mm	4780mm	5.5T	£POA	£POA
SPO55M-EH4	3497mm	5430mm	5.5T	£POA	£POA
* SPO55E-EH2	3497mm	4780mm	5.5T	£POA	£POA
* SPO55E-EH4	3497mm	5430mm	5.5T	£POA	£POA

CAPACITY  
5.5T



Package price includes Split & 'U' shape adaptors.

E represents that the lift has electronic safety latching, dual control and convenience features (integrated air and 240v sockets).  
Air connection not included within prices showing.  
\* Single phase option available for all lift types

THE 'BOSSI'

## SPO65 Two Post Lift

- Heavy duty columns.
- 145mm pick up height.
- 6.5 tonne capacity.
- Air assisted safety latching.
- Single phase available.
- 3 years manufacturer warranty.

MODEL	WIDTH	HEIGHT	CAPACITY	PRICE	PER WEEK
SPO65E-LWB	3937mm	4570 - 5028mm	6.5T	£POA	£POA
SPO65E-EH2-LWB	3937mm	4976 - 5432mm	6.5T	£POA	£POA

CAPACITY  
6.5T



Package price includes Split & 'U' shape adaptors.

E represents that the lift has electronic safety latching, dual control and convenience features (integrated air and 240v sockets).  
Air connection not included within prices showing.  
\* Single phase option available for all lift types



Got a question? Contact our specialist team today with your enquiries!



THE 'TRADITIONAL' ONE

## SPOA3T Two Post Lift

- Fully hydraulic.
- Asymmetric design.
- 3.5 tonne capacity.
- Dual control option.
- Baseless design.
- Standard or sports car setting.
- Optional electronic latching with integrated air port.

MODEL	WIDTH	HEIGHT	CAPACITY	PRICE	PER WEEK
SPOA3TM-EH1	3121mm	3865mm	3.5T	£POA	£POA
SPOA3TM-AP-EH1	3301mm	3865mm	3.5T	£POA	£POA
SPOA3TM-SC-EH1	3301mm	3865mm	3.5T	£POA	£POA
SPOA3TS-EH1	3121mm	3865mm	3.5T	£POA	£POA
SPOA3TS-AP-EH1	3301mm	3865mm	3.5T	£POA	£POA
SPOA3TS-SC-EH1	3301mm	3865mm	3.5T	£POA	£POA



THE 'FAMOUS' ONE

## SPOA40 Two Post Lift

- Fully hydraulic.
- No lifting ropes or chains.
- 4.5 tonne capacity.
- Famous asymmetric design.
- Twin ram operation.
- 3 years manufacturer warranty.

MODEL	WIDTH	HEIGHT	CAPACITY	PRICE	PER WEEK
SPOA40NB-EH1	3287mm	3865mm	4.5T	£POA	£POA
SPOA40NB-EH2	3287mm	4170mm	4.5T	£POA	£POA
SPOA40NBE-EH1	3287mm	3865mm	4.5T	£POA	£POA
SPOA40NBE-EH2	3287mm	4170mm	4.5T	£POA	£POA
SPOA40M-EH1/2	3440mm	-	4.5T	£POA	£POA
SPOA40E-EH1/2	3440mm	-	4.5T	£POA	£POA
SPOA40M-AP-EH1/2	3496mm	-	4.5T	£POA	£POA
SPOA40E-AP-EH1/2	3496mm	-	4.5T	£POA	£POA
SPOA40M-SC-EH1/2	3496mm	-	3.5T	£POA	£POA
SPOA40E-SC-EH1/2	3496mm	-	3.5T	£POA	£POA



### THE LEGAL BIT:

All prices are subject to VAT which is chargeable at the current rate.  
 Weekly payments quoted are based on a five year lease purchase terms.  
 Finance / Lease purchase is subject to credit approval and only available to Limited companies.  
 All prices include delivery and installation to a prepared site unless specified.  
 Some models featured may require fork lift assistance when installing these lifts.  
 Prices exclude any building or electrical works including final electrical connections.  
 Where manufacturers warranty is stated this is subject to regular servicing.  
 Some images may have been supplied for illustration purposes only.  
 Our terms and conditions of trading are available on request or can be found on our website.  
 Prices are current as of date of print 01/04/2025. E&OE.

### FOLLOW BULLWORTHY TODAY!



Search Bullworthy Garage Equipment!