

THE GARAGE EQUIPMENT SPECIALISTS





TECHNIQUE T1042LP Two Post Lift


- Specialist low-profile sports car arms as standard.
- 3 stage telescopic lifting arms front and rear.
- Base plate types for low ceiling workshops.
- Durable cylinders in each column carry with anti-surge valves.
- Door protection pads to prevent possible damage when opening doors without caution.





Split adaptors included.

| T1042LP | PRICE: £POA | PER WEEK: £POA |
|------------|-------------|----------------|
| T1042LP-SP | PRICE: £POA | PER WEEK: £POA |



TURN TO PAGES 16-17

Rotary

SPOA3T Two Post Lift

- Fully hydraulic.
- Optional electronic latching with integrated air port.
- Asymmetric design.
- Baseless design.
- 3.5 tonne capacity.
- Standard or sports car setting.

| MODEL | WIDTH | HEIGHT | CAPACITY | PRICE | PER WEEK |
|----------------|--------|--------|----------|-------|----------|
| SPOA3TM-EH1 | 3121mm | 3865mm | 3.5T | £POA | £POA |
| SPOA3TM-AP-EH1 | 3301mm | 3865mm | 3.5T | £POA | £POA |
| SPOA3TM-SC-EH1 | 3301mm | 3865mm | 3.5T | £POA | £POA |
| SPOA3TS-EH1 | 3121mm | 3865mm | 3.5T | £POA | £POA |
| SPOA3TS-AP-EH1 | 3301mm | 3865mm | 3.5T | £POA | £POA |
| SPOA3TS-SC-EH1 | 3301mm | 3865mm | 3.5T | £POA | £POA |






LOOK OUT FOR OUR PLATINUM JUBILEE EMBLEM FOR SPECIAL DEALS!











A Word From Our Sales Director



"The summer is coming, bright sunshine and warm weather is just around the corner. There's a real sense that the pandemic is becoming a part of our history rather than paving an awkward future for each of our lives. That is why Bullworthy' has created some unbelievable Sunny Super Deals and are introducing some exciting new products and equipment packages to cheer up your workshop and help generate a healthier return on your investment. Safety is always at the forefront of our minds, that's why we only offer premium equipment, carefully sourced from world renowned manufacturers, built to last with a proven track record, and ultimately installed by our very own highly trained GEA (Garage Equipment Association) accredited engineers. So, look out for our Sunny Platinum Jubilee emblem for our hand-picked and unmatchable deals.

From our successes in 2021, the Technique brand is growing from strength to strength. Our Italian manufactured tyre equipment and wheel alignment systems are thoroughbreds, backed up with Technique equipment managers each with years of experience in their field reassuring you that each of the products is the first choice in the marketplace. Our Rotary lift success continues to reach new record highs too. Due to our customer's continued investment into premium lifts during 2021 this has meant, along with our partners at Trade Garage Equipment, Rotary lift sales now exceed 11,000 vehicle lifts placed into the UK marketplace over the past 20 years. What a tremendous result, and each of the TGE members are continuing this success well into 2022 once again making the members of TGE one of Rotary Lift Company's largest distribution networks in Europe."





TL07 Two Post Lift

- Ideal for golf clubs Lifts 3 or 4
 wheel turf equipment and golf carts.
 - Fully hydraulic.
 - Special mower frame and cradle.

| MODEL | WIDTH | HEIGHT | CAPACITY | PRICE | PER WEEK |
|-----------|----------|--------|----------|-------|----------|
| TL07E-EH2 | 3496mm | 4170mm | 2.3T | £POA | £POA |
| | Optional | £POA | £POA | | |

E represents that the lift has electronic safety latching, dual control and convenience features (integrated air and 240v sockets). Air connection not included within prices showing.

Single phase option available for all lift types.

The Rotary TL07E can easily be converted to lift passenger cars and light trucks with an optional arm kit capable of lifting 4 tonne capacities.







CHECK OUT OUR SPECIALIST TURF MAINTENANCE BROCHURE





Rotary Two Post Vehicle Lifts






SPOA40 Two Post Lift

- Fully hydraulic.
- No lifting ropes or chains.
- 4.5 tonne capacity.
- Famous asymmetric design.
- Twin ram operation.
- 3 years manufacturer warranty.

| MODEL | WIDTH | HEIGHT | CAPACITY | PRICE | PER WEEK |
|------------------|--------|--------|----------|-------|----------|
| SPOA40NB-EH1 | 3287mm | 3865mm | 4.5T | £POA | £POA |
| SPOA40NB-EH2 | 3287mm | 4170mm | 4.5T | £POA | £POA |
| SPOA40NBE-EH1 | 3287mm | 3865mm | 4.5T | £POA | £POA |
| SPOA40NBE-EH2 | 3287mm | 4170mm | 4.5T | £POA | £POA |
| SPOA40M-EH1/2 | 3440mm | - | 4.5T | £POA | £POA |
| SPOA40E-EH1/2 | 3440mm | - | 4.5T | £POA | £POA |
| SPOA40M-AP-EH1/2 | 3496mm | - | 4.5T | £POA | £POA |
| SPOA40E-AP-EH1/2 | 3496mm | - | 4.5T | £POA | £POA |
| SPOA40M-SC-EH1/2 | 3496mm | - | 3.5T | £POA | £POA |
| SPOA40E-SC-EH1/2 | 3496mm | - | 3.5T | £POA | £POA |





SPO40 Two Post Lift

- Fully hydraulic.
- No lifting ropes or chains.
- 4.5 tonne capacity.

- Famous asymmetric design.
- Twin ram operation.
- 3 years manufacturer warranty.

| MODEL | WIDTH | HEIGHT | CAPACITY | PACKAGE | PER WEEK |
|------------|--------|--------|----------|---------|----------|
| SPO40M-EH1 | 3496mm | 3865mm | 4.5T | £POA | £POA |
| SPO40M-EH2 | 3496mm | 4170mm | 4.5T | £POA | £POA |
| SPO40M-EH4 | 3496mm | 4780mm | 4.5T | £POA | £POA |
| SPO40E-EH1 | 3496mm | 3865mm | 4.5T | £POA | £POA |
| SPO40E-EH2 | 3496mm | 4170mm | 4.5T | £POA | £POA |
| SPO40E-EH4 | 3496mm | 4780mm | 4.5T | £POA | £POA |





SPO55 Two Post Lift

- Fully hydraulic.
- No lifting ropes or chains.
- 5.5 tonne capacity.
- 3 stage arms with screw pad assembly.
- Low pick up height.
- 3 years manufacturer warranty.

| MODEL | WIDTH | HEIGHT | CAPACITY | PRICE | PER WEEK |
|--------------|--------|--------|----------|-------|----------|
| SPO55M-EH2 | 3497mm | 4780mm | 5.5T | £POA | £POA |
| SPO55M-EH4 | 3497mm | 5430mm | 5.5T | £POA | £POA |
| * SPO55E-EH2 | 3497mm | 4780mm | 5.5T | £POA | £POA |
| * SPO55E-EH4 | 3497mm | 5430mm | 5.5T | £POA | £POA |

E represents that the lift has electronic safety latching, dual control and convenience features (integrated air and 240v sockets). Air connection not included within prices showing.





^{*} Single phase option available for all lift types



Rotary Four Post Vehicle Lifts





SPO65 Two Post Lift

- Heavy duty columns.
- 145mm pick up height.
- 6.5 tonne capacity.
- Air assisted safety latching.
- Single phase available.
- 3 years manufacturer warranty.

| MODEL | WIDTH | HEIGHT | CAPACITY | PRICE | PER WEEK |
|----------------|--------|---------------|----------|-------|----------|
| SPO65E-LWB | 3937mm | 4570 - 5028mm | 6.5T | £POA | £POA |
| SPO65E-EH2-LWB | 3937mm | 4976 - 5432mm | 6.5T | £POA | £POA |

E represents that the lift has electronic safety latching, dual control and convenience features (integrated air and 240v sockets). Air connection not included within prices showing.

Single phase option available for all lift types









Plain Platform Service Lifts

- Heavy duty construction.
- Low drive on height.
- 4 post air latching.
- 4 and 6.5 tonne capacity.
- Low maintenance.
- Precise locking system.

| 4.0 _T | 3 DELLWORTHY | |
|------------------|--------------|--|
| OR | | |
| CAPACITY | | |
| 6.5 ₊ | Y I | |

| MODEL | PLATFORM LENGTH | OVERALL WIDTH | CAPACITY | PRICE | PER WEEK |
|---------|-----------------|---------------|----------|-------|----------|
| SM40-47 | 4700mm | 3320mm | 4.0T | £POA | £POA |
| SM40-51 | 5100mm | 3320mm | 4.0T | £POA | £POA |
| SM65-51 | 5100mm | 3405mm | 6.5T | £POA | £POA |
| SM65-55 | 5500mm | 3405mm | 6.5T | £POA | £POA |
| SM65-60 | 6000mm | 3405mm | 6.5T | £POA | £POA |

Wheel Alignment Lifts

- Heavy duty construction.
- Low drive on height.
- 4 post air latching.
- 4 and 6.5 tonne capacity.
- Low maintenance.
- Precise locking system.



SM65 Four Post Alignment Lift.

| MODEL | PLATFORM LENGTH | OVERALL WIDTH | CAPACITY | PRICE | PER WEEK |
|-------------|-----------------|---------------|----------|-------|----------|
| SM40-47N-AK | 4700mm | 3320mm | 4.0T | £POA | £POA |
| SM40-51N-AK | 5100mm | 3320mm | 4.0T | £POA | £POA |
| SM65-51N-AK | 5100mm | 3405mm | 6.5T | £POA | £POA |
| SM65-55N-AK | 5500mm | 3405mm | 6.5T | £POA | £POA |
| SM65-60N-AK | 6000mm | 3405mm | 6.5T | £POA | £POA |





Rotary Four Post Vehicle Lifts





MOT Four Post Lifts

- Heavy duty construction.
- Low drive on height.
- 4 post air latching.
- 4 and 6.5 tonne capacity.
- 3 years manufacturer warranty.
- Low maintenance.
- Precise locking system.



OR

6.5₊



| MODEL | PLATFORM LENGTH | OVERALL WIDTH | CAPACITY | PRICE | PER WEEK |
|-----------|-----------------|---------------|----------|-------|----------|
| MOT40-47N | 4700mm | 3128mm | 4.0T | £POA | £POA |
| MOT65-60N | 6000mm | 3405mm | 6.5T | £POA | £POA |

Rotary

MOT & Alignment Lifts

- Heavy duty construction.
- Low drive on height.
- 4 post air latching.
- 4 and 6.5 tonne capacity.
- 3 years manufacturer warranty.
- Low maintenance.
- Precise locking system.



OR

CAPACITY

6.5



SM65 Four Post MOT + Alignment Lift.

| MODEL | PLATFORM LENGTH | OVERALL WIDTH | CAPACITY | PRICE | PER WEEK |
|---------------|-----------------|---------------|----------|-------|----------|
| SM40-47AK-MOT | 4700mm | 3373mm | 4.0T | £POA | £POA |
| SM40-51AK-MOT | 5100mm | 3373mm | 4.0T | £POA | £POA |
| SM65-51AK-MOT | 5100mm | 3405mm | 6.5T | £POA | £POA |
| SM65-55AK-MOT | 5500mm | 3405mm | 6.5T | £POA | £POA |
| SM65-60AK-MOT | 6000mm | 3405mm | 6.5T | £POA | £POA |

Optional Extras:



Optional Hydraulic Play
Detector Kit.
Additional Cost £POA



Optional drive on extensions for any lift. Additional Cost £POA



Optional LED lighting kit for any lift.

Additional Cost £POA



Do you require a Jacking Beam?

Turn to page 19 for more

details!





Rotary Scissor Lifts





XS30N Mid Rise Scissor Lift

The Rotary Low Profile scissor lift specifically covers the requirements in the field of tyre and body work services. However, it is also an ideal workplace for maintenance work and work on the vehicle interior in the workshop. A reasonable investment allows the quick set up of an additional universal workspace without foundation work.



Folding ramp extensions.



Double acting hydraulic system.



New extended platform width and length.



Ergonomic control panel.





| MODEL | PLATFORM WIDTH | PLATFORM LENGTH | OVERALL WIDTH | CAPACITY | PRICE | PER WEEK |
|-------|----------------|-----------------|---------------|----------|-------|----------|
| XS30N | 530mm | 1500mm - 2160mm | 1980mm | 3.0T | £POA | £POA |

DS35 Low Profile Scissor Lift

Specially designed for the service and repair sector within the independent market and the dealer group workshops, the newly designed flexible mounting platforms allow for a broad mounting range. The DS35 holds many vehicle manufacturer approvals and has become the first choice for space saving in any busy workshop.



Folding ramp extensions.



Double ram safety system.



Low profile platforms.



Broad mounting range.





| MODEL | PLATFORM WIDTH | PLATFORM LENGTH | OVERALL WIDTH | CAPACITY | PRICE | PER WEEK |
|--------|----------------|-----------------|-----------------|----------|-------|----------|
| DS35HG | 6 30 mm | 1500mm - 2160mm | 2060mm - 2160mm | 3.5T | £POA | £POA |





Technique Scissor Lifts





T1210 Mid Rise Scissor Lift

The T1210 can be recessed in the same tradition as a full height scissor lift. Locking run on ramps allow the platform to be extended front and rear of the platform area. The hydraulic synchronisation system with automatic levelling function prevents an uneven lifting or lowering of the load.

- Platform range is 1460mm up to 2050mm.
- Scissor platforms and bases incorporate generously sized self-lubricating sliders for reduced wear.
- Hydraulic levelling system with dual master (two cylinders per platform) for total safety without the need for mechanical latches.
- 40mm rubber lifting blocks as standard.

| MODEL | PLATFORM WIDTH | PLATFORM LENGTH | OVERALL WIDTH | CAPACITY | PRICE | PER WEEK |
|--------|----------------|-----------------|-----------------|----------|-------|----------|
| DS35HG | 630mm | 1500mm - 2160mm | 2060mm - 2160mm | 3.5T | £POA | £POA |





T1220 Low Profile Scissor Lift


The T1220 low profile dual scissor lifts have been developed to cater for all applications and needs. Special attention has been made to parts of the lift where others fail, such as fully galvanising the base frame, galvanising the run on ramps, and including fully adjustable levelling screws which make this lift ideal for replacing old recessed scissor lift units.

- Runway and base with generously sized, self-lubricating sliding shoes.
- 4 travel limit adjuster screws for minimum runway height from floor, for perfectly level runways when lowered.
- Runways with suspended flaps which also act as vehicle access ramps.

| MODEL | ТҮРЕ | CLOSED DEPTH OF PLATFORM | CAPACITY | PRICE | PER WEEK |
|----------|----------------------------|--------------------------|----------|-------|----------|
| T1220-35 | SURFACE MOUNTED / RECESSED | 105mm | 3.5T | £POA | £POA |

Accessories

These additional accessories can be used in conjunction with the lifts featured on these pages.



Sports car set of long ramps for surface mounted versions.

Additional Cost: £POA



Prefabricated formers to aid recess civil works.

Additional Cost: £POA



Kit of 4 x rubber blocks 80mm high.

Additional Cost: £POA



Pair of beams for all terrain vehicles and light vans.

Additional Cost: £POA





Technique Vehicle Lifts



TECHNIQUE Four Post Lifts

The Technique range of four post lifts include integrated hydraulic play detectors and offer an extremely low pick up height.

- Integral hydraulic play detector.
- Variable platform lengths from 4460mm, 5100mm, and 5700mm.
- Available in 4.0, 5.0 tonne capacities.
- Available as recessed or surface mounted lift.



| MODEL | CLASS | PLATFORM LENGTH | OVERALL WIDTH | CAPACITY | DRIVE ON HEIGHT | PRICE | PER WEEK |
|---------------|-------|-----------------|---------------|----------|-----------------|-------|----------|
| 4400.3IMOT4 | 4 | 4460mm | 2850mm | 4.0T | 130mm | £POA | £POA |
| * 4400.3IMOT4 | 4 | 4460mm | 2850mm | 4.0T | 130mm | £POA | £POA |
| 4401.3IMOT4 | 4 | 4460mm | 2850mm | 4.0T | 160mm | £POA | £POA |
| * 4401.3IMOT4 | 4 | 4460mm | 2850mm | 4.0T | 160mm | £POA | £POA |
| 4500.3IMOT7 | 7 | 5700mm | 3250mm | 5.0T | 175mm | £POA | £POA |
| * 4500.3IMOT7 | 7 | 5700mm | 3250mm | 5.0T | 175mm | £POA | £POA |

Wheel Alignment & MOT Four Post Lifts

| MODEL | CLASS | PLATFORM LENGTH | OVERALL WIDTH | CAPACITY | DRIVE ON HEIGHT | PRICE | PER WEEK |
|-------------|-------|-----------------|---------------|----------|-----------------|-------|----------|
| 4406.3IMOT4 | 4 | 5100mm | 3355mm | 4.0T | 175mm | £POA | £POA |
| 4502.3IMOT4 | 7 | 5700mm | 3355mm | 5.0T | 175mm | £POA | £POA |

^{*} Represents surface mounted option.

TECHNIQUE Scissor Lifts

The Technique range of wheel alignment scissor lifts include rear integrated slip plates and a basic bearing mounted turn plate kit.

- Strong, sturdy construction.
- Variable platform lengths from 4600mm to 5500mm.
- Available in 4.0, 5.0 and 6.0 tonne capacities.
- Available as recessed or surface mounted lift.



I = Recessed version / SI = Integral scissor version.

| MODEL | PLATFORM LENGTH | OVERALL WIDTH | CAPACITY | PER WEEK |
|---------------|-----------------|---------------|----------|----------|
| 640N.2 I | 4600mm | 2100mm | 4.0T | £POA |
| 640N.2 ISI | 4600mm | 2100mm | 4.0T | £POA |
| 650N.2.55 I | 5500mm | 2200mm | 5.0T | £POA |
| 650N.2.55 ISI | 5500mm | 2200mm | 5.0T | £POA |
| 660N.2.55 I | 5500mm | 2200mm | 6.0T | £POA |
| 660N.1.55 ISI | 5500mm | 2200mm | 6.0T | £POA |

Fork lift assistance required for certain recessed applications and site conditions.



| Optional Extras - For plain platform and wheel alignment lifts. | | | | | |
|---|------|--|--|--|--|
| LED Lighting Kit. | £POA | | | | |
| Turn Table Filler Kit | £POA | | | | |
| Longer Run On Ramps (1800mm) | £POA | | | | |
| Power Unit Cover. | £POA | | | | |







Why Groove Glove?

Groove Glove is a hand held scanner that allows tyre retailers and their customers to easily and quickly understand the wear condition of tyres. Operated wherever a WiFi signal exists it avoids errors and provides sales opportunities for replacement tyres and wheel alignments.

Five reasons to use Groove Glove:

- Fast Less than 1 minute walk around.
- Integrated camera for licence plate recognition.
- Accurate scans 600 points across each tyre.
- Flexible Scan tyre wherever you need to.
- Transparent A full TreadSpec report available in seconds.

How does it work?



Take a photo of the registration plate with our integrated camera.



Scan all 4 tyres in a chosen sequence to acquire shoulder to shoulder tread depth profiles



Share the TreadSpec report, available in seconds, with the customer to agree the purchase of replacement tyres and wheel alignment check.

| Lease Cost Per Month (Based on £16.41 per week) | Average Wheel Alignment Charge Out | If You Only Sell x1 Wheel Alignment Checks Per Week | x4 Wheel Alignment Checks in a Month | 12 Months Profit (48 Weeks) |
|---|------------------------------------|---|---|--------------------------------|
| £71.11 | £75.00 | £58.59 Profit | £234.36 Profit | £2,812.32 Profit |

PLUS TYRE SALES!

Why TreadSpec?

TreadSpec allows tyre retailers and their customers to easily and quickly understand the wear condition of tyres. It saves time, avoids errors and provides sales opportunities for replacement tyres and wheel alignments.

Five reasons to use TreadSpec:

- Fast 5 second cycle time.
- Automated No manual errors or missed tyres.
- Accurate scans hundreds of points across each tyre. •
- Convenient Capture 100% of vehicles entering workshop.
- Transparent A full TreadSpec report available in seconds.

How does it work?



Drive over the ramp at normal speed. The integral camera captures the licence plate.



Share the TreadSpec report, available in seconds, with the customer to agree the purchase of replacement tyres and wheel alignment check.

| Lease Cost Per Month (based on £113.97 per week) | Average Wheel Alignment Charge Out | If You Only Sell x5 Wheel Alignment Checks Per Week | x20 Wheel Alignment Checks in a Month | 12 Months Profit (48 Weeks) |
|--|------------------------------------|---|---------------------------------------|--------------------------------|
| £493.87 | £75.00 | £261.03 Profit | £1,044.12 Profit | £12,529.44 Profit |

PLUS TYRE SALES!







381mm

(15")

TECHNIQUE Tyre Changer

Technique entry level tyre changer, ideal for small businesses. Power assisted tilt-back arm design with 3 position clamping jaws, powerful bead breaker and an optional 3-point air assistance arm (T2205-PLUS), all aid in changing the modern tyre easily, including run-flat tyres.

- Rim clamping range external: 10" - 22".
- Rim clamping range from internal: 12" - 24".
- Max tyre diameter: 1000mm (39")
- Max tyre width: 355mm (13")
- Bead breaking power: 3000kg
- Single Phase Motor.



The Technique PLUS T2205 assist offers assistance in changing the modern tyre easily, including run-flat tyres.



| T2205 | | | | | | |
|--------------------|--|--|--|--|--|--|
| £POA PER WEEK | | | | | | |
| PLUS | | | | | | |
| £POA £POA PER WEEK | | | | | | |
| | | | | | | |

TECHNIQUE Tyre Changer

The Technique T2210-PRO Fully automatic 24" tyre changer will meet the highest of demands from any operator. The side assist arm is supplied with two adaptor arms with an option of an extra roller for lifting the bottom bead.

 Quality construction The frame is reinforced to grant the utmost rigidity to the structure.

 Fast bead braking With 2 position adjustment.

 Easily adjusted Double adjustable clamp positions. In: 13"-24". Out: 11"-22".

 Clamps & Spikes High adherence clamp with replaceable spikes.

 Fine setting **Mounting Head** New standard adherence clamp with replaceable spikes.



Pneumatic side assist



position fast bead breaker.

PRICE: £POA

PER WEEK: £POA





WHEEL CARE PACKAGE 1

T2210-PRO Tyre Changer



T2020-2D Wheel Balancer



PRICE: £POA

PER WEEK: £POA



WHEEL CARE PACKAGE 2

T2210-PRO Tyre Changer



T2030-3D Wheel Balancer





PRICE: £POA

PER WEEK: £POA









1050mm

TECHNIQUE Tyre Changer

Perfect for any alloy rim size, run flat and low profile tyres. Premium, completely lever-less tyre changer with 'Memory' feature and centre mounting head allowing for any size of rim. A must for any workshop handling modern wheels.




TECHNIQUE Tyre Changer

Perfect for any alloy rim size, run flat and low profile tyres. The Ultimate, completely lever-less tyre changer with 'Tool Position Memory' and unique Auto Touch functionality. This unit is top of the pile for tyre changing specifications, there simply is nothing left unaccounted for.

1050mm

1050mm Unique autotouch function can operate on both normal and reverse rims. Run flat, SST and PAX.



Quick diameter setting.

0-15 RPM variable speed. Space saving

design. Quick diameter

setting. Three adjustable

working heights. Quick fit rim

A sensor automatically activates the bead breaker.



Easy controls.

PRICE: £POA

PER WEEK: £POA



WHEEL CARE PACKAGE 3

T2220-M1 Tyre Changer



T2030-3D Wheel Balancer



PRICE: £POA

PER WEEK: £POA



WHEEL CARE PACKAGE 4

T2230-M2 Tyre Changer



T2030-3D Wheel Balancer





PRICE: £POA

PER WEEK: £POA







TECHNIQUE

T2020-2D

Wheel Balancer

A low rotation speed balancer. Superior low budget motorised unit, the machine offers great value for money and occupies a very limited space, it also gives professional performances.



Auto distance and diameter measurement.



Rim and tyre optimisation.



Hidden weight mode.



Backlit graphical LCD display.



Standard Accessories Kit Included:

Standard Cones (x4), hand-wheel quick fit nuts, pilers, wheel width calliper and 4WD cone adaptor.

PRICE: £POA

PER WEEK: £POA

TECHNIQUE T2030-3D

Wheel Balancer

Premium electronic wheel balancer with microprocessor control, giving an ultimate performance and a host of standard features for piece of mind.







weight positioning.





Automatic programme selection.



Hidden weight mode.







ECO weight balancing system.



Standard Accessories Kit Included:

Standard Cones(x4), hand-wheel quick fit nuts, pilers, wheel width calliper and 4WD cone adaptor.

PRICE: £POA

PER WEEK: £POA



THE SOLUTION THAT COMPLETELY CHANGES THE MAINTENANCE OF ADAS SYSTEMS

- Easy to handle All the operations can be carried out by just one operator.
- Digital Saves space in the workshop.
- WiFi Connection Ensures systems and calibration procedures are always up to date.
- Keystone System For maximum accuracy.
- Super Quick Can be aligned and positioned in five minutes
- Full HD 4K Monitor Ensures extreme accuracy under any light condition.

BOOK YOUR DEMONSTRATION TODAY!









The Technique T2410-BT wheel alignment system encapsulates the latest Bluetooth, Infra-red, and 6 Sensor CCD four-wheel alignment technology, in a neat and compact trolley.

Machine Features:

- Mobile control unit complete with a PC, 19" monitor, keyboard, printer and battery charger.
- Infra-red remote controlled measuring heads.
- Shoot and Go alignment software with Easy Update facility.
- 24-month warranty.



Keyboard with remote control function.



Infra-red measuring heads powered by long life rechargeable batteries.



T2410-BT Bluetooth Wheel Alignment System

FROM £POA

£POA PER WEEK





Machine Features:

- Equipped with tyre grabbing 3 point clamps to avoid run out compensation.
- Remote control located on each sensor.
- Run out compensation when required.
- Bluetooth transmission between measuring heads and control unit.
- Can be used on any 4 post or scissor lift.
- Automatic lift level compensation.



High resolution cameras.



Quick and easy setup.



Automatic Lift level compensation.



Simple guided measurements.



T2410-BT Bluetooth Wheel Alignment System

FROM £POA


















Air Conditioning



ArcticPRO® ACX310

- Weighs just 65kg.
- Efficient servicing, regardlesss of vehicle and ambient temperature.
- Printer for customer reports and database for service data.
- USB interface for software updates and remote diagnotsics.
- WiFi compatible.

PRICE: £POA

PER WEEK: £POA

RI34

MAHLE

ArcticPRO*

ArcticPRO® ACX320

- USB interface, WiFi and Bluetooth for remote diagnostics, software updates and ASA connectivity.
- Active oil protection (optional.)
- LED light indicates status anywhere in the workshop.
- Optional printer for customer reports and database for service data.

PRICE: £POA PER WEEK: £POA



ArcticPRO® ACX410

- Weighs just 65kg.
- Efficient servicing, regardlesss of vehicle and ambient temperature.
- Printer for customer reports and database for service data.
- USB interface for software updates and remote diagnotsics.
- WiFi compatible.



PRICE: £POA

PER WEEK: £POA

ArcticPRO® ACX420

- USB interface, WiFi and Bluetooth for remote diagnostics, software updates and ASA connectivity.
- Active oil protection (optional.)
- LED light indicates status anywhere in the workshop.
- Optional printer for customer reports and database for service data.

PRICE: £POA

PER WEEK: £POA

RI234YF

MAHLE

ArcticPRO*





MOT Packages









TECHNIQUE Class 4 MOT Packages

| CLASS | VERSION | DESCRIPTION | PRICE | PER WEEK |
|-------|--------------------|--|--------------|--------------|
| 4 | FOUR POST LIFT ATL | Rotary 4T 4.7m platform, hydraulic play detector, recessed radius plates, PC based roller brake tester, 22" display, advanced headlight aligner, 2T jacking beam, mirrors and pedal depressor. | FROM £POA | FROM £POA |





| CLASS | VERSION | DESCRIPTION | PRICE | PER WEEK |
|-------|--------------------|---|--------------|--------------|
| 7 | FOUR POST LIFT ATL | Rotary 6.5T 6.0m platform, hydraulic play detector, recessed radius plates, PC based roller brake tester, 22" display, advanced headlight aligner, 2.8T jacking beam, mirrors and pedal depressor. | FROM £POA | FROM £POA |

TECHNIQUE Class 1&2 Motorcycle MOT Package





The Technique Motorcycle testing package includes the following:-

- Technique T5210 brake tester.
- Technique T4600 headlamp tester.
- Wheel alignment bars.

| a | PACKAGE | PRICE | PER WEEK |
|----------|-----------------|-------|----------|
| | CLASS 1 & 2 MOT | £POA | £POA |










MOT Packages





TECHNIQUE Four Post Lift MOT Packages

| CLASS | VERSION | DESCRIPTION | PER WEEK |
|-------|---|--|-----------|
| 4 | FOUR POST LIFT ATL | Technique 4T 4.8m wheel alignment platforms, hydraulic play detector, recessed radius plates, PC based roller brake tester, 22" display, advanced headlight aligner, 2T jacking beam, mirrors and pedal depressor. | FROM £POA |
| 7 | 7 FOUR POST LIFT ATL Technique 5.0T 5.7m wheel alignment platforms, hydraulic play detector, recessed radius plates, PC based roller brake tester, 22" display, advanced headlight aligner, 2.8T jacking beam, mirrors and pedal depressor. | | FROM £POA |

TECHNIQUE Scissor Lift MOT Packages



TECHNIQUE Inspection Pit MOT Packages

| CLASS | VERSION | DESCRIPTION | PER WEEK |
|-------|-------------------|---|----------|
| 4/5/7 | INSPECTION PIT | The Technique ATL pit packages are supplied and installed with, hydraulic play detectors and captive turn plates, Technique headlamp tester, Technique T8000 brake tester and Technique jacking beam. | РОА |





Technique MOT Equipment



TECHNIQUE T8003 Emissions Analyser

The Technique T8003 is the first of a new generation of emissions analysers marking a stepped change in performance, operation and ergonomic practicality. Everything about the T8003 is in 'touch' with modern technology and designed to help propel your business into the future. Utilising the latest 'touch-screen' technology on the standard 23" screen each high definition graphic has been thought through for clarity and instant recognition whilst testing.



Touch-screen technology.



Optional wireless tablet.



Bluetooth smoke meter.



£POA

Lease term £POA + VAT P/W Includes a 2 year warranty.





TECHNIQUE T8000 Series Brake Tester

The T8000 range of MOT brake testing equipment represents a step change in performance, operation and ergonomic practicality. Options are also available to extend you into Class I and II testing, suspension testing and steering geometry analysis. Everything about the T8000 puts you in 'touch' with essential vehicle testing technology.



Built in easy exit system.



Suspension tester option available.

| MODEL | VERSION | CLASS | PER WEEK |
|--------|----------|-------|----------|
| T8400 | STANDARD | 4 | £POA |
| T8400A | ATL | 4 | £POA |
| T8700 | STANDARD | 7 | £POA |
| T8700A | ATL | 7 | £POA |

Why not test Class 1 & 2?

Upgrade any of the above brake testers to test

JUST ADD £POA





Technique MOT Equipment



TECHNIQUE T8000 Series Split Bed Brake Tester

| 3 PHASE ELECTRICS VERSION | | | | |
|---------------------------|--------------------------------|-------|----------|--|
| MODEL | VERSION | CLASS | PER WEEK | |
| T8300A | ATL | 4 | £POA | |
| | SINGLE PHASE ELECTRICS VERSION | | | |
| MODEL | VERSION | CLASS | PER WEEK | |
| T8300A/S | ATL | 4 | £POA | |



TECHNIQUE T3000 Hydraulic Jacking Beam

2.0_T

- Double extending top beam for wide vehicles.
- Screw adjustable rubber pads.
- 25mm & 95mm raiser blocks as standard.
- Finger guard and safety lock installed.
- Bearing type roller guides for easy movement for any lift.



5 year manufacturer warranty subject to yearly servicing intervals to comply with H&S regulations.



2.8_t

4.0_T

| MODEL | CAPACITY | CLASS | PRICE |
|-----------|----------|-------|-------|
| T3000 | 2.0T | 4 | £POA |
| T3000 AIR | 2.0T | 4 | £POA |
| T3001 | 2.8T | 4/7 | £POA |
| T3001 AIR | 2.8T | 4/7 | £POA |
| T3004 | 4.0T | 4/7 | £POA |
| T3004 AIR | 4.0T | 4/7 | £POA |



Commercial pit jacks also available! Contact us for further details!

TECHNIQUE T4600 Headlamp Tester

- Balanced optical head.
- Advanced fresnel lens.
- Focus range between 200 800mm.
- Advanced electronic version.
- Printer connectivity.







Advanced fresnel lens.

| MODEL | DESCRIPTION | CLASS | PRICE |
|--------|--------------|-------|-------|
| T4600 | RAIL MOUNTED | 4 | £POA |
| T4600V | RAIL MOUNTED | 7 | £POA |









MORE THAN JUST AN EQUIPMENT SUPPLIER

Bullworthy, specialists in garage equipment and workshop design, is now heading towards its fifth decade of trading within the industry. With a wealth of experience, extensive product knowledge and a fresh professional approach, you are assured of being offered the correct equipment for the task required. Whether your business is a frontline independent workshop or part of a larger dealer group, Bullworthy can offer the highest standard in workshop equipment to suit all budgets.


ALL THE SERVICES YOU NEED JUST FROM ONE COMPANY

- Workshop Design.
- Project Management.
- Civil & Construction Works.
- Specialist Pit Fabrications.
- Floor Finishing Solutions.
- Electrical Services.
- Installations.
- Aftersales Care.



FROM START TO FINISH

Bullworthy are project specialists. We know that each project will involve a variety of specialist skills to complete a workshop equipment installation. Bullworthy can offer a 'Start to Finish' concept. Using our own in-house capabilities and expertise, alongside our trusted contractors, Bullworthy can, literally, build you a workshop.











Air Compressors



Integrated Intelligence - The Next Dimension

The SIGMA CONTROL 2 features a highly flexible modular design, yet its standard construction means that this versatile control system can be matched to suit the needs of any rotary screw compressor or rotary blower from KAESER KOMPRESSOREN's extensive range. Comprising a main control unit and separate input/output modules, this modular concept therefore enhances communication and maintenance-friendliness.

Bullworthy and KAESER KOMPRESSOREN have earnt a reputation for excellence in all fields of compressed air generation whilst providing expert, professional advice. Put simply and straightforward, Bullworthy and HPC can help you save energy, save money and to benefit the environment by reducing your businesses CO2 emissions.





RM denotes 'Receiver Mounted.'

SX6 4kW PACKAGE

21.2 cfm @ 7.5 bar. 16.9 cfm @ 10 bar. From 62dB(A.)

| SX6 SC2IO | PER WEEK: £POA |
|-------------|----------------|
| SX6RM SC2IO | PER WEEK: £POA |



SX8 5.5kW PACKAGE

28.3 cfm @ 7.5 bar. 23.7 cfm @ 10 bar. From 64dB(A.)

| SX8 SC2IO | PER WEEK: £POA |
|-------------|----------------|
| SX8RM SC2IO | PER WEEK: £POA |

SM13 7.5kW PACKAGE



| SM13 SC2IO | PER WEEK: £POA |
|--------------------|----------------|
| SM13RM SC2IO | PER WEEK: £POA |
| SM13T SC2IO | PER WEEK: £POA |
| AIRCENTER 13 SC2IO | PER WEEK: £POA |

SM13T SC2IO PACKAGE

SM13T SCB / SC2IO Compressor, 250 litre galvanised VAR HPC KAESER F16KE Filter and OW10 Oil/Water separator PER WEEK: £POA

RM denotes 'Receiver Mounted' - T units feature integral dryer.

AIRCENTER is a modular unit inclusive of 270I receiver and integral dryer.

SM16 9.0kW PACKAGE



| SM16 SC2IO | PER WEEK: £POA |
|--------------------|----------------|
| SM16RM SC2IO | PER WEEK: £POA |
| SM16T SC2IO | PER WEEK: £POA |
| AIRCENTER 16 SC2IO | PER WEEK: £POA |

SM16T SC2IO PACKAGE

SM13T SCB / SC2IO Compressor, 250 litre galvanised VAF HPC KAESER F16KE Filter and OW10 Oil/Water separator

PER WEEK: £POA

RM denotes 'Receiver Mounted' - T units feature integral dryer.

AIRCENTER is a modular unit inclusive of 270I receiver and integral dryer.





Workshop Furniture



Order Your Workspace Of Tomorrow!

Manufactured in module size, this allows a design for a technical solution to fit the needs of both, new-build workshops or indeed the constraints of an existing workshop. A successful workplace is one where employees feel valued and where their workspace is designed to work and help them deliver the service that customers expect. DEA's range of proven automotive workshop cabinetry achieves this and often exceeds expectations.

Talk to Bullworthy today for your unique workshop cabinet design.













TECHNIQUE Steel Top Heavy Duty Workbench

Heavy duty workbenches come fully welded (not flat pack) and ready to use. They are constructed from steel angle with braced 2mm galvanised steel top. The uniformly distributed load (UDL) is up to 1000kg for each workbench. These workbenches are perfect for heavier duty work. The standard height is 840mm, but this can be changed at no extra cost.

- 3 standard lengths and widths within range.
- Single cupboard (600mm x 600mmm x depth of workbench.)
- Galvanised bottom shelf, rear lip and vice plate (welded under front right hand corner.)

| 1260SC | 1200mm x 600mm with cupboard | £POA |
|--------|------------------------------|------|
| 1275SC | 1200mm x 750mm with cupboard | £POA |
| 1290SC | 1200mm x 900mm with cupboard | £POA |
| 1560SC | 1500mm x 600mm with cupboard | £POA |
| 1575SC | 1500mm x 750mm with cupboard | £POA |
| 1590SC | 1500mm x 900mm with cupboard | £POA |
| 1860SC | 1800mm x 600mm with cupboard | £POA |
| 1875SC | 1800mm x 750mm with cupboard | £POA |
| 1890SC | 1800mm x 900mm with cupboard | £POA |
| 2060SC | 2000mm x 600mm with cupboard | £POA |
| 2075SC | 2000mm x 750mm with cupboard | £POA |
| 2090SC | 2000mm x 900mm with cupboard | £POA |



Add a drawer to any of these workbenches.

| SDMD | Single Drawer | £POA |
|------------------|---------------------|-----------------|
| Add an extra cup | board to any of the | se workbenches. |

| MDCUP | Extra Cupboard | £POA |
|-------|----------------|------|
| | | |
| - 40 | 4" Vice | £POA |
| | 5" Vice | £POA |
| | 6" Vice | £POA |
| | 8" Vice | £POA |





Workshop Furniture
















WHERE SIZE DOESN'T MATTER!

Technique and TrueSteel® have forged a new exciting partnership for high quality, British made, custom built workshop furniture solutions enabling an almost limitless design.

Combining the years of project and cabinet experience within Bullworthy, with the unique design and production facilities at Truesteel, Bullworthy are literally able to offer cabinets, toolboxes and services distribution that can fit any space, be it a large corporate dealership workshop, independent workshop, or the domestic workshop / garage. Furthermore, we can offer specialist cabinetry for the sports car industries, marine industry, agricultural industry, factory facilities, colleges, production areas... the list goes on.

Using state of the art software, Truesteel can tweak their designs down to the last millimetre at the touch of a button and can provide a 3D rendered walk through for complex designs. Unique scaling of toolboxes, cupboards, service distribution is no longer a problem. Truesteel quality design incorporates strength too, using a thicker gauge steel than their modular competitors, and toolbox drawer runners holding unrivalled capacities.



TO THE WORKSHOP



Talk to Bullworthy today for your unique workshop cabinet design!



The Complete Extraction Service



Bullworthy can offer an extensive range of exhaust and fume extraction systems regardless of the size of your workshop. From fixed-point systems with drop-down reels, to completely mobile extraction systems for MOT testing purposes. We offer a free site survey from one of our experienced team, who will design and calculate the correct system to suit your extraction requirements. Bullworthy not only installs extraction systems but also offer maintenance and COSHH testing.

Bullworthy offer...



Site Survey.



System Design.



System Installation.



After Sales Support.



Systems for Exhaust Extraction.

A WORKY exhaust fumes extraction system guarantees the quality you are looking for at the right price with professional products that are tailored to the world of vehicle repair workshops. WORKY has the right solutions for all the types of workshops, small or big and according to the type of vehicle and services the workshop deals with. WORKY has multiple solutions for fixed systems, underfloor systems, sliding systems and stand alone / mobile systems.





Systems for Dust Extraction.

WORKY has devised a range of products and systems for extracting dust directly from the orbital polisher. Movable extractor fans and centralized systems guarantee this functionality with variables and models that always match your needs. The multifunctional centres also ensure the distribution of electric energy and compressed air to the work area to obtain a healthy, productive and efficient environment. Trust WORKY and the range of high performance products at the right price.

Systems for Weld Fume Extraction.

Extraction systems for welding fumes incorporating fume hoods, wall-mounted arms and sliding systems, as well as all our systems operating all over the world, are the best possible catalogue for WORKY's products, which are installed in huge numbers of companies that have improved the quality of life and the productivity of their workforce. WORKY's welding fumes extraction systems are perfect for the requirements of different production sectors, in particular automotive aftersales and industry.





Exhaust Extraction



SIMPLY TOUCHLESS

The GYNMA range of trolley mounted nozzles offer a universal and contactless solution for every car and motorcycle. The fact that it is mounted on a trolley allows for extreme mobility, and handling of every type of exhaust system without making contact. Just simply roll the trolley into position behind the vehicle. There are a multiple of configurations, diameters and temperature resistances allowing you to chose the right GYNMA for the workshop. This is just a few within the WORKY range to choose from:





GYNMAG 2 x Round Nozzle Trolley.



GYMNAG-GON 2 x Oval Nozzle Trolley.



GYNMA-150125125HT5 2 x High Temp Nozzle and Hose Trolley.



GMNT-GTL Single Round Steel Nozzle ideal for M/C.

| GYNMAG 2 x Round Nozzle Trolley | 100mm Ø Hose | Price: £POA |
|--|---------------|-------------|
| GYNMAG-GON 2 x Oval Nozzle Trolley | 100mm Ø Hose | Price: £POA |
| GYNMA-150125125HT5 2 x High Temp Nozzle & Hose Trolley | 125mm Ø 500°C | Price: £POA |
| GMNT-GTL Single Round Steel Nozzle ideal for M/C | 100mm Ø Hose | Price: £POA |

Prices shown are exclusive of carriage.

General Accessories & Parts

| Common Replacement Nozzles | | | | |
|----------------------------|-------------|---|------|--|
| | GRNG-160100 | Nozzle with vice grip & damper, 75mm dia hose. | £POA | |
| 4 | GON-100MG | Twin exhaust nozzle with vice grip and damper 100mm dia hose. | £POA | |
| *** | GON-100EG | Twin exhaust internal clamping nozzle with and damper 100mm dia hose. | £POA | |
| | GRTN-125MG | Commercial nozzle with vice grip and damper, 125mm dia hose. Ideal for MOT. | £POA | |

| Y Assen | nbly For Nozzles | | | |
|---|---|---|--|--|
| | | | | |
| GYG- Y-Piece with 2 x 100mm dia x 100100100 1.25m crushproof hose. | | £POA | | |
| Nozzle Sta | nds Ideal For MOT | | | |
| GNMT-12HT Nozzle stand for 125mm dia hose. £POA | | £POA | | |
| Hose Reels | | | | |
| GMR+10010 | 100mm dia. x 10m spring recoil hose reel. | £POA | | |
| GMR+12510 | 125mm dia. x 10m spring recoil hose reel. | £POA | | |
| | | | | |
| Tidy Workshop | | | | |
| GWB-100 | Hose storage bracket for 100mm dia hose. | £POA | | |
| | Nozzle Sta NMT-12HT N H GMR+10010 GMR+12510 | Nozzle Stands Ideal For MOT Nozzle Stands Ideal For MOT Nozzle stand for 125mm dia hose. Hose Reels GMR+10010 100mm dia. x 10m spring recoil hose reel. GMR+12510 125mm dia. x 10m spring recoil hose reel. Tidy Workshop Hose storage bracket for | | |

Prices shown are exclusive of carriage and installation.





Electronic Vehicle Battery Lifts



TECHNIQUE T3300 Series Battery Lift

- Ergonomic controls.
- Electro-hydraulic operation.
- Unidirectional high load bearing wheels with integrated brakes.
- Self-levelling load platform with specially shaped wood worktop.
- Powerful double hydraulic cylinder system.



| MODEL | MAX CAPACITY | LIFTING HEIGHT | PRICE | PER WEEK |
|-------|--------------|----------------------|-------|----------|
| T3314 | 1400kg | From 1000mm - 1800mm | £POA | £POA |

TECHNIQUE T3322 Series Battery Lift

- Electrically released mechanical locking system.
- 24V Control system three pin plug.
- Various fully adjustable adaptor pins for reserved holes.



| MODEL | MAX CAPACITY | LIFTING HEIGHT | PRICE | PER WEEK |
|-------|--------------|---------------------|-------|----------|
| T3322 | 1200kg | From 800mm - 1810mm | £POA | £POA |

Alentec Orion Oil Equipment





Waste Oil Drainer 95ltr w/ Discharge Pump

Combined mobile pump away drainer and suction unit in orion grey mounted with a Waste Oil Pump (22802) including air and waste oil quick coupling nipples. Waste oil outlet hose with quick coupling and also suction probes.







Waste Oil Drainer 95ltr **Discharge Point**

Mobile waste oil drainer in orion grey. Discharge through a valve and quick coupling nipple. To be connected to a discharge pump with quick coupling.

Part Number: 39526



3:1 Tank mounted pump kit with air treatment accessories and hoses, etc.

Part Number: 204-GBA4



Includes valve with meter (25050), swivel, inlet strainer, battery. Easy calibration.

Part Number: 20371



Cased CRK air reel kit 3/8" x 10m bore hose and PCL coupling and associated fittings.

Part Number: 46422A





All prices shown are exclusive of carriage.



SAMOA Oil Equipment



NEX.U provides you with the control and information you require to make your operation more profitable. You will be able to account for every drop of lubricant and other service fluids used. On top of this, you will carry an efficient inventory control, with automatic alerts and fluid re-ordering when needed, eliminating operation downtime. For almost any lubricant usage or operation size, with today's high costs for these fluids, NEX.U quickly pays for itself. Once it is paid for, savings go right to the operations bottom line in the form of profit, which was previously lost.





SAMOA U-TRACK web-based software means there is no need for a dedicated PC. Access the programme, mangement, control and reports from a remote PC, tablet or mobile phone from any location.



U-DAT System keypad with full access to NEX.U and U-TRACK.



U-VALVE All in one flow control unit. Includes Solenoid Pulse Meter and Filter.









II-VISION






U-TANK Provides real time inventory control and manages a variety of alarm systems.

CALL US FOR A FREE SITE SURVEY AND DISCUSSION ON HOW NEX.U CAN SAVE YOUR COMPANY MONEY!



Pumpmaster 2 Mobile Oil Dispenser for 205ltr **Drums**

- 3:1 ratio air operated pump.
- Digital hose end meter.
- 3m x ½ delivery hose.





Price: £POA



Metered Control Valve with Flexible Outlet and 90° Angled Nozzle

- Rough TPE boot surrounds the entire meter for even greater durability.
- Resettable partial reading up to 999.9 litre and nonresettable 6 digit totaliser.
- Meters are factory calibrated for maximum accuracy.

Part Number: 365 535

Price: £POA



25ltr Hand Operated **Mobile Dispenser**

Self contained 25 litre hand operated lubricant dispenser without meter.

Part: 325 000 (w/Gauge) Price: £POA rt: 325 010 (wo/Gauge) Price: £POA





Compact Power Cable Reel 15m

RM-POWER cable reel - 230v, 50Hz.

15 metre H05VV-F 3 x 1.5mm 2 cable hose reel.

Part Number: 612 100

Price: £POA



Compact Air Hose Reel 15m

RM-38 compact hose reel for air. Includes 0.8m inlet hose and pivoting bracket.



Part Number: 500115

Price: £POA



All prices shown are exclusive of carriage.



Technique Oil Equipment



TECHNIQUE Waste Oil Tank Alarm

- LED zone lights up to indicate the issue.
- Flashing orange strobe.
- Weatherproof IP55 rated
- 90db sounder.
- Test and mute functions.
- Mains or battery operated.



| High or low level tank alarm | £POA |
|------------------------------|------|
| Single high level probe. | £POA |

Prices shown are exclusive of carriage.

TECHNIQUE T2200 Waste Oil Drainer

- 95 litres tank capacity.
- 8 litres hopper capacity.
- Fully encapsulated 1:1 air operated pump for draining unit.
- Integral air regulator.



| T2200-013 with integral pump. | £POA |
|----------------------------------|------|
| T2200-014 discharge point empty. | £POA |

Prices shown are exclusive of carriage.

TECHNIQUE Live Tank Level Monitoring System



- · No ongoing fees WiFi connection.
- Long battery life 7-year battery life. Easy to replace C batteries.
- Ultrasonic sensor Measures tanks 10ft tall.



- Cellular communication No need for local network connection.
- · Long battery life 5 year battery life. Easy to replace C batteries.
- Ultrasonic sensor Measures tanks 13ft tall.





Prices shown are exclusive of carriage, data plan, and fitting depending on location.









FLUIDS HANDLED: * Antifreeze Engine Oil Waste Oil



T-25T460 WiFi Unit

T-25T461 Cell Unit

Price: £POA

Prices shown are exclusive of carriage, data plan, and fitting depending on location.

Pulse Level Software

Pulse Level software has a simple intuitive design and gives you powerful information at your fingertips. Get a quick consolidated view of key sites via a specifically designed web page. Track tank levels at a glance, generate customisable reports and automated email alerts, and share critical information with other key decision makers.

- Intuitive alerts ensure you never run out of products.
- See the status of each site on an easy-to-view map.
- Advanced reporting Create and schedule automated reports to track history and see usage trends.
- · Simple annual and monthly billing options, or avoid charges altogether with Wi-Fi.
- Ability to share Pulse Level data.
- Use customers' existing Pulse Pro hardware to avoid the cost of additional monitors.



SUPER DEALS TERMS & CONDITIONS

All prices are subject to VAT which is chargeable at the current rate Weekly payments quoted are based on a five year lease purchase terms. Finance / Lease purchase is subject to credit approval. All prices include delivery and installation to a prepared site unless specified. Some models featured may require fork lift assistance when installing these lifts. Prices exclude any building or electrical works including final electrical connections. Where manufacturers warranty is stated this is subject to regular servicing. Some images may have been supplied for illustration purposes only. Our terms and conditions of trading are available on request or can be found on our website. Prices are current as of date of print 01/06/2022. E&OE.

FOLLOW BULLWORTHY TODAY!

Search TRBullworthy

Search @TRBullworthy

www.bullworthy.co.uk/blog